Operations Research An Introduction 10th edition Taha Solutions Manual

SKU: 9780134444017-SOLUTIONS

CHAPTER 2

Modeling with Linear Programming

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

Chapter 2

1

(a) $x_2 - x_1 \geq 1$ or $-x_1 + x_2 \geq 1$

(b) $x_1 + 2x_2 \geq 3$ and $x_1 + 2x_2 \leq 6$

(c) $x_2 \geq x_1$ or $x_1 - x_2 \leq 0$

(d) $x_1 + x_2 \geq 3$

(e) $\frac{x_2}{x_1 + x_2} \leq .5$ or $.5x_1 - .5x_2 \geq 0$

2

(a) $(x_1, x_2) = (1, 4)$

$(x_1, x_2) \geq 0$

$6x1 + 4x4 = 22 < 24$

$1x1 + 2x4 = 9 \nleq 6$ infeasible

(b) $(x_1, x_2) = (2, 2)$

$(x_1, x_2) \geq 0$

$6x2 + 4x2 = 20 < 24$

$1x2 + 2x2 = 6 = 6$

$-1x2 + 1x2 = 0 < 1$

$1x2 = 2 = 2$

} feasible

$Z = 5x2 + 4x2 = \$18$

(c) $(x_1, x_2) = (3, 1.5)$

$x_1, x_2 \geq 0$

$6x3 + 4x1.5 = 24 = 24$

$1x3 + 2x1.5 = 6 = 6$

$-1x3 + 1x1.5 = -1.5 < 1$

$1x1.5 = 1.5 < 2$

} feasible

$Z = 5x3 + 4x1.5 = \$21$

(d) $(x_1, x_2) = (2, 1)$

$x_1, x_2 \geq 0$

$6x2 + 4x1 = 16 < 24$

$1x2 + 2x1 = 4 < 6$

$-1x2 + 1x1 = -1 < 1$

$1x1 = 1 < 2$

} feasible

$Z = 5x2 + 4x1 = \$14$

(e) $(x_1, x_2) = (2, -1)$

$x_1 \geq 0$, $x_2 < 0$, infeasible

Conclusion: (c) gives the best feasible solution

3

$(x_1, x_2) = (2, 2)$

Let S_1 and S_2 be the unused daily amounts of M1 and M2.

For M1: $S_1 = 24 - (6x_1 + 4x_2) = 4$ tons/day

For M2: $S_2 = 6 - (x_1 + 2x_2)$

$= 6 - (2 + 2x2) = 0$ tons/day

4


Quantity discount results in the following nonlinear objective function:

$$Z = \begin{cases} 5x_1 + 4x_2, & 0 \leq x_1 \leq 2 \\ 4.5x_1 + 4x_2, & x_1 > 2 \end{cases}$$


The situation cannot be treated as a linear program. Nonlinearity can be accounted for in this case using mixed integer programming (chapter 9).

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

5




6




7

(a) $x_1 \le 2.5$
$x_2 \le 1.9$




(b) $x_2 \ge 2$




continued...

(c) $-x_1 + x_2 = 1$



(d) $6x_1 + 4x_2 \ge 24$




(e) No feasible space

8

x_1 = daily units of product 1
x_2 = daily units of product 2

Maximize $z = 2x_1 + 3x_2$
s.t.

$$10x_1 + 5x_2 \le 600 \quad (1)$$
$$6x_1 + 20x_2 \le 600 \quad (2)$$
$$8x_1 + 10x_2 \le 600 \quad (3)$$



Optimum occurs at A:
$x_1 = 52.94$
$x_2 = 14.12$
$z = \$ 148.24$

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

9

X_1 = number of units of A
X_2 = number of units of B


Maximize $Z = 20X_1 + 50X_2$

$\frac{X_1}{X_1 + X_2} \geq .8$ or $-.2X_1 + .8X_2 \leq 0$

$X_1 \leq 100$

$2X_1 + 4X_2 \leq 240$

$X_1, X_2 \geq 0$



Optimal occurs at B:
$X_1 = 80$ units
$X_2 = 20$ units
$Z = \$2,600$


10

X_1 = number of sheets/day
X_2 = number of bars/day

Maximize $Z = 40X_1 + 35X_2$

S.t. $\frac{X_1}{800} + \frac{X_2}{600} \leq 1$

$0 \leq X_1 \leq 550, \quad 0 \leq X_2 \leq 580$



Optimum solution:
$X_1 = 550$ sheets
$X_2 = 187.13$ bars
$Z = \$28,549.40$

11

X_1 = \$ invested in A
X_2 = \$ invested in B

Maximize $Z = .05X_1 + .08X_2$

S.t.


$X_1 \geq .25(X_1 + X_2)$

$X_2 \leq .5(X_1 + X_2)$

$X_1 \geq .5X_2$

$X_1 + X_2 \leq 5000$

$X_1, X_2 \geq 0$



Optimum:
$X_1 = \$2500$
$X_2 = \$2500$
$Z = \$325$

12

X_1 = number of practical courses
X_2 = number of humanistic courses

Maximize $Z = 1500X_1 + 1000X_2$

S.t.


$X_1 + X_2 \leq 30$

$X_1 \geq 10$

$X_2 \geq 10$

$X_1, X_2 \geq 0$

(a)



Optimum:
$X_1 = 20$
$X_2 = 10$
$Z = \$40,000$

(b) Change $X_1 + X_2 \leq 30$ to $X_1 + X_2 \leq 31$

Optimum $Z = \$41,500$

$\Delta Z = \$41,500 - 40,000 = \$1500$

Conclusion: Any additional course will be of the practical type.

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual


13


x_1 = units of solution A
x_2 = units of solution B

Maximize $z = 8x_1 + 10x_2$
Subject to

$$.5x_1 + .5x_2 \le 150$$
$$.6x_1 + .4x_2 \le 145$$
$$x_1 \ge 30$$
$$x_1 \le 150$$
$$x_2 \ge 40$$
$$x_2 \le 200$$
$$x_1, x_2 \ge 0$$








Optimum: $x_1 = 200$, $x_2 = 50$, $z = \$267.50$
Area allocation: 67% grano, 33% wheatie

15

x_1 = play hours per day
x_2 = work hours per day
Maximize $z = 2x_1 + x_2$
s.t.

$$x_1 + x_2 \le 10$$
$$x_1 - x_2 \le 0$$
$$x_1 \le 4$$
$$x_1, x_2 \ge 0$$




Optimum solution:
$x_1 = 4$ hours
$x_2 = 6$ hours
$z = 14$ "pleasurits"

16

x_1 = Daily nbr. of type 1 hat
x_2 = Daily nbr. of type 2 hat
Maximize $Z = 8x_1 + 5x_2$
s.t.

$$2x_1 + x_2 \le 400$$
$$x_1 \le 150$$
$$x_2 \le 200$$
$$x_1, x_2 \ge 0$$



Optimum:
$x_1 = 100$ type 1
$x_2 = 200$ type 2
$z = \$1800$

14

x_1 = nbr. of grano boxes
x_2 = nbr. of wheatie boxes
Maximize $Z = x_1 + 1.35x_2$
s.t.

$$.2x_1 + .4x_2 \le 60$$
$$x_1 \le 200$$
$$x_2 \le 120$$
$$x_1, x_2 \ge 0$$

continued...

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

17


X_1 = radio minutes
X_2 = TV minutes

Maximize $Z = X_1 + 25X_2$

s.t. $15X_1 + 300X_2 \le 10{,}000$

$\frac{X_1}{X_2} \ge 2$ or $-X_1 + 2X_2 \le 0$

$X_1 \le 400$, $X_1, X_2 \ge 0$



Optimum occurs at A:
$X_1 = 60.61$ minutes
$X_2 = 30.3$ minutes
$Z = 818.18$

18

X_1 = tons of C_1 consumed per hour
X_2 = tons of C_2 consumed per hour

Maximize $Z = 12000X_1 + 9000X_2$

s.t.


$1800X_1 + 2100X_2 \le 2000(X_1 + X_2)$

or

$-200X_1 + 100X_2 \le 0$

$2.1X_1 + .9X_2 \le 20$

$X_1, X_2 \ge 0$



continued...

(a) Optimum occurs at A:
$X_1 = 5.128$ tons per hour
$X_2 = 10.256$ tons per hour
$Z = 153{,}846$ lb of steam

Optimal ratio $= \frac{5.128}{10.256} = .5$

(b) $2.1X_1 + .9X_2 \le (20+1) = 21$

Optimum $Z = 161538$ lb of steam
$\Delta Z = 161538 - 153846 = 7692$ lb

19

X_1 = Nbr. of radio commercials beyond the first
X_2 = Nbr. of TV ads beyond the first

Maximize $Z = 2000X_1 + 3000X_2 + 5000 + 2000$

s.t. $300(X_1+1) + 2000(X_2+1) \le 20{,}000$

$300(X_1+1) \le .8 \times 20{,}000$

$2000(X_2+1) \le .8 \times 20{,}000$

$X_1, X_2 \ge 0$

or


Maximize $Z = 2000X_1 + 3000X_2 + 7000$

s.t. $300X_1 + 2000X_2 \le 17700$ ①

$300X_1 \le 15700$ ②

$2000X_2 \le 14000$ ③

$X_1, X_2 \ge 0$



Optimum solution:

Radio commercials $= 52.33 + 1 = 53.33$
TV ads $= 1 + 1 = 2$
$Z = 107666.67 + 7000 = 114666.67$

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual


20

X_1 = number of shirts per hour
X_2 = number of blouses per hour

Maximize $Z = 8X_1 + 12X_2$

s.t.

$$20X_1 + 60X_2 \le 25 \times 60 = 1500 \quad (1)$$
$$70X_1 + 60X_2 \le 35 \times 60 = 2100 \quad (2)$$
$$12X_1 + 4X_2 \le 5 \times 60 = 300 \quad (3)$$
$$X_1, X_2 \ge 0$$




optimum at A:
$X_1 = 12$ shirts/hr
$X_2 = 21$ blouses/hr
$Z = \$348$/hr

21

X_1 = Nbr. of desks per day
X_2 = Nbr. of chairs per day

Maximize $Z = 50X_1 + 100X_2$

$$\frac{X_1}{200} + \frac{X_2}{80} \le 1 \quad (1)$$
$$\frac{X_1}{150} + \frac{X_2}{110} \le 1 \quad (2)$$
$$X_1 \le 120, \; X_2 \le 60 \quad (3,4)$$



Optimum:
$X_1 = 90$ desks
$X_2 = 44$ chairs
$Z = \$8900$

22

X_1 = number of HiFi 1 units
X_2 = number of HiFi 2 units

Constraints:

$$6X_1 + 4X_2 \le 480 \times .9 = 432$$
$$5X_1 + 5X_2 \le 480 \times .86 = 412.8$$
$$4X_1 + 6X_2 \le 480 \times .88 = 422.4$$

or

$$6X_1 + 4X_2 + S_1 = 432$$
$$5X_1 + 5X_2 + S_2 = 412.8$$
$$4X_1 + 6X_2 + S_3 = 422.4$$

Objective function:


Minimize $S_1 + S_2 + S_3 = 1267.2 - 15X_1 - 15X_2$

Thus, min $S_1 + S_2 + S_3 \equiv$ max $15X_1 + 15X_2$

Maximize $Z = 15X_1 + 15X_2$

s.t.

$$6X_1 + 4X_2 \le 432 \quad (1)$$
$$5X_1 + 5X_2 \le 412.8 \quad (2)$$
$$4X_1 + 6X_2 \le 422.4 \quad (3)$$
$$X_1, X_2 \ge 0$$



(Alternative optima exist)
$X_1 = 50.88$ units
$X_2 = 31.68$ units
$Z = 1238.4$ min


23

Corner point	(x_1, x_2)	z
A	(0,0)	0
B	(4,0)	20
C	(3,1.5)	21 (OPTIMUM)
D	(2,2)	18
E	(1,2)	13
F	(0,1)	4


© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

28


(a)



(b)




(c)



29

Additional constraint: $X_1 \leq 450$



Optimum Solution:


$X_1 = 450$ lb

$X_2 = 350$ lb

$Z = \$450$

continued...

30



Optimum: $X_1 = 0$, $X_2 = 0$, $Z = 0$, which is nonsensical

31


X_1 = number of hours/week in store 1

X_2 = number of hours/week in store 2

Minimize $Z = 8X_1 + 6X_2$

s.t.

$$X_1 + X_2 \geq 20$$
$$5 \leq X_1 \leq 12$$
$$6 \leq X_2 \leq 10$$



Optimum:

$X_1 = 10$ hours

$X_2 = 10$ hours

$Z = 140$ stress index

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

32

Let
$X_1 = 10^3$ bbl/day from Iran
$X_2 = 10^3$ bbl/day from Dubai
Refinery capacity $= X_1 + X_2$ 10^3 bbl/day

Minimize $Z = X_1 + X_2$
Subject to

$$X_1 \geq .4(X_1 + X_2)$$

or


$$\begin{aligned} -.6X_1 + .4X_2 &\leq 0 \\ .2X_1 + .1X_2 &\geq 14 \\ .25X_1 + .6X_2 &\geq 30 \\ .1X_1 + .15X_2 &\geq 10 \\ .15X_1 + .1X_2 &\geq 8 \\ X_1, X_2 &\geq 0 \end{aligned}$$

Optimum solution from TORA:

LINEAR PROGRAMMING – GRAPHICAL SOLUTION

Title: diet problem

Summary of Optimal Solution:
Objective Value = 85.00
x1 = 55.00
x2 = 30.00



33

Let
$X_1 = 10^3$ $ invested in blue chip stock
$X_2 = 10^3$ $ invested in high-tech stocks

Minimize $Z = X_1 + X_2$
Subject to


$$\begin{aligned} .1X_1 + .25X_2 &\geq 10 \\ .6X_1 - .4X_2 &\geq 0 \\ X_1, X_2 &\geq 0 \end{aligned}$$

TORA optimum solution:

LINEAR PROGRAMMING – GRAPHICAL SOLUTION

Title: diet problem

Summary of Optimal Solution:
Objective Value = 52.63
x1 = 21.05
x2 = 31.58




© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

34

X_1 = Ratio of scrap A in alloy

X_2 = Ratio of scrap B in alloy

	x1	x2		
Minimize	100.00	80.00		
Subject to				
(1)	0.06	0.03	>=	0.03
(2)	0.06	0.03	<=	0.06
(3)	0.03	0.06	>=	0.03
(4)	0.03	0.06	<=	0.05
(5)	0.04	0.03	>=	0.03
(6)	0.04	0.03	<=	0.07
(7)	1.00	1.00	=	1.00



Summary of Optimal Solution:
Objective Value = 86.67
x1 = 0.33
x2 = 0.67

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

40

(a) x_i = Undertaken portion of project i

Maximize

$$Z = 32.4x_1 + 35.8x_2 + 17.75x_3 + 14.8x_4 + 18.2x_5 + 12.35x_6$$

Subject to

$$10.5x_1 + 8.3x_2 + 10.2x_3 + 7.2x_4 + 12.3x_5 + 9.2x_6 \le 60$$
$$14.4x_1 + 12.6x_2 + 14.2x_3 + 10.5x_4 + 10.1x_5 + 7.8x_6 \le 70$$
$$2.2x_1 + 9.5x_2 + 5.6x_3 + 7.5x_4 + 8.3x_5 + 6.9x_6 \le 35$$
$$2.4x_1 + 3.1x_2 + 9.2x_3 + 5.0x_4 + 6.3x_5 + 5.1x_6 \le 20$$
$$0 \le x_j \le 1, \quad j = 1, 2, \ldots, 6$$

TORA optimum solution:

$x_1 = x_2 = x_3 = x_4 = 1, x_5 = .84, x_6 = 0, Z = 116.06$

(b) Add the constraint $x_2 \le x_6$

TORA optimum solution:

$x_1 = x_2 = x_3 = x_4 = x_6 = 1, x_5 = .03, Z = 113.68$

(c) Let S_i be the unused funds at the end of year i and change the right-hand sides of constraints 2, 3, and 4 to $70+S_1$, $35+S_2$, and $20+S_3$, respectively.

TORA optimum solution:

$x_1 = x_2 = x_3 = x_4 = x_5 = 1, x_6 = .71$

$Z = \$127.72$ (thousand)

The solution is interpreted as follows:

i	S_i	$S_i - S_{i-1}$	Decision
1	4.96	—	—
2	7.62	+2.66	Don't borrow from yr 1
3	4.62	−3.00	Borrow \$3 from year 2
4	0	−4.62	Borrow \$4.62 from yr 2

The effect of availing excess money for use in later years is that the first five projected are completed and 71% of project 6 is undertaken.

The total revenue increases from \$116,060 to 127,720.

(d) The slack S_i in period i is treated as an unrestricted variable.

TORA optimum solution: $Z = \$131.30$

$S_1 = 2.3, S_2 = .4, S_3 = -5, S_4 = -6.1$

This means that additional funds are needed in years 3 and 4.

Increase in return = 131.30 − 116.06

= \$15.24

Ignoring the time value of money, the amount borrowed $5 + 6.1 - (2.3 + .4)$ = \$8.4. Thus,

$$\text{rate of return} = \frac{15.24 - 8.4}{8.4} \cong 81\%$$

41

x_i = dollar investment in project i, $i = 1, 2, 3, 4$

y_j = dollar investment in bank in year j, $j = 1, 2, 3, 4, 5$

Maximize $Z = y_5$

Subject to

$$x_1 + x_2 + x_4 + y_1 \le 10{,}000$$
$$.5x_1 + .6x_2 - x_3 + .4x_4 + 1.065y_1 - y_2 = 0$$
$$.3x_1 + .2x_2 + .8x_3 + .6x_4 + 1.065y_2 - y_3 = 0$$
$$1.8x_1 + 1.5x_2 + 1.9x_3 + 1.8x_4 + 1.065y_3 - y_4 = 0$$
$$1.2x_1 + 1.3x_2 + .8x_3 + .95x_4 + 1.065y_4 - y_5 = 0$$

all variables ≥ 0

TORA optimal solution:

$x_1 = 0, x_2 = \$10{,}000, x_3 = \$6000, x_4 = 0$

$y_1 = 0, y_2 = 0, y_3 = \$6800, y_4 = \$33{,}642$

$Z = \$53{,}628.73$ at the start of year 5

continued...


© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

42

P_i = fraction undertaken of project i, $i = 1, 2$

B_j = million dollars borrowed in quarter j, $j = 1, 2, 3, 4$

S_j = surplus million dollars at the start of quarter j, $j = 1, 2, 3, 4, 5$



(a) Maximize $Z = S_5$

subject to

$$P_1 + 3P_2 + S_1 - B_1 = 1$$
$$3.1P_1 + 2.5P_2 - 1.025S_1 + S_2 + 1.025B_1 - B_2 = 1$$
$$1.5P_1 - 1.5P_2 - 1.025S_2 + S_3 + 1.025B_2 - B_3 = 1$$
$$-1.8P_1 - 1.8P_2 - 1.025S_3 + S_4 + 1.025B_3 - B_4 = 1$$
$$-5P_1 - 2.8P_2 - 1.025S_4 + S_5 + 1.025B_4 = 1$$
$$0 \le P_1 \le 1, \quad 0 \le P_2 \le 1$$
$$0 \le B_j \le 1, \quad j = 1, 2, 3, 4$$

Optimum solution:

$P_1 = .7113$ $P_2 = 0$

$Z = 5.8366$ million dollars

$B_1 = 0$, $B_2 = .9104$ million dollars

$B_3 = 1$ million dollars, $B_4 = 0$

(b) $B_1 = 0$, $S_1 = .2887$ million $

$B_2 = .9104$, $S_2 = 0$

$B_3 = 1$, $S_3 = 0$

$B_4 = 0$, $S_4 = 1.2553$

The solution shows that $B_i \cdot S_i = 0$, meaning that you can't borrow and also end up with surplus in any quarter. The result makes sense because the cost of borrowing (2.5%) is higher than the return on surplus funds (2%)

43

Assume that the investment program ends at the start of year 11. Thus, the 6-year bond option can be exercised in years 1, 2, 3, 4, and 5 only. Similarly, the 9-year bond can be used in years 1 and 2 only. Hence, from year 6 on, the only option available is insured savings at 7.5%.

Let

I_i = insured savings investments in year i, $i = 1, 2, \ldots, 10$

G_i = 6-year bond investment in year i, $i = 1, 2, \ldots, 5$

M_i = 9-year bond investment in year i, $i = 1, 2$

The objective is to maximize total accumulation at the end of year 10; that is,

maximize $Z = 1.075I_{10} + 1.079G_5 + 1.085M_2$

The constraints represent the balance equation for each year's cash flow.

$$I_1 + .98G_1 + 1.02M_1 = 2$$
$$I_2 + .98G_2 + 1.02M_2 = 2 + 1.075I_1 + .079G_1 + .085M_1$$
$$I_3 + .98G_3 = 2.5 + 1.075I_2 + .079(G_1 + G_2) + .085(M_1 + M_2)$$
$$I_4 + .98G_4 = 2.5 + 1.075I_3 + .079(G_1 + G_2 + G_3) + .085(M_1 + M_2)$$
$$I_5 + .98G_5 = 3 + 1.075I_4 + .079(G_1 + G_2 + G_3 + G_4) + .085(M_1 + M_2)$$
$$I_6 = 3.5 + 1.075I_5 + .079(G_1 + G_2 + G_3 + G_4 + G_5) + .085(M_1 + M_2)$$

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

$$I_7 = 3.5 + 1.075 I_6 + 1.079 G_1 + .079 (G_2 + G_3 + G_4 + G_5) + .085 (M_1 + M_2)$$

$$I_8 = 4 + 1.075 I_7 + 1.079 G_2 + .079 (G_3 + G_4 + G_5) + .085 (M_1 + M_2)$$

$$I_9 = 4 + 1.075 I_8 + 1.079 G_3 + .079 (G_4 + G_5) + .085 (M_1 + M_2)$$

$$I_{10} = 5 + 1.075 I_9 + 1.079 G_4 + .079 G_5 + 1.085 M_1 + .085 M_2$$

all variables ≥ 0

*** OPTIMUM SOLUTION SUMMARY ***

Title: Problem 26a-14
Final Iteration No: 14
Objective value (max) = 46.8500

Variable	Value	Obj Coeff	Obj Val Contrib
x1 I1	0.0000	0.0000	0.0000
x2 I2	0.0000	0.0000	0.0000
x3 I3	0.0000	0.0000	0.0000
x4 I4	0.0000	0.0000	0.0000
x5 I5	0.0000	0.0000	0.0000
x6 I6	4.6331	0.0000	0.0000
x7 I7	9.6137	0.0000	0.0000
x8 I8	15.4678	0.0000	0.0000
x9 I9	24.6663	0.0000	0.0000
x10 I10	37.5201	1.0750	40.3341
x11 G1	0.0000	0.0000	0.0000
x12 G2	0.0000	0.0000	0.0000
x13 G3	2.9053	0.0000	0.0000
x14 G4	3.1395	0.0000	0.0000
x15 G5	3.9028	1.0790	4.2111
x16 M1	1.9608	0.0000	0.0000
x17 M2	2.1242	1.0850	2.3047

Constraint	RHS	Slack(-)/Surplus(+)
1 (=)	2.0000	0.0000
2 (=)	2.0000	0.0000
3 (=)	2.5000	0.0000
4 (=)	2.5000	0.0000
5 (=)	3.0000	0.0000
6 (=)	3.5000	0.0000
7 (=)	3.5000	0.0000
8 (=)	4.0000	0.0000
9 (=)	4.0000	0.0000
10 (=)	5.0000	0.0000

Year	Recommendation
1	Invest all in 9-yr bond
2	Invest all in 9-yr. bond
3	Invest all in 6-yr bond
4	Invest all in 6-yr bond
5	Invest all in 6-yr bond
7	Invest all in insured savings
8	Invest all in insured savings
9	Invest all in insured savings
10	Invest all in insured savings

44

X_{iA} = amount invested in year i, plan A (1000$)

X_{iB} = amount invested in year i, plan B (1000$)

Maximize $Z = 3X_{2B} + 1.7X_{3A}$

subject to

$$X_{1A} + X_{1B} \leq 100$$

$$-1.7X_{1A} + X_{2A} + X_{2B} = 0$$

$$-3X_{1B} - 1.7X_{2A} + X_{3A} = 0$$

$X_{iA}, X_{iB} \geq 0$ for $i = 1, 2, 3$

*** OPTIMUM SOLUTION SUMMARY ***

Title: Problem 2.6a-15
Final Iteration No: 4
Objective value (max) = 510.0000
==> ALTERNATIVE solution detected at x2

Variable	Value	Obj Coeff	Obj Val Contrib
x1 x1A	100.0000	0.0000	0.0000
x2 x1B	0.0000	0.0000	0.0000
x3 x2A	0.0000	0.0000	0.0000
x4 x2B	170.0000	3.0000	510.0000
x5 x3A	0.0000	1.7000	0.0000

Constraint	RHS	Slack(-)/Surplus(+)
1 (<)	100.0000	0.0000-
2 (<)	0.0000	0.0000-
3 (<)	0.0000	0.0000-

Optimum solution: Invest $100,000 in A in yr 1 and $170,000 in B in yr 2.
Alternative optimum: Invest $100,000 in B in yr 1 and $300,000 in A in yr 3.

45

x_i = dollars allocated to choice i, $i = 1, 2, 3, 4$

y = minimum return

$$\text{Maximize } Z = \min \begin{cases} -3x_1 + 4x_2 - 7x_3 + 15x_4 \\ 5x_1 - 3x_2 + 9x_3 + 4x_4 \\ 3x_1 - 9x_2 + 10x_3 - 8x_4 \end{cases}$$

subject to

$$x_1 + x_2 + x_3 + x_4 \leq 500$$

$$x_1, x_2, x_3, x_4 \geq 0$$

The problem can be converted to a linear program as

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

Maximize $z = y$

subject to

$-3x_1 + 4x_2 - 7x_3 + 15x_4 \geq y$

$5x_1 - 3x_2 + 9x_3 + 4x_4 \geq y$

$3x_1 - 9x_2 + 10x_3 - 8x_4 \geq y$

$x_1 + x_2 + x_3 + x_4 \leq 500$

$x_1, x_2, x_3, x_4 \geq 0$

y unrestricted

*** OPTIMUM SOLUTION SUMMARY ***

Title:
Final iteration No: 5
Objective value (max) = 1175.0000

Variable	Value	Obj Coeff	Obj Val Contrib
x1	0.0000	0.0000	0.0000
x2	0.0000	0.0000	0.0000
x3	287.5000	0.0000	0.0000
x4	212.5000	0.0000	0.0000
x5 y	1175.0000	1.0000	1175.0000

Constraint	RHS	Slack(-)/Surplus(+)
1 (>)	0.0000	0.0000+
2 (>)	0.0000	2262.5000+
3 (>)	0.0000	0.0000+
4 (<)	500.0000	0.0000-

Allocate \$287.50 to choice 3 and \$212.50 to choice 4. Return = \$1175.00

46

$i = \begin{cases} 1, & \text{regular savings} \\ 2, & \text{3-month CD} \\ 3, & \text{6-month CD} \end{cases}$

x_{it} = Deposit in plan i at start of month t

$t = \begin{cases} 1,2,\cdots,12 & \text{if } i=1 \\ 1,2,\cdots,10 & \text{if } i=2 \\ 1,2,\cdots,7 & \text{if } i=3 \end{cases}$

y_1 = initial amount on hand to insure a feasible solution

r_i = interest rate for plan $i = 1, 2, 3$

$J_i = \begin{cases} 12, & i=1 \\ 10, & i=2 \\ 7, & i=3 \end{cases}$

continued...

$P_i = \begin{cases} 1, & i=1 \\ 3, & i=2 \\ 6, & i=3 \end{cases}$ d_t = \$ demand for period t

$$\text{Maximize } z = \sum_{t=1}^{12} \sum_{\substack{i=1 \\ t-P_i>0}}^{3} r_i \cdot x_{i,t-P_i} - y_1$$

s.t.

$$y_1 - x_{11} - x_{21} - x_{31} \geq d_1$$

$$1000 + \sum_{\substack{i=1 \\ t-P_i>0}}^{3} (1+r_i) x_{i,t-P_i} - \sum_{\substack{i=1 \\ t \leq J_i}}^{3} x_{it} \geq d_t, \quad t=2,\cdots,12$$

$x_{it}, y_1 \geq 0$

Solution: (see file ampl 2-46.txt)

y_1 = \$1200, $z = -1136.29$

Interest amount = $1200 - 1136.29 = \$63.71$

Deposits:

t	x_{1t}	x_{2t}	x_{3t}
1	0	0	0
2	0	200	0
3	286.48	313.53	0
4	0	587.43	0
5	314.37	289.30	0
6	0	734.69	0
7	0	98.20	0
8	0	294.60	
9	0	848.16	
10	0	0	
11	0		
12	0		

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

47

X_{W1} = # wrenches/wk using regular time
X_{W2} = # wrenches/wk using overtime
X_{W3} = # wrenches/wk using subcontracting
X_{C1} = # chisels/wk using regular time
X_{C2} = # chisels/wk using overtime
X_{C3} = # chisels/wk using subcontracting

Minimize $Z = 2X_{W1} + 2.8X_{W2} + 3X_{W3} + 2.1X_{C1} + 3.2X_{C2} + 4.2X_{C3}$

Subject to

$X_{W1} \le 550$, $X_{W2} \le 250$

$X_{C1} \le 620$, $X_{C2} \le 280$

$$\frac{X_{C1} + X_{C2} + X_{C3}}{X_{W1} + X_{W2} + X_{W3}} \ge 2$$

or

$$2X_{W1} + 2X_{W2} + 2X_{W3} - X_{C1} - X_{C2} - X_{C3} \le 0$$

$X_{W1} + X_{W2} + X_{W3} \ge 1500$

$X_{C1} + X_{C2} + X_{C3} \ge 1200$

all variables ≥ 0

(a) Optimum from TORA:

$X_{W1} = 550$, $X_{W2} = 250$, $X_{W3} = 700$

$X_{C1} = 620$, $X_{C2} = 280$, $X_{C3} = 2100$

$Z = \#14,918$

(b) Increasing marginal cost ensures that regular time capacity is used before that of overtime, and that overtime capacity is used before that of subcontracting. If the marginal cost function is not monotonically increasing, additional constraints are needed to ensure that the capacity restriction is satisfied.

continued...

48

X_j = number of units produced of product j, $j = 1, 2, 3, 4$

Profit per unit:

Product 1 = $75 - 2\times10 - 3\times5 - 7\times4 = \$12$
Product 2 = $70 - 3\times10 - 2\times5 - 3\times4 = \$18$
Product 3 = $55 - 4\times10 - 1\times5 - 2\times4 = \$2$
Product 4 = $45 - 2\times10 - 2\times5 - 1\times4 = \$11$

Maximize $Z = 12X_1 + 18X_2 + 2X_3 + 11X_4$

s.t.

$2X_1 + 3X_2 + 4X_3 + 2X_4 \le 500$
$3X_1 + 2X_2 + X_3 + 2X_4 \le 380$
$7X_1 + 3X_2 + 2X_3 + X_4 \le 450$
$X_1, X_2, X_3, X_4 \ge 0$

TORA Solution:

$X_1 = 0$, $X_2 = 133.33$, $X_3 = 0$, $X_4 = 50$

$Z = \$2950$

49

X_j = number of units of model j

Maximize $Z = 30X_1 + 20X_2 + 50X_3$

Subject to

① $2X_1 + 3X_2 + 5X_3 \le 4000$
② $4X_1 + 2X_2 + 7X_3 \le 6000$
③ $X_1 + .5X_2 + \frac{1}{3}X_3 \le 1500$
④ $\frac{X_1}{3} = \frac{X_2}{2}$, or $2X_1 - 3X_2 = 0$
⑤ $\frac{X_2}{2} = \frac{X_3}{5}$, or $5X_2 - 2X_3 = 0$

$X_1 \ge 200$, $X_2 \ge 200$, $X_3 \ge 150$

*** OPTIMUM SOLUTION SUMMARY ***

Title: Problem 2.6a-12
Final Iteration No: 6
Objective value (max) =41081.0820

Variable	Value	Obj Coeff	Obj Val Contrib
x1	324.3243	30.0000	9729.7305
x2	216.2162	20.0000	4324.3242
x3	540.5405	50.0000	27027.0273

Constraint	RHS	Slack(-)/Surplus(+)
1 (<)	4000.0000	0.0000-
2 (<)	6000.0000	486.4865-
3 (<)	1500.0000	887.3875-
4 (=)	0.0000	0.0000
5 (=)	0.0000	0.0000
LB-x1	200.0000	124.3243+
LB-x2	200.0000	16.2162+
LB-x3	150.0000	390.5405+

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

50

x_{ij} = Nbr. cartons in month i from supplier j

I_i = End inventory in period i, $I_0 = 0$

c_{ij} = Price per unit of x_{ij}

h = Holding cost/unit/month

C = Supplier capacity/month

d_i = Demand for month i

$i = 1, 2, 3$, $j = 1, 2$

$$\text{Minimize } z = \sum_{i=1}^{3}\sum_{j=1}^{2} c_{ij}x_{ij} + \frac{h}{2}\left(\sum_{i=1}^{3}\left(\sum_{j=1}^{2} x_{ij} + I_{i-1} + I_i\right)\right)$$

$$\text{s.t. } x_{ij} \le C, \text{ all } i \text{ and } j$$

$$\sum_{j=1}^{2} x_{ij} + I_{i-1} - I_i = d_i, \text{ all } i$$

Optimum solution:

i	x_{i1}	x_{i2}	I
1	400	100	0
2	400	400	200
3	200	0	0

Total cost = $167,450.

51

X_i = Production amount in quarter i

I_i = End inventory for quarter i

$$\text{Minimize } z = 20X_1 + 22X_2 + 24X_3 + 26X_4 + 3.5(I_1 + I_2 + I_3)$$

s.t.


$$X_1 = 300 + I_1$$
$$I_1 + X_2 = 400 + I_2$$
$$I_2 + X_3 = 450 + I_3$$
$$I_3 + X_4 = 250$$

$X_i \le 400$, $i = 1,2,3,4$

$I_i \le 100$, $i = 1,2,3$

$I_0 = I_4 = 0$

Optimum solution:



Total cost = $32,250

52

x_{ij} = Qty of product i in month j, $i = 1,2$, $j = 1,2,3$

I_{ij} = End inventory of product i in month j

$$\text{Minimize } z = 30(x_{11} + x_{12} + x_{13}) + 28(x_{21} + x_{22} + x_{23}) + .9(I_{11} + I_{12} + I_{13}) + .75(I_{21} + I_{22} + I_{23})$$

s.t.

$$\left(x_{1j}/1.25\right) + x_{2j} \le \begin{cases} 3000, & j=1 \\ 3500, & j=2 \\ 3000, & j=3 \end{cases}$$

$$I_{1,j-1} + x_{1j} - I_{1j} = \begin{cases} 500, & j=1 \\ 5000, & j=2 \\ 750, & j=3 \end{cases}$$


$$I_{2,j-1} + x_{2j} - I_{2j} = \begin{cases} 1000, & j=1 \\ 1200, & j=2 \\ 1200, & j=3 \end{cases}$$

$I_{i0} = 0$, $i = 1,2$


$x_{ij}, I_{ij} \ge 0$

Optimum solution: Cost = $284,050

Product 1:



Product 2:



53

x_{ij} = Qty by operation i in month j

$i = 1,2$, $j = 1,2,3$

$$\text{Minimize } z = .2\sum_{j=1}^{3} I_{1j} + .4\sum_{j=1}^{3} I_{2j} + 10x_{11} + 12x_{12} + 11x_{13} + 15x_{21} + 18x_{22} + 16x_{23}$$


$.6x_{11} \le 800$, $.6x_{12} \le 700$, $.6x_{13} \le 550$

$.8x_{21} \le 1000$, $.8x_{22} \le 850$, $.8x_{23} \le 700$

$$x_{1j} + I_{1,j-1} = x_{2j} + I_{1j}$$
$$x_{2j} + I_{2,j-1} = I_{2j} + d_j \quad \Big\} j = 1,2,3$$

$I_{i0} = 0$, $i = 1,2$

Solution: Cost = $39,720



I_{ij} = Entering inv. of op. i in month j

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

54

x_j = Units of product j, $j = 1, 2$

y_i^- = Unused hours of machine i

y_i^+ = Overtime hours of machine i } $i = 1, 2$

Maximize $z = 110x_1 + 118x_2 - 100(y_1^+ + y_2^+)$

s.t.

$$\frac{x_1}{5} + \frac{x_2}{5} + y_1^- - y_1^+ = 8$$

$$\frac{x_1}{8} + \frac{x_2}{4} + y_2^- - y_2^+ = 8$$

$$y_1^+ \le 4, \quad y_2^+ \le 4$$

$$x_1, x_2, y_1^-, y_1^+, y_2^-, y_2^+ \ge 0$$

Solution:

Revenue = \$6,232

$x_1 = 56$, $y_1^+ = 4$ hrs

$x_2 = 4$, $y_2^+ = 0$

$y_1^-, y_2^- = 0$

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

55

h = Regular pay hour

8-hr pay = $8h$

12-hr pay = $12h + \frac{4h}{2} = 14h$

X_i = Nbr 8-hr buses starting in period i

Y_i = Nbr. of 12-hr buses starting in period i

Minimize $Z = h\left(8\sum_{i=1}^{6} X_i + 14\sum_{i=1}^{6} Y_i\right)$

s.t.

X_1	X_2	X_3	X_4	X_5	X_6	Y_1	Y_2	Y_3	Y_4	Y_5	Y_6	
1						1	1			1	1	≥ 4
1	1						1	1			1	≥ 8
	1	1					1	1	1			≥ 10
		1	1					1	1	1		≥ 7
			1	1					1	1	1	≥ 12
				1	1					1	1	≥ 4

Solution: $Z = 196h$

$X_1 = 4, X_2 = 4, X_4 = 2, X_5 = 4, X_3 = X_6 = 0$

$Y_3 = 6, Y_1 = Y_2 = Y_4 = Y_5 = Y_6 = 0$

For 8-hr only buses solution is

$Z = 208h$

$X_1 = X_2 = 4, X_3 = 6, X_4 = 1, X_5 = 11, X_6 = 0$

(8-hr + 12-hr) buses is cheaper.

56

X_i = Nbr. of volunteers starting in hour i

Minimize $Z = \sum_{i=1}^{14} X_i$

s.t.

(8:00)	X_1													$\geq$	4
(9:00)	X_1	$+X_2$												$\geq$	4
(10:00)	X_1	$+X_2$	$+X_3$											$\geq$	6
(11:00)		X_2	$+X_3$	$+X_4$										$\geq$	6
(12:00)			X_3	$+X_4$	$+X_5$									$\geq$	8
(1:00)				X_4	$+X_5$	$+X_6$								$\geq$	8
(2:00)					X_5	$+X_6$	$+X_7$							$\geq$	6
(3:00)						X_6	$+X_7$	$+X_8$						$\geq$	6
(4:00)							X_7	$+X_8$	$+X_9$					$\geq$	4
(5:00)								X_8	$+X_9$	$+X_{10}$				$\geq$	4
(6:00)									X_9	$+X_{10}$	$+X_{11}$			$\geq$	6
(7:00)										X_{10}	$+X_{11}$	$+X_{12}$		$\geq$	6
(8:00)											X_{11}	$+X_{12}$	$+X_{13}$	$\geq$	8
(9:00)												X_{12}	$+X_{13}$	$\geq$	8

All $X_i \geq 0$

continued...

Solution: $Z = 32$ volunteers

$X_1 = 4, X_3 = 2, X_4 = 6, X_6 = 2, X_7 = 4, X_{10} = 6, X_{12} = 8$

all other $X_i = 0$

57

Same formulation as in Problem 2 with the added constraints $X_5 = 0, X_{11} = 0$

Optimum solution remains the same

58

X_i = Nbr. of casuals starting on day i

($i = 1$: Monday, $i = 7$: Sunday)

Minimize $Z = X_1 + X_2 + X_3 + X_4 + X_5 + X_6 + X_7$

s.t.

	X_1	X_2	X_3	X_4	X_5	X_6	X_7	
M	1			1	1	1	1	≥ 20
T	1	1			1	1	1	≥ 14
W	1	1	1			1	1	≥ 10
Th	1	1	1	1			1	≥ 15
F	1	1	1	1	1			≥ 18
Sat		1	1	1	1	1		≥ 10
Sun			1	1	1	1	1	≥ 12

Solution: $Z = 20$ workers

$X_1 = 8, X_4 = 6, X_5 = 4, X_6 = 1, X_7 = 1$

59

X_i = Nbr. Students starting at hour i

$i = 1$ (8:01), $i = 9$ (4:01), $X_5 = 0$

Minimize $Z = X_1 + X_2 + X_3 + X_4 + X_6 + X_7 + X_8 + X_9$

S.t.

	X_1	X_2	X_3	X_4	X_6	X_7	X_8	X_9	
8:01	1								≥ 2
9:01	1	1							≥ 2
10:01	1	1	1						≥ 3
11:01		1	1	1					≥ 4
12:01			1	1					≥ 4
1:01				1	1				≥ 3
2:01					1	1			≥ 3
3:01					1	1	1		≥ 3
4:01						1	1	1	≥ 3

Solution: $Z = 9$ students

$X_1 = 2, X_3 = 1, X_4 = 3, X_7 = 3$

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

60

Let x_i = Nbr. starting on day i and lasting for 7 days

y_{ij}= Nbr. starting shift on day i and *starting* their 2 days off on day j, $i \neq j$

Thus, of the x_1 workers who start on Monday, y_{12} will take T and W off, y_{13} will take W and Th off, and so on, as the following table shows.

	x_1	x_2	x_3	x_4	x_5	x_6	x_7
1	start on Mon	y_{12}	$y_{12}+y_{13}$	$y_{13}+y_{14}$	$y_{14}+y_{15}$	$y_{15}+y_{16}$	y_{16}
2	y27	Tue	y23	y23+y24	y24+y25	y25+y26	y26+y27
3	y31+y37	y31	Wed	y34	y34+y35	y35+y36	y36+y37
4	y41+y47	y41+y42	y42	Th	y45	y45+y46	y46+y47
5	y51+y57	y51+y52	y52+y53	y53	Fri	y56	y56+y57
6	y61+y67	y61+y62	y62+y63	y63+y64	y64	Sat	y67
7	y71	y71+y72	y72+y73	y73+y74	y74+y75	y75	Su

Minimize z = $x_1+x_2+x_3+x_4+x_5+x_6+x_7$

Each employee has 2 days off: x_i = sum{j in 1..7:j≠i}y_{ij}

Mon (1) constraint: *s* -(y27 + y31+ y37 + y41+y47+ y51+ y57 + y61+y67 + y71)>= 12

Tue (2) constraint: *s* -(y12 + y31 + y41+ y42 + y51+y52 + y61+y62 + y71+y72>= 18

Wed (3) constraint: *s* -(y12+y13 + y23 + y42 + y52+y53 + y62+y63 + y72+y73>= 20

Th (4) constraint: *s* -(y13+y14 + y23 +y24+ y24 + y53 + y63+y64 + y73+y74>= 28

Fri (5) constraint: *s* -(y14+y15 + y24 +y25+ y34 +y35 + y45+ y64 + y74+y75>= 32

Sat(6) constraint: *s* -(y15+y16+ y25 +y26+ y35 + y36 + y45+y46+ y56+y75>= 40

Sun(7) constraint: *s* -(y16+ y26 +y27+ y36 + y37 +y46+y47+ y56+y57+y67)>= 40

continued

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

Solution: 42 employees

Starting		Nbr off						
On	Nbr	M	Tu	Wed	Th	Fri	Sat	Sun
M	16		16	16				
Tu	8				8	8		
Wed	8	8	8					
Th	0							
Fri	6			6	6			
Sat	2	2						2
Sun	2					2	2	
Nbr off		10	24	22	14	10	2	2
Nbr at work		32	18	20	28	32	40	40
Surplus above minimum		20	0	0	0	0	0	0

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

61

X_e = Nbr. of efficiency apartments
X_d = Nbr. of duplexes
X_s = Nbr. of single-family homes
X_r = Retail space in ft^2

Maximize $Z = 600X_e + 750X_d + 1200X_s + 100X_r$

s.t. $X_e \le 500, X_d \le 300, X_s \le 250$

$X_r \ge 10X_e + 15X_d + 18X_s$

$X_r \le 10000$

$X_d \ge \frac{X_e + X_s}{2}$

$X_e, X_d, X_s, X_r \ge 0$

Optimal solution:

$Z = 1,595,714.29$

$X_e = 207.14, X_d = 228.57$

$X_s = 250, X_r = 10,000$

LP does not guarantee integer solution. Use rounded solution or apply integer LP algorithm (Chapter 9).

62

X_i = Acquired portion of property i

Each site is represented by a separate LP. The site that yields the smaller objective value is selected.

Site 1 LP:

Minimize $Z = 25 + X_1 + 2.1X_2 + 2.35X_3 + 1.85X_4 + 2.95X_5$

s.t. $X_4 \ge .75$, all $X_i \le 1$, $i = 1, 2, \ldots, 5$

$20X_1 + 50X_2 + 50X_3 + 30X_4 + 60X_5 \ge 200$

Optimum: $Z = 34.6625$ million \$

$X_1 = .875, X_2 = X_3 = 1, X_4 = .75, X_5 = 1$

Site 2 LP:

Minimize $Z = 27 + 2.8X_1 + 1.9X_2 + 2.8X_3 + 2.5X_4$

s.t. $X_3 \ge .5$, $X_1, X_2, X_3, X_4 \le 1$

$80X_1 + 60X_2 + 50X_3 + 70X_4 \ge 200$

Optimum: $Z = 34.35$ million \$

$X_1 = X_2 = 1, X_3 = X_4 = .5$

Select site 2.

63

X_{ij} = portion of project i completed in year j

Maximize $Z = .05(4X_{11} + 3X_{12} + 2X_{13}) + .07(3X_{22} + 2X_{23} + X_{24}) + .15(4X_{31} + 3X_{32} + 2X_{33} + X_{34}) + .02(2X_{43} + X_{44})$

s.t. $\sum_{j=1}^{3} X_{1j} = 1, \sum_{j=3}^{4} X_{4j} = 1$

$.25 \le \sum_{j=2}^{5} X_{2j} \le 1, .25 \le \sum_{j=1}^{5} X_{3j} \le 1$

$5X_{11} + 15X_{31} \le 3$

$5X_{12} + 8X_{22} + 15X_{32} \le 6$

$5X_{13} + 8X_{23} + 15X_{33} + 1.2X_{43} \le 7$

$8X_{24} + 15X_{34} + 1.2X_{44} \le 7$

$8X_{25} + 15X_{35} \le 7$

Optimum:

$Z = \$523,750$

$X_{11} = .6, X_{12} = .4$

$X_{24} = .225, X_{25} = .025$

$X_{32} = .267, X_{33} = .387, X_{34} = .346$

$X_{43} = 1$

64

X_l = Nbr. of low income units
X_m = Nbr. of middle income units
X_u = Nbr. of upper income units
X_p = Nbr. of public housing units
X_s = Nbr. of school rooms
X_r = Nbr. of retail units
X_c = Nbr. of condemned homes

Maximize $Z = 7X_l + 12X_m + 20X_u + 5X_p + 15X_r - 10X_s - 7X_c$

s.t. $100 \le X_l \le 200, 125 \le X_m \le 190$

$75 \le X_u \le 260, 300 \le X_p \le 600$

$0 \le X_s \le 2/.045$

$.05X_l + .07X_m + .03X_u + .025X_p + .045X_s + .1X_r \le .85(50 + .25X_c)$

$X_r \ge .023X_l + .034X_m + .046X_u + .023X_p + .034X_s$

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

$25X_5 \geq 1.3X_l + 1.2X_m + .5X_u + 1.4X_p$

Optimum: $Z = 8290.30$ thousand $

$X_l = 100$, $X_m = 125$, $X_u = 227.04$

$X_p = 300$, $X_s = 32.54$, $X_r = 25$

$X_c = 0$

65

X_1 = Nbr. of single-family homes

X_2 = Nbr. of double-family homes

X_3 = Nbr. of triple-family homes

X_4 = Nbr. of recreation areas

Maximize $Z = 10{,}000X_1 + 12000X_2 + 15000X_3$

S.t.

$2X_1 + 3X_2 + 4X_3 + X_4 \leq .85 \times 800$

$\frac{X_1}{X_1 + X_2 + X_3} \geq .5$ or $.5X_1 - .5X_2 - .5X_3 \geq 0$

$X_4 \geq \frac{X_1 + 2X_3 + 3X_3}{200}$ or $200X_4 - X_1 - 2X_2 - 3X_3 \geq 0$

$1800X_1 + 1200X_2 + 1400X_3 + 800X_4 \geq 100{,}000$

$400X_1 + 600X_2 + 840X_3 + 450X_4 \leq 200{,}000$

$X_1, X_2, X_3, X_4 \geq 0$

Optimum solution:

$X_1 = 339.15$ homes

$X_2 = 0$

$X_3 = 0$

$X_4 = 1.69$ areas

$Z = \$3{,}391{,}521.20$

New land use constraint: **66**

$2X_1 + 3X_2 + 4X_3 + X_4 \leq .85(800 + 100)$

New Optimum solution:

$Z = \$3{,}815{,}461.35$

$X_1 = 381.54$ homes

$X_2 = X_3 = 0$

$X_4 = 1.91$ areas

$\Delta Z = \$3{,}815{,}461.35 - 3{,}391{,}521.20$

$= \$423{,}940.35$

$\Delta Z < \$450{,}000$, the purchasing cost of 100 acres. Hence, the purchase of the new acreage is not recommended.

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

67

X_s = tons of strawberry / day
X_g = tons of grapes / day
X_a = tons of apples / day

X_A = cans of drink A / day
X_B = cans of drink B / day
X_C = cans of drink C / day
} Each can holds one lb

X_{sA} = lb of strawberry used in drink A / day
X_{sB} = lb of strawberry used in drink B / day
X_{gA} = lb of grapes used in drink A / day
X_{gB} = lb of grapes used in drink B / day
X_{gC} = lb of grapes used in drink C / day
X_{aB} = lb of apples used in drink B / day
X_{aC} = lb of apples used in drink C / day

Maximize $z = 1.15X_A + 1.25X_B + 1.2X_C - 200X_s - 100X_g - 90X_a$

s.t.
$X_s \le 200$, $X_g \le 100$, $X_a \le 150$
$X_{sA} + X_{sB} = 1500X_s$
$X_{gA} + X_{gB} + X_{gC} = 1200X_g$
$X_{aB} + X_{aC} = 1000X_a$
$X_A = X_{sA} + X_{gA}$
$X_B = X_{sB} + X_{gB} + X_{aB}$
$X_C = X_{gC} + X_{aC}$
$X_{sA} = X_{gA}$,
$X_{sB} = X_{gB}$, $X_{gB} = .5X_{aB}$
$3X_{gC} = 2X_{aC}$
all variables ≥ 0

Optimum solution:
$X_A = 90,000$ cans, $X_B = 300,000$ cans, $X_C = 0$

X_{ij}:

i \ j	A	B	C
s	45,000	75,000	0
g	45,000	75,000	0
a	0	150,000	0
	90,000	300,000	0

$X_s = 80$ tons, $X_g = 100$ tons, $X_a = 150$ tons
$z = \$439,000$ / day

68

X_s = lb of screws per package
X_b = lb of bolts per package
X_n = lb of nuts per package
X_w = lb of washers per package

Minimize $z = 1.1X_s + 1.5X_b + \frac{70}{80}X_n + \frac{20}{30}X_w$

s.t. $Y = X_s + X_b + X_n + X_w$
$X_s \ge .1Y$
$X_b \ge .25Y$, $\frac{X_b}{50} \le X_w$, $\frac{X_b}{10} \le X_n$
$X_n \le .15Y$
$X_w \le .1Y$
$Y \ge 1$
all variables are nonnegative

Optimum solution:
$Y = 1$, $X_s = .5$, $X_b = .25$, $X_n = .15$, $X_w = .1$
cost = \$1.12

69

$X_{O,(A,B,C)}$ = lb of oats in cereals A, B, C
$X_{r,(A,C)}$ = lb of raisins in cereals A, C
$X_{c,(B,C)}$ = lb of coconuts in cereals B, C
$X_{a,(A,B,C)}$ = lb of almond in cereals A, B, C

$Y_O = X_{OA} + X_{OB} + X_{OC}$
$Y_r = X_{rA} + X_{rC}$
$Y_c = X_{cB} + X_{cC}$
$Y_a = X_{aA} + X_{aB} + X_{aC}$
$W_A = X_{OA} + X_{rA} + X_{aA}$
$W_B = X_{OB} + X_{cB} + X_{aB}$
$W_C = X_{OC} + X_{rC} + X_{cC} + X_{aC}$

Maximize $z = \frac{1}{5}(2W_A + 2.5W_B + 3W_C) - \frac{1}{2000}(100Y_O + 120Y_r + 110Y_c + 200Y_n)$

s.t. $W_A \le 500 \times 5 = 2500$
$W_B \le 600 \times 5 = 3000$
$W_C \le 500 \times 5 = 4000$

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

$Y_o \le 5 \times 2000 = 10{,}000$

$Y_r \le 2 \times 2000 = 4{,}000$

$Y_c \le 1 \times 2000 = 2{,}000$

$Y_a \le 1 \times 2000 = 2{,}000$

$X_{oA} = \frac{50}{5} X_{rA}$, $X_{oA} = \frac{50}{2} X_{aA}$

$X_{oB} = \frac{60}{2} X_{cB}$, $X_{oB} = \frac{60}{3} X_{aB}$

$X_{oC} = \frac{60}{3} X_{rC}$, $X_{oC} = \frac{60}{4} X_{cC}$, $X_{oC} = \frac{60}{2} X_{aC}$

all variables are nonnegative.

Optimum solution: $Z = \$5384.84$/day

$W_A = 2500$ lb or 500 boxes/day

$W_B = 3000$ lb or 600 boxes

$W_C = 5793.45$ lb or $\simeq 1158$ boxes

$X_o = 10{,}000$ lb or 5 tons/day

$X_r = 471.19$ lb or .236 ton

$X_c = 428.16$ lb or .214 ton

$X_a = 394.11$ lb or .197 ton

70

X_{Ai} = bbl of gasoline A in fuel i

X_{Bi} = bbl of gasoline B in fuel i

X_{Ci} = bbl of gasoline C in fuel i

X_{Di} = bbl of gasoline D in fuel i

$i = 1, 2$

$Y_A = X_{A1} + X_{A2}$

$Y_B = X_{B1} + X_{B2}$

$Y_C = X_{C1} + X_{C2}$

$Y_D = X_{D1} + X_{D2}$

$F_1 = X_{A1} + X_{B1} + X_{C1} + X_{D1}$

$F_2 = X_{A2} + X_{B2} + X_{C2} + X_{D2}$

Maximize $Z = 200F1 + 250F2 - (120Y_A + 90Y_B + 100Y_C + 150Y_D)$

continued...

s.t.

$X_{A1} = X_{B1}$, $X_{A1} = .5X_{C1}$, $X_{A1} = .25X_{D1}$

$X_{A2} = X_{B2}$, $X_{A2} = 2X_{C2}$, $X_{A2} = \frac{2}{3} X_{D2}$

$Y_A \le 1000$, $Y_B \le 1200$, $Y_C \le 900$, $Y_D \le 1500$

$F_1 \ge 200$, $F_2 \ge 400$

Optimum solution: $Z = \$495{,}416.67$

$Y_A = 958.33$ bbl/day

$Y_B = 958.33$ bbl/day

$Y_C = 516.67$ bbl/day

$Y_D = 1500$ bbl/day

$F1 = 200$ bbl/day

$F_2 = 3733.33$ bbl/day

71

A = bbl of crude A/day

B = bbl of crude B/day

R = bbl of regular gasoline/day

P = bbl of premium gasoline/day

J = bbl of jet gasoline/day

Maximize $Z = 50(R - R^+) + 70(P - P^+) + 120(J - J^+) - (10R^- + 15P^- + 20J^-) - (2R^+ + 3P^+ + 4J^+) - (30A + 40B)$

s.t.

$A \le 2500$, $B \le 3000$

$R = .2A + .2B$, $R + R^- - R^+ = 500$

$P = .1A + .3B$, $P + P^- - P^+ = 700$

$J = .25A + .1B$, $J + J^- - J^+ = 400$

All variables ≥ 0

Optimum solution:

$Z = \$21{,}852.94$

$A = 1176.47$ bbl/day

$B = 1058.82$ bbl/day

$R = 500$ bbl/day

$P = 435.29$ bbl/day

$J = 400$ bbl/day

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

72

NR = bbl/day of naphta used in regular
NP = bbl/day of naphta used in premium
NJ = bbl/day of naphta used in jet
LR = bbl/day of light used in regular
LP = bbl/day of light used in premium
LJ = bbl/day of light used in jet
Using the other notation in Problem 5,

$$\text{Maximize } Z = 50(R-R^+)+70(P-P^+)+12(J-J^+) - (10R^- + 15P^- + 20J^-) - (2R^+ + 3P^+ + 4J^+) - (30A + 40B)$$

s.t.


$$A \le 2500, \quad B \le 3000$$
$$R + R^- - R^+ = 500$$
$$P + P^- - P^+ = 700$$
$$J + J^- - J^+ = 400$$
$$.35A + .45B = NR + NP + NJ$$
$$.6A + .5B = LR + LP + LJ$$
$$R = NR + LR$$
$$P = NP + LP$$
$$J = NJ + LJ$$

all variables are nonnegative

Optimum solution: $Z = \$71,473.68$
$A = 1684.21$, $B = 0$
$R = 500$, $P = 700$, $J = 400$

73

x_1 = tons of brown sugar per week
x_2 = tons of white sugar per week
x_3 = tons of powdered sugar per week
x_4 = tons of molasses per week



continued...

$$\text{Maximize } Z = 150x_1 + 200x_2 + 230x_3 + 35x_4$$

s.t.

$$x_4 \le 4000 \times .1$$
or
$$x_4 \le 400$$
$$x_1 + \left(\frac{x_2 + \frac{x_3}{.95}}{.8}\right) \le .3 \times 4000$$
or
$$.76x_1 + .95x_2 + x_3 \le 912$$
$$x_1 \ge 25, \quad x_2 \ge 25$$
$$x_3 \ge 25, \quad x_4 \ge 0$$

Optimum solution from TORA:
$x_1 = 25$ tons per week
$x_2 = 25$ tons per week
$x_3 = 869.25$ tons per week
$x_4 = 400$ tons per week
$Z = \$122,677.50$

74

A = bbl/hr of stock A
B = bbl/hr of stock B
Y_{Ai} = bbl/hr of A used in gasoline i
Y_{Bi} = bbl/hr of B used in gasoline i
$i = 1, 2$

$$\text{Maximize } Z = 7(Y_{A1} + Y_{B1}) + 10(Y_{A2} + Y_{B2})$$

s.t.

$$A = Y_{A1} + Y_{A2}, \quad A \le 450$$
$$B = Y_{B1} + Y_{B2}, \quad B \le 700$$
$$98Y_{A1} + 89Y_{B1} \ge 91(Y_{A1} + Y_{B1})$$
$$98Y_{A2} + 89Y_{B2} \ge 93(Y_{A2} + Y_{B2})$$
$$10Y_{A1} + 8Y_{B1} \le 12(Y_{A1} + Y_{B1})$$
$$10Y_{A2} + 8Y_{B2} \le 12(Y_{A2} + Y_{B2})$$

All variables are nonnegative

Optimum solution:
$Z = \$10,675$
$A = 450$ bbl/hr
$B = 700$ bbl/hr
Gasoline 1 production $= Y_{A1} + Y_{B1}$
$= 61.11 + 213.89 = 275$ bbl/hr
Gasoline 2 production $= Y_{A2} + Y_{B2}$
$= 388.89 + 486.11 = 875$ bbl/hr

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

75

S = tons of steel scrap / day
A = tons of alum. scrap / day
C = tons of cast iron scrap / day
Ab = tons of alum. briquettes / day
Sb = tons silicon briquettes / day
a = tons of alum. / day
g = tons of graphite / day
s = tons of silicon / day
aI = tons of alum. in ingot I / day
$a\text{II}$ = tons of alum. in ingot II / day
gI = tons of graphite in ingot I / day
$g\text{II}$ = tons of graphite in ingot II / day
sI = tons of silicon in ingot I / day
$s\text{II}$ = tons of silicon in ingot II / day
I_1 = tons of ingot I / day
I_2 = tons of ingot II / day.

Minimize $Z = 100S + 150A + 75C + 900Ab + 380Sb$

s.t. $S \le 1000$, $A \le 500$, $C \le 2500$

$a = .1S + .95A + Ab$
$g = .05S + .01A + .15C$
$s = .04S + .02A + .08C + Sb$
$I_1 = aI + gI + sI$
$I_2 = a\text{II} + g\text{II} + s\text{II}$
$aI + a\text{II} \le Ab$, $sI + s\text{II} \le s$, $gI + g\text{II} \le g$
$.081 I_1 \le aI \le .108 I_1$
$.015 I_1 \le gI \le .03 I_1$
$.025 I_1 \le sI < \infty$
$.062 I_2 \le a\text{II} \le .089 I_2$
$.041 I_2 \le g\text{II} \le \infty$
$.028 I_2 \le s\text{II} \le .041 I_2$
$I_1 \ge 130$, $I_2 \ge 250$

Optimum solution:

$Z = \$117,435.65$
$S = 0$, $A = 38.2$, $C = 1489.41$
$Ab = Sb = 0$
$I_1 = 130$, $I_2 = 250$
$a = 36.29$, $g = 223.79$, $s = 119.92$

76

X_{ij} = tons of ore i allocated to alloy k
W_k = tons of alloy k produced

Maximize $Z = 200 W_A + 300 W_B - 30(X_{1A} + X_{1B}) - 40(X_{2A} + X_{2B}) - 50(X_{3A} + X_{3B})$

Subject to

Specification constraints:

$.2 X_{1A} + .1 X_{2A} + .05 X_{3A} \le .8 W_A$ (1)
$.1 X_{1A} + .2 X_{2A} + .05 X_{3A} \le .3 W_A$ (2)
$.3 X_{1A} + .3 X_{2A} + .2 X_{3A} \ge .5 W_A$ (3)
$.1 X_{1B} + .2 X_{2B} + .05 X_{3B} \ge .4 W_B$ (4)
$.1 X_{1B} + .2 X_{2B} + .05 X_{3B} \le .6 W_B$ (5)
$.3 X_{1B} + .3 X_{2B} + .7 X_{3B} \ge .3 W_B$ (6)
$.3 X_{1B} + .3 X_{2B} + .2 X_{3B} \le .7 W_B$ (7)

Ore constraints:

$X_{1A} + X_{1B} \le 1000$
$X_{2A} + X_{2B} \le 2000$
$X_{3A} + X_{3B} \le 3000$

*** OPTIMUM SOLUTION SUMMARY ***

Title: Problem 26a-17
Final Iteration No: 12
Objective value (max) =400000.0000

Variable	Value	Obj Coeff	Obj Val Contrib
x1 wA	1799.9999	200.0000	359999.9688
x2 wB	1000.0001	300.0000	300000.0312
x3 x1A	1000.0000	-30.0000	-30000.0000
x4 x1B	0.0000	-30.0000	-0.0000
x5 x2A	0.0000	-40.0000	-0.0000
x6 x2B	2000.0001	-40.0000	-80000.0078
x7 x3A	3000.0000	-50.0000	-150000.0000
x8 x3B	0.0000	-50.0000	-0.0000

Constraint	RHS	Slack(-)/Surplus(+)
1 (<)	0.0000	1090.0000-
2 (<)	0.0000	290.0000-
3 (>)	0.0000	0.0000+
4 (>)	0.0000	0.0000+
5 (<)	0.0000	200.0000-
6 (>)	0.0000	300.0002+
7 (<)	0.0000	100.0000-
8 (<)	1000.0000	0.0000-
9 (<)	2000.0000	0.0000-
10 (<)	3000.0000	0.0000-

Solution:

Produce 1800 tons of alloy A and 1000 tons of alloy B.

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

78

X_i = Nbr. of ads for issue i, $i = 1,2,3,4$

Minimize $z = S_1^- + S_2^- + S_3^- + S_4^-$

s.t.

$(-30,000+60,000+30,000)X_1 + S_1^- - S_1^+ = .51 \times 400,000$

$(80,000+30,000-45,000)X_2 + S_2^- - S_2^+ = .51 \times 400,000$

$(40,000+10,000)X_3 + S_3^- - S_3^+ = .51 \times 400,000$

$(90,000-25,000)X_4 + S_4^- - S_4^+ = .51 \times 400,000$

$1500(X_1+X_2+X_3+X_4) \le 100,000$

$X_1, X_2, X_3, X_4 \ge 0$

Solution:

$X_1 = 3.4$, $X_2 = 3.14$, $X_3 = 4.08$, $X_4 = 3.14$

79

X_{ij} = Units of part j produced by department i, $i = 1,2$ $j = 1,2,3$

Maximize $z = \min\{X_{11}+X_{21}, X_{12}+X_{22}, X_{13}+X_{23}\}$

or

Maximize $z = y$

s.t.

$y \le X_{11}+X_{21}$

$y \le X_{12}+X_{22}$

$y \le X_{13}+X_{23}$

$\frac{X_{11}}{8} + \frac{X_{12}}{5} + \frac{X_{13}}{10} \le 100$

$\frac{X_{21}}{6} + \frac{X_{22}}{12} + \frac{X_{23}}{4} \le 80$

all $X_{ij} \ge 0$

Solution:

Nbr. of assembly units $= y = 556.2 \simeq 557$

$X_{11} = 354.78$, $X_{21} = 201.79$

$X_{12} = 0$, $X_{22} = 556.52$

$X_{13} = 556.52$, $X_{23} = 0$

77

X_i = Space(in^2) allocated to cereal i

Maximize $z = 1.1X_1 + 1.3X_2 + 1.08X_3 + 1.25X_4 + 1.2X_5$

s.t.

$16X_1 + 24X_2 + 18X_3 + 22X_4 + 20X_5 \le 5000$

$X_1 \le 100$, $X_2 \le 85$, $X_3 \le 140$, $X_4 \le 80$, $X_5 \le 90$

$X_i \ge 0$ for all $i = 1,2,\ldots,5$

Solution:

$z = \$314$/day

$X_1 = 100$, $X_3 = 140$, $X_5 = 44$

$X_2 = X_4 = 0$

80

X_i = tons of coal i, $i = 1,2,3$

Minimize $z = 30X_1 + 35X_2 + 33X_3$

s.t.

$2500X_1 + 1500X_2 + 1600X_3 \le 2000(X_1+X_2+X_3)$

$X_1 \le 30$, $X_2 \le 30$, $X_3 \le 30$

$X_1 + X_2 + X_3 \ge 50$

Solution: $z = \$1361.11$

$X_1 = 22.22$ tons, $X_2 = 0$, $X_3 = 27.78$ tons.

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

81

t_i = Green time in secs for highway i, $i = 1, 2, 3$

Maximize $Z = 3\left(\frac{500}{3600}\right)t_1 + 4\left(\frac{600}{3600}\right)t_2 + 5\left(\frac{400}{3600}\right)t_3$

s.t.

$\left(\frac{500}{3600}\right)t_1 + \left(\frac{600}{3600}\right)t_2 + \left(\frac{400}{3600}\right)t_3 \le \frac{510}{3600}\left(2.2\times 60 - 3\times 10\right)$

$t_1 + t_2 + t_3 + 3\times 10 \le 2.2\times 60,\ t_1 \ge 25, t_2 \ge 25, t_3 \ge 25$

Solution: $Z = \$58.04$/hr

$t_1 = 25,\ t_2 = 43.6,\ t_3 = 33.4$ Sec

82

y_i = observation i

Define straight line as

$\hat{y}_i = a + b$, a, b unrestricted

Minimize $Z = \sum_{i=1}^{10} |y_i - \hat{y}_i|$

$= \sum_{i=1}^{10} |y_i - ai - b|$

Let $d_i = |y_i - ai - b|$

Minimize $Z = d_1 + d_2 + \cdots + d_{10}$

s.t.

$y_i - ai - b \le d_i$


$y_i - ai - b \ge -d_i$

a, b, unrestricted

$d_i \ge 0$

Solution: $\hat{y}_i = 2.95714i + 6.42857$

83



A1 = 2x1760x10x50 = 1760 (thousand) Yd^3

A2 = 3520, A3 = 1760, A4 = 3520

Distances (center to center) in miles:

	A2	A4
A1	2	7
A3	2	3
P1	3	8
P2	7	2

continued...

Cost ($) per cubic yd:

	(5) A2	(6) A4
(1) A1	.2 + 2x.15 = .50	.20 + 7x.15 = 1.25
(2) A3	.20 + 2x.15 = .50	.20 + 3x.15 = .65
(3) P1	1.70 + 3x.15 = 2.15	1.70 + 8x.15 = 2.90
(4) P3	2.10 + 7x.15 = 3.15	2.10 + 2x.15 = 2.40

Using the code A1 ≡ 1, A3 ≡ 2, P1 ≡ 3, P2 ≡ 4, A2 ≡ 5, A4 ≡ 6, let

x_{ij} = $10^3 Yd^3$ from source i to destination j

$i = 1, 2, 3, 4,\ j = 5, 6$

Minimize $Z = 1000(.5x_{15} + 1.25x_{16} + .5x_{25} + .65x_{26} + 2.15x_{35} + 2.9x_{36} + 3.15x_{45} + 2.4x_{46})$

s.t.

$x_{15} + x_{16} \le 1760$ $\quad x_{35} + x_{36} \le 20{,}000$

$x_{25} + x_{26} \le 1760$ $\quad x_{45} + x_{46} \le 15{,}000$

$x_{15} + x_{25} + x_{35} + x_{45} \ge 3520$

$x_{16} + x_{26} + x_{36} + x_{46} \ge 3520$

Solution:

A1 → A2: $x_{15} = 1760$ (1000 Cu Yd)

A1 → A4: $x_{16} = 0$

A3 → A2: $x_{25} = 0$

A3 → A4: $x_{26} = 1760$

P1 → A2: $x_{35} = 1760$

P1 → A4: $x_{36} = 0$

P2 → A2: $x_{45} = 0$

P2 → A4: $x_{46} = 1760$

Cost = $10,032,000

84

x_{ij} = Blue regulars on front i in defense line j, $i =$

y_{ij} = Blue reserves on front i in defense line j.


t_{ij} = Delay days on front i in defense line j:

Maximize $Z = \min\{t_{11} + t_{12} + t_{13}, t_{21} + t_{22} + t_{23}\}$

or

continued...

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual




Maximize $Z = T$

s.t.

$$T \le t_{11} + t_{12} + t_{13}$$
$$T \le t_{21} + t_{22} + t_{23}$$
$$x_{11} + x_{12} + x_{13} + x_{21} + x_{22} + x_{23} \le 200$$
$$y_{12} + y_{13} + y_{22} + y_{23} \le 200$$
$$t_{11} = .5 + 8.8\,\frac{x_{11}}{30}$$
$$t_{12} = .75 + 7.9\,\frac{x_{12} + y_{12}}{60}$$
$$t_{13} = .55 + 10.2\,\frac{x_{13} + y_{13}}{20}$$
$$t_{21} = 1.1 + 10.5\,\frac{x_{21}}{30}$$
$$t_{22} = 1.3 + 8.1\,\frac{x_{22} + y_{22}}{40}$$
$$t_{23} = 1.5 + 9.2\,\frac{x_{23} + y_{23}}{20}$$

Solution: Battle duration = 87.65 days



continued...

85

X_i = Efficiency of plant i

Minimize $Z = .2(500)x_1 + .25(3000)x_2 + .15(6000)x_3 + .18(1000)x_4$

s.t.

$$500(1-x_1) \le .00085 \times 215{,}000$$
$$.94(500)(1-x_1) + 3000(1-x_2) \le .0009 \times 220{,}000$$
$$.94^2(500)(1-x_1) + .94(3000)(1-x_2) + 6000(1-x_3) \le .0008 \times 200{,}000$$
$$.94^3(500)(1-x_1) + .94^2(3000)(1-x_2) + .94(6000)(1-x_3) + 1000(1-x_4) \le .0008 \times 210{,}000$$
$$0 \le x_1 \le .99$$
$$0 \le x_2 \le .99$$
$$0 \le x_3 \le .99$$
$$0 \le x_4 \le .99$$

Solution:

Cost per hour = $1891.41

Plant 1 efficiency = .99

Plant 2 efficiency = .9661

Plant 3 efficiency = .99

Plant 4 efficiency = .9824


© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual

86

W_i = Capacity of yoke i (Kips)

R_1 = Reaction in Kips at left end

R_2 = Reaction in Kips at right end



Maximize $Z = W_1 + W_2$

S.t.

$$R_1 + R_2 = W_1 + W_2$$

$$2\left(\frac{W_1}{2}\right) + 8\left(\frac{W_1}{2}\right) + 16\left(\frac{W_2}{2}\right) + 28\left(\frac{W_2}{2}\right) = 30 R_2$$

$$R_1 \le 25, \quad R_2 \le 25$$

$$\frac{W_1}{2} \le 20, \quad \frac{W_2}{2} \le 20$$

Solution:

$W_1 = 20.59$ Kips

$W_2 = 29.41$ Kips

87

X_{ij} = Nbr. of aircraft of type i allocated to route j
($i = 1,2,3,4$, $j = 1,2,3,4$)

S_j = Nbr. of passengers not serviced on route j, $j = 1,2,3,4$

Minimize $Z = 1000(3X_{11}) + 1100(2X_{12}) + 1200(2X_{13}) + 1500(X_{14}) + 800(4X_{21}) + 900(3X_{22}) + 1000(3X_{23}) + 1000(2X_{24}) + 600(5X_{31}) + 800(5X_{32}) + 800(4X_{33}) + 900(2X_{34}) + 40S_1 + 50S_2 + 45S_3 + 70S_4$

subject to

$$\sum_{j=1}^{4} X_{1j} \le 5, \quad \sum_{j=1}^{4} X_{2j} \le 8, \quad \sum_{j=1}^{4} X_{3j} \le 10$$

$$50(3X_{11}) + 30(4X_{21}) + 20(5X_{31}) + S_1 = 1000$$
$$50(2X_{12}) + 30(3X_{22}) + 20(5X_{32}) + S_2 = 2000$$
$$50(2X_{13}) + 30(3X_{23}) + 20(4X_{33}) + S_3 = 900$$
$$50(X_{14}) + 30(2X_{24}) + 20(2X_{34}) + S_4 = 1200$$

All X_{ij} and $S_j \ge 0$

continued...

*** OPTIMUM SOLUTION SUMMARY ***

Title: Problem 26a-16
Final iteration No: 16
Objective value (min) =221900.0000
*** ALTERNATIVE solution detected at x13

Variable	Value	Obj Coeff	Obj Val Contrib
x1 x11	5.0000	3000.0000	14999.9990
x2 x12	0.0000	2200.0000	0.0000
x3 x13	0.0000	2400.0000	0.0000
x4 x14	0.0000	1500.0000	0.0000
x5 x21	0.0000	3200.0000	0.0000
x6 x22	0.0000	2700.0000	0.0000
x7 x23	0.0000	3000.0000	0.0000
x8 x24	8.0000	2000.0000	15999.9990
x9 x31	2.5000	3000.0000	7500.0015
x10 x32	7.5000	4000.0000	29999.9980
x11 x33	0.0000	3200.0000	0.0000
x12 x34	0.0000	1800.0000	0.0000
x13 s1	0.0000	40.0000	0.0000
x14 s2	1250.0000	50.0000	62500.0000
x15 s3	899.9998	45.0000	40499.9922
x16 s4	720.0001	70.0000	50400.0078

Constraint	RHS	Slack(-)/Surplus(+)
1 (<)	5.0000	0.0000-
2 (<)	8.0000	0.0000-
3 (<)	10.0000	0.0000-
4 (=)	1000.0000	0.0000
5 (=)	2000.0000	0.0000
6 (=)	900.0000	0.0000
7 (=)	1200.0000	0.0000

Solution:

Aircraft Type	Route	Nbr. aircraft
1	1	5
2	4	8
3	1	2.5
3	2	7.5

Fractional solution must be rounded.

Cost = $221,900

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved. This material is protected under all copyright laws as they currently exist. No portion of this material may be reproduced, in any form or by any means, without permission in writing from the publisher.
Operations Research An Introduction 10th edition Taha Solutions Manual