# *Navigating Through Mathematics 1st edition Collins Solutions Manual*

SKU: 9780134019543-SOLUTIONS



# 2.1 Early & Modern Numeration Systems

| KEY TERMS | |
|---|---|
| **Additive System** | An additive system is a numeration system where the number represented is the sum of the values of each individual numeral. |
| **Babylonian System** | The Babylonian system is one of the oldest place-value systems and uses a base of 60 with 2 cuneiform numerals to represent each number. |
| **Base 10 System** | A base 10 decimal system has place values increasing by powers of ten and is called positional because the value of the symbol is understood by its position in the number. |
| **Chinese System** | The Chinese system of numeration uses separate symbols for the numerals 0–9 as well as separate symbols for various multiples of ten. It is a multiplicative system. |
| **Cuneiform** | Cuneiform is one of the earliest forms of writing where a stylus made of reed was used to form symbols in either wood or a wet clay tablet. |
| **Decimal System** | A number system that has place values increasing by powers of ten and is positional. |
| **Egyptian System** | The Egyptian system of numeration is an additive base 10 system using hieroglyphs to represent the digits 0–9 as well as the powers of ten. |
| **Expanded form** | Expanded form is a way to write a number to show the value of each digit. It is shown as a sum of each digit multiplied by its matching place value (ones, tens, hundreds, etc.) |
| **Hieroglyphs** | Hieroglyphs are Images used to represent numerals in the Egyptian system of numeration. |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

| | |
|---|---|
| **Hindu-Arabic System** | The Hindu-Arabic numeration system is composed of ten symbols (0, 1, 2, 3, 4, 5, 6, 7, 8, 9) named for the Indian scholars who invented it at least as early as 800 BC and for the Arabs who transmitted it to the western world.<br>It is a Base 10 or Decimal system. |
| **Multiplicative System** | A multiplicative system is a numeration system that consists of two sets of numerals, one set representing the digits and the other set representing positions. |
| **Numerals** | Numerals are the symbols used to represent a number. |
| **Numeration System** | A numeration system consists of a set of symbols (numerals) to represent numbers along with a set of rules for combining numerals. |
| **Place Value** | The place value assigns a value to a digit depending on its place or position in a numeral. |
| **Roman System** | The Roman system is an additive base 10 numeration system with single numerals representing the powers of ten as well as the halves of each power of ten. |
| **Tally System** | The tally system is a numeration system where the value of a certain number (i.e. 4) is the sum of the values of each individual numeral (or tally marks). |

## Objective 1 Understand and Use the Hindu-Arabic System

**Concept video questions and answers**

1. **What are the key features of the Hindu-Arabic number system?**
   - Ten symbols called digits: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
   - Place value
   - Numbers can be written in expanded form

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

2. **Fill in the following place value chart:**

| Millions | | | Thousands | | | Ones | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |

**EXAMPLE 1** Write a Hindu-Arabic Number in Expanded Form

**Write 13,448 in expanded form.**

Each digit represents a power of 10:

| 1 | 3 | 4 | 4 | 8 |
|---|---|---|---|---|
| $10^4$ | $10^3$ | $10^2$ | $10^1$ | $10^0$ |
| 10,000 | 1,000 | 100 | 10 | 1 |

Multiplying each digit by the corresponding value:

13,448 = 1(10,000) + 3(1,000) + 4(100) + 4(10) + 8(1)

## Additional problem

1. Write 27,777 in expanded form. **2(10,000) + 7(1,000) + 7(100) + 7(10) + 7(1)**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 2** Change from Expanded Form into a Hindu-Arabic Numeral

**Write $3(10^4) + 0(10^3) + 7(10^2) + 9(10^1) + 0(10^0)$ as a Hindu-Arabic numeral.**

$$3(10^4) + 0(10^3) + 7(10^2) + 9(10^1) + 0(10^0)$$

$$= 3(10{,}000) + 0(1{,}000) + 7(100) + 9(10) + 0(1)$$
$$= 30{,}000 + 0 + 700 + 90 + 0$$

$$= 30{,}790$$



## In-class activity

First choose a list of numbers. Use index cards to create a template like the one below. Make sure the answer for the "who has" is the next card's "I have". Make sure the last card's "who has" corresponds to the first card's "I have."

| | |
|---|---|
| I have **335**<br>Who has **2(100) + 3(10) + 1** | I have **231**<br>Who has **5(1000) + 7(100) + 0(10) + 5** |
| I have **5,705**<br>Who has **9(1000) + 8(100) + 8(10) + 0** | I have **9,880**<br>Who has **3(100) + 3(10) + 5** |


Hand out a card to each student. Some students may need to have 2 depending upon how many in a set. It is important to use all the cards in a set.

Randomly pick a student to start. They will say "I have 335, who has 2 times 100 plus 3 times 10 plus 1? The student with the matching value to the "who has" will say "I have 231, who has 5 times 1000 plus 7 times 700 plus 0 times 10 plus 5?" This will continue until every student has gone.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 2 Understand and Use the Egyptian System


| Hindu-Arabic Numeral | Egyptian Numeral | Description |
|---|---|---|
| 1 |  | Staff |
| 10 |  | Heel bone |
| 100 |  | Scroll |
| 1,000 |  | Lotus flower |
| 10,000 |  | Pointed finger |
| 100,000 |  or | Tadpole or frog |
| 1,000,000 |  | Astonished person |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 3** Write an Egyptian Numeral as a Hindu-Arabic Numeral

**Find the Hindu-Arabic numerical value of the following Egyptian numeral:**




Use the table above to determine each of the values for the symbols:

|  |  |  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|
| 1000 | 1000 | 100 | 100 | 100 | 10 | 10 | 1 | 1 |

1,000 + 1,000 + 100 + 100 + 100 + 10 + 10 + 1 + 1 = 2,322

## Additional problem

1. Find the Hindu-Arabic numeral for the following Egyptian numeral



**728**

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 4** Write a Hindu-Arabic Numeral as an Egyptian Numeral

**Write 10,454 as an Egyptian numeral.**

10,454 in expanded form is:

$10{,}000 + 400 + 50 + 4$

$1(10{,}000) + 0(1{,}000) + 4(100) + 5(10) + 4(1)$

Now determine the symbols needed for each power of 10:

| Hindu-Arabic Numeral | Egyptian Numeral | Description |
|---|---|---|
| 1 |  | Staff |
| 10 |  | Heel bone |
| 100 |  | Scroll |
| 1,000 |  | Lotus Flower |
| 10,000 |  | Pointed Finger |
| 100,000 |  or  | Tadpole or Frog |
| 1,000,000 |  | Astonished Person |

| Hindu-Arabic | Egyptian |
|---|---|
| 1(10,000) |  |
| 4(100) |  |
| 5(10) |  |
| 4(1) |  |

10,454 is equivalent to



## Additional problem

1. Write 12,144 as an Egyptian numeral



Copyright © 2017 Pearson Education, Inc.

## Objective 3 Understand and use the Roman system

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1,000 |

| Roman Numeral | $\overline{\text{IV}}$ | $\overline{\text{V}}$ | $\overline{\text{IX}}$ | $\overline{\text{X}}$ |
|---|---|---|---|---|
| Hindu-Arabic Numeral | 4,000 | 5,000 | 9,000 | 10,000 |

**EXAMPLE 5** Write a Roman Numeral as a Hindu-Arabic Numeral

**a) Write the Hindu-Arabic number that LXXVI represents.**

| L | X | X | V | I |
|---|---|---|---|---|
| | | | | |

We want to use the following table to determine the corresponding Hindu-Arabic numerals:

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

| L | X | X | V | I |
|---|---|---|---|---|
| 50 | 10 | 10 | 5 | 1 |

Because each symbol goes in decreasing order, we just add each Hindu-Arabic numeral to get the corresponding value.

$$50 + 10 + 10 + 5 + 1 = 76$$
$$\text{LXXVI} = 76$$

We want to use the following table to determine the corresponding Hindu-Arabic numerals:

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1,000 |

| L | X | X | V | I |
|---|---|---|---|---|
| 50 | 10 | 10 | 5 | 1 |

Because each symbol goes in decreasing order, we just add each Hindu-Arabic numeral to get the corresponding value.

$$50 + 10 + 10 + 5 + 1 = 76$$
LXXVI = 76

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**b) Write the Hindu-Arabic number that DXLIX represents.**

We want to use the following table to determine the corresponding Hindu-Arabic numerals:

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1,000 |

| D | X | L | I | X |
|---|---|---|---|---|
| 500 | 10 | 40 | 1 | 10 |

The Hindu-Arabic equivalents do not all go in descending order, so we need to use subtraction to determine the corresponding values before we can add.

| D | X | L | I | X |
|---|---|---|---|---|
| 500 | 10 | 50 | 1 | 10 |
| 500 | 50−10 = 40 | | 10−1 = 9 | |

Adding each of the values we have:

$500 + 40 + 9 = 549$

$DXLIX = 549$

## Additional problems

1. Write the Hindu-Arabic numeral MCMXC represents **1,990**
2. Write the Hindu-Arabic numeral MDXXIV represents.**1,524**

**EXAMPLE 6** Write a Hindu-Arabic Numeral as a Roman Numeral

**a. Write 254 as a Roman numeral.**

Break apart into expanded form:

$$= 200 + 50 + 4$$

$$= 100 + 100 + 50 + 5 - 1$$

Using the following table:

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1,000 |

We have the corresponding symbols:

| 100 | 100 | 50 | 4 = (5 − 1) |
|---|---|---|---|
| C | C | L | IV |

$254 = CCLIV$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**b. Write 13,448 as a Roman numeral.**

Break apart into expanded form:

$$= 10{,}000 + 3{,}000 + 400 + 40 + 8$$
$$= 10(1{,}000) + 3(1{,}000) + (500 - 100) + (50 - 10) + (5 + 3)$$

Using the following table:

| Roman Numeral | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numeral | 1 | 5 | 10 | 50 | 100 | 500 | 1,000 |

We have the corresponding symbols:

| 10(1,000) | 3,000 | 500−100 | 50−10 | 5 + 3 |
|---|---|---|---|---|
| $\overline{\text{X}}$ | MMM | CD | XL | VIII |

$$13{,}448 = \overline{\text{X}}\text{MMMCDXLVIII}$$



## Additional problems

1. Write 89 as a Roman numeral **LXXXIX**
2. Write 6,893 as a Roman numeral. **$\overline{\text{VI}}$DCCCXCIII**



## Teacher note

Depending on the source, when working with values over 3,000, you may find different ways to write it. For example, some sources have 4,000 as MMMM whereas others will write it as $\text{I}\overline{\text{V}}$.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 4 Understand and use the Babylonian system

**Concept video question and answer**

1. **How would a Babylonian distinguish between the Babylonian numeral for 60 and the Babylonian numeral for 1?**

   Counting was done in a context, so a person would know if they were counting just 1 item or 60.

**Babylonian Numerals**



**Converting from Hindu-Arabic to Babylonian**

1. Determine the highest power of the Babylonian base 60 that will divide into the given Hindu-Arabic numeral at least once and then divide.
2. Keep the whole number part and divide the remainder by the next lower power of base 60.
3. Repeat steps 1 and 2 until the remainder is 0.
4. The number in base 60 will be each of the quotients from the highest power of base 60 descending to the quotient when dividing by 1.
5. Write the symbols for each quotient in separate columns.

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 7** Write a Babylonian Numeral as a Hindu-Arabic Numeral

**a) Find the Hindu-Arabic numeral represented by the following Babylonian numeral.**



$= 1 \quad = 10$



$= 1 \quad = 10$



$= 4(10) = 40$



$= 3(1) = 3$



$= 43$

**b) Find the Hindu-Arabic numeral represented by the following Babylonian numeral.**





There are three groupings separated by spaces, so we have three powers of 60 represented.

$= 1 \quad = 10$

The Babylonian numerals for 1 and 10.

| $60^2 \times 3600$ | $60^1 \times 60$ | $60^0 \times 1$ | Value |
|---|---|---|---|
|  |  |  | |
| 2(1)(3600) | 2(10)(60) | 2(10) + 2(1) | 7200 + 1200 + 22 |
| 7200 | (20)(60) | 22(1) | = 8,422 |
| | 1200 | 22 | |

Copyright © 2017 Pearson Education, Inc.

## Additional problems

1. Find the Hindu-Arabic numeral represented by the following Babylonian numeral.



**1,218**

2. Find the Hindu-Arabic numeral represented by the following Babylonian numeral.



**39,064**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 8** Write a Hindu-Arabic Numeral as a Babylonian Numeral

**a) Write 12,156 as a Babylonian numeral.**

1. Determine the highest power of the Babylonian base 60 that will divide into given Hindu-Arabic numeral at least once and then divide.

   The power of 60 less than 12,156 is $60^2 = 3{,}600$

| $60^3 = 216{,}000$ | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|
| Too big | | | |

2. Divide. Keep the whole number part and divide the remainder by the next lower power of base 60.
3. Repeat step 2 until the remainder is zero.

| | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|
| | $12{,}156 \div 3{,}600$ | $1{,}356 \div 60$ | $36 \div 1$ |
| Quotient | 3 | 22 | 36 |
| Remainder | 1,356 | 36 | 0 |

4. The number in base 60 will be each of the quotients from the highest power of base 60 descending to the quotient when dividing by 1.

| | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|
| | $12{,}156 \div 3{,}600$ | $1{,}356 \div 60$ | $36 \div 1$ |
| Quotient | 3 | 22 | 36 |
| Remainder | ,356 | 36 | 0 |

5. Arrange the quotients in order along with the last remainder.

| 3 | 22 | 36 |
|---|---|---|
| | | |

6. Use the Babylonian symbols that correspond to each of the quotients.

$\Y = 1 \quad \prec = 10$

| 3 | 22 | 36 |
|---|---|---|
|  |  |  |

Copyright © 2017 Pearson Education, Inc.

**b) Write 227,352 as a Babylonian numeral.**

1. Determine the highest power of the Babylonian base 60 that will divide into the given Hindu-Arabic numeral at least once and then divide.

   The power of 60 less than 227,352 is $60^3 = 216{,}0000$

| $60^4 = 12{,}960{,}000$ | $60^3 = 216{,}000$ | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|---|
| Too big | | | | |

2. Divide. Keep the whole number part and divide the remainder by the next lower power of base 60.

3. Repeat step 2 until the remainder is zero.

| | $60^3 = 216{,}000$ | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|---|
| | $227{,}352 \div 216{,}000$ | $11{,}352 \div 3{,}600$ | $552 \div 60$ | $12 \div 1$ |
| Quotient | 1 | 3 | 9 | 12 |
| Remainder | 11,352 | 552 | 12 | 0 |

4. The number in base 60 will be each of the quotients from the highest power of base 60 descending to the quotient when dividing by 1.

| | $60^3 = 216{,}000$ | $60^2 = 3{,}600$ | $60^1 = 60$ | $60^0 = 1$ |
|---|---|---|---|---|
| | $227{,}352 \div 216{,}000$ | $11{,}352 \div 3{,}600$ | $552 \div 60$ | $12 \div 1$ |
| Quotient | 1 | 3 | 9 | 12 |
| Remainder | 11,352 | 552 | 12 | 0 |

5. Arrange the quotients in order along with the last remainder

| 1 | 3 | 9 | 12 |
|---|---|---|---|
| | | | |

6. Use the Babylonian symbols that correspond to each of the quotients.

$\text{𒁹} = 1 \quad \text{𒌋} = 10$

| 1 | 3 | 9 | 12 |
|---|---|---|---|
|  |  |  |  |

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. Write 13,221 as Babylonian numeral.



2. Write 291,995 as Babylonian numeral.



## Objective 5 Understand and use the Traditional Chinese System

**Digits**

| Chinese | Hindu-Arabic |
|---|---|
| 零/〇 | = 0 |
| 一 | = 1 |
| 二 | = 2 |
| 三 | = 3 |
| 四 | = 4 |
| 五 | = 5 |
| 六 | = 6 |
| 七 | = 7 |
| 八 | = 8 |
| 九 | = 9 |

**Position**

| | |
|---|---|
| 十 | = 10 |
| 百 | = 100 |
| 千 | = 1000 |
| 萬 | = 10,000 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**Concept video question and answer**

1. **How would you write the Hindu-Arabic numeral 893 in the Chinese system?**

八
百
九
十
三

**EXAMPLE 9** Write a Hindu-Arabic Numeral as a Chinese Numeral

**Write 4,254 as a Chinese numeral**

$4{,}254 = 4{,}000 + 200 + 50 + 4$

$4{,}254 = 4(1000) + 2(100) + 5(10) + 4$

Write the digit symbol and position symbol for each with Chinese numerals.

| | | |
|---|---|---|
| 4,000 | 4 | 四 |
| | 1,000 | 千 |
| 200 | 2 | 二 |
| | 100 | 百 |
| 50 | 5 | 五 |
| | 10 | 十 |
| 4 | 4 | 四 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. Write 737 as Chinese numeral.
   七
   百
   三
   十
   七
2. Write 10,302 as Chinese numeral
   一
   萬
   三
   百
   二

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 10** Write a Chinese Numeral as a Hindu-Arabic Numeral

**Write the Hindu-Arabic numeral represented by the following Chinese numerals:**

三
千
一
百
六
十
四

Digits

| Chinese | Hindu-Arabic |
|---|---|
| 零/〇 | = 0 |
| 一 | = 1 |
| 二 | = 2 |
| 三 | = 3 |
| 四 | = 4 |
| 五 | = 5 |
| 六 | = 6 |
| 七 | = 7 |
| 八 | = 8 |
| 九 | = 9 |

Position

| | |
|---|---|
| 十 | = 10 |
| 百 | = 100 |
| 千 | = 1,000 |
| 萬 | = 10,000 |

三 = 3

千 = 1,000 $3 \times 1{,}000 = 3{,}000$

一 = 1

百 = 100 $1 \times 100 = 100$

六 = 6

十 = 10 $6 \times 10 = 60$

四 = 4 4

$3{,}000 + 100 + 60 + 4 = 3{,}164$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. Write the Hindu-Arabic numeral 一千三 represents. **1,003**
2. Write the Hindu-Arabic numeral 六千几百几十三 represents. **6,883**

## In class activity

Source: https://maya.nmai.si.edu/maya-sun/maya-math-game
Introduce the Mayan number system.

## In class activity

Number System Bingo
Have each student create a bingo card using the numbers 1 – 100 in whichever number system you would like (Roman, Egyptian, Chinese, or Babylonian) Call out a number and if they have the matching symbol, they can mark it off. Winner can be to blackout or just one line.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

# 2.2 Base Number Systems

| KEY TERMS | |
|---|---|
| **Binary** | The binary system is a base 2 number system used in computer operations where 1 represents "on" and 0 represents "off". |
| **Hexadecimal** | A hexadecimal system is a base 16 number system used in computer operations. |
| **Octal** | An octal system is a base 8 number system used in computer operations. |

## Objective 1 Convert Other Base Numbers to Base 10



**Concept Video - Characteristics of Different Base Systems**

1. **How do you count to 5 in base 5?**
   1, 2, 3, 4, 10
2. **Fill in the following chart showing the letters which represent the numbers 10 – 35.**

| **A** | **B** | **C** | **D** | **E** | **F** | **G** | **H** | **I** | **J** | **K** | **L** | **M** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| **N** | **O** | **P** | **Q** | **R** | **S** | **T** | **U** | **V** | **W** | **X** | **Y** | **Z** |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## In class activity

- Go to the following website: http://www.shodor.org/interactivate/activities/NumberBaseClocks/
- Click on “Learner” tab and then print out “Number Base Clocks Exploration Questions” for each student.
- Use a camera projection to go through the activity with your students, or if they have access to computers do with a partner and then have a whole class discussion.

**EXAMPLE 1** Converting From Base 5 to Base 10

**Convert $3224_5$ to base 10.**

Step 1: Write each digit of the given number along with the corresponding power of the given base. The powers should increase going from right to left, starting at a power of zero.

| $5^3$ | $5^2$ | $5^1$ | $5^0$ |
|---|---|---|---|
| 3 | 2 | 2 | 4 |

Step 2: Multiply each digit by the corresponding power.

| $5^3$ | $5^2$ | $5^1$ | $5^0$ |
|---|---|---|---|
| 3 | 2 | 2 | 4 |
| $3(5^3)$ | $2(5^2)$ | $2(5^1)$ | $4(5^0)$ |
| 3(125) | 2(25) | 2(5) | 4(1) |
| 375 | 50 | 10 | 4 |

Step 3: Add the products together to get the result in base 10.

$$375 + 50 + 10 + 4 = 439$$
$$3224_5 = 439$$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. Convert $340_5$ to base 10. **95**
2. Convert $11112_3$ to base 10.**122**

**EXAMPLE 2** Converting From Base 16 to Base 10

**Convert $5ED8_{16}$ to base 10.**

Step 1: Write each digit of the given number along with the corresponding power of the given base. The powers should increase going from right to left, starting at a power of zero.

| $16^3$ | $16^2$ | $16^1$ | $16^0$ |
|---|---|---|---|
| 5 | E | D | 8 |

Because we are in base 16, we need 16 numerals to represent each digit. For numbers greater than 9, we use letters:

| A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| **N** | **O** | **P** | **Q** | **R** | **S** | **T** | **U** | **V** | **W** | **X** | **Y** | **Z** |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

| $16^3$ | $16^2$ | $16^1$ | $16^0$ |
|---|---|---|---|
| 5 | E = 14 | D = 13 | 8 |

Step 2: Multiply each digit by the corresponding power.

| $16^3$ | $16^2$ | $16^1$ | $16^0$ |
|---|---|---|---|
| 5 | E = 14 | D = 13 | 8 |
| $5(16^3)$ | $14(16^2)$ | $13(16^1)$ | $8(16^0)$ |
| 5(4,096) | 14(256) | 13(16) | 8(1) |
| 20,480 | 3,584 | 208 | 8 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

Step 3: Add the products together to get the result in base 10.

$$20{,}480 + 3{,}584 + 208 + 8 = 24{,}280$$
$$5ED8_{16} = 24{,}280$$

### Additional problems

1. Convert $8A21_{12}$ to base 10. **15,289**
2. Convert $9B47_{14}$ to base 10. **26,915**

## Objective 2 Convert Base 10 Numbers to Numbers in Other Bases

### Concept video question and answer

1. **How do you write 105 base 10 in base 5?**

   $410_5$

**Converting from Base 10 to Base *b***

1. Determine the highest power of the base $b$ that will divide into the given number at least once and then divide.
2. Keep the whole number part and divide the remainder by the next lower power of the base $b$.
3. Repeat steps 1 and 2 until the remainder is being divided by 1.
4. The number in base $b$ will be each of the quotients from the highest power of base $b$ descending to the quotient when dividing by 1.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 3** Converting from Base 10 to Base 2

**Write 97 in base 2.**

1. Determine the highest power of base 2 that will divide into the given numeral at least once and then divide.The power of 2 that is less than 97 is 26 = 64 because 27 = 128 is too big.

| $2^7 = 128$ | $2^6 = 64$ | $2^5 = 32$ | $2^4 = 16$ | $2^3 = 8$ | $2^2 = 4$ | $2^1 = 2$ | $2^0 = 1$ |
|---|---|---|---|---|---|---|---|
| Too big | | | | | | | |

2. Divide. Keep the whole number part and divide the remainder by the next lower power of base 2.

3. Repeat step 2 until the remainder is zero.

| | $2^6 = 64$ | $2^5 = 32$ | $2^4 = 16$ | $2^3 = 8$ | $2^2 = 4$ | $2^1 = 2$ | $2^0 = 1$ |
|---|---|---|---|---|---|---|---|
| | $97 \div 64$ | $33 \div 32$ | $1 \div 16$ | $1 \div 8$ | $1 \div 4$ | $1 \div 2$ | $1 \div 1$ |
| Quotient | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| Remainder | 33 | 1 | 1 | 1 | 1 | 1 | 0 |

97 converted to base 2 can be written by writing each of the quotients from left to right starting at the highest power of the base.

$$97 = 1100001_2$$

## Additional problems

1. Write 743 in base nine. **$1015_9$**
2. Write 1345 in base six. **$10121_6$**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 4** Converting from Base 10 to Base 16

**Write 19,442 in base 16.**

1. Determine the highest power of base 16 that will divide into the given base 10 number at least once and then divide. The power of 16 that is less than 19,442 is 163 = 4,096 because 164 = 65,536 is too big.

| $16^4 = 65{,}536$ | $16^3 = 4{,}096$ | $16^2 = 256$ | $16^1 = 16$ | $16^0 = 1$ |
|---|---|---|---|---|
| Too big | | | | |

2. Divide. Keep the whole number part and divide the remainder by the next lower power of base 16.
3. Repeat step 2 until the remainder is zero.

| | $16^3 = 4{,}096$ | $16^2 = 256$ | $16^1 = 16$ | $16^0 = 1$ |
|---|---|---|---|---|
| | $19{,}442 \div 4{,}096$ | $3{,}058 \div 256$ | $242 \div 16$ | $2 \div 1$ |
| Quotient | 4 | 11 | 15 | 2 |
| Remainder | 3,058 | 242 | 2 | 0 |

Use the following chart to evaluate the quotients that are greater than 9.

| A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| **N** | **O** | **P** | **Q** | **R** | **S** | **T** | **U** | **V** | **W** | **X** | **Y** | **Z** |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

| | $16^3 = 4{,}096$ | $16^2 = 256$ | $16^1 = 16$ | $16^0 = 1$ |
|---|---|---|---|---|
| | $19{,}442 \div 4{,}095$ | $3{,}058 \div 256$ | $242 \div 16$ | $2 \div 1$ |
| Quotient | 4 | 11 = B | 15 = F | 2 |
| Remainder | 3,058 | 242 | 2 | 0 |

19,442 converted to base 16 can be written by writing each of the quotients from left to right starting at the highest power of the base.

$$19{,}442 = 4\text{BF}2_{16}$$

## Additional problems

1. Write 1345 in base fifteen. **$5EA_{15}$**
2. Write 1345 in base thirteen. **$7C6_{13}$**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 3 Convert between Binary and Octal and Binary and Hexadecimal Number Systems

Table - Octal to Binary

| Octal | Binary |
|---|---|
| 0 | 000 |
| 1 | 001 |
| 2 | 010 |
| 3 | 011 |
| 4 | 100 |
| 5 | 101 |
| 6 | 110 |
| 7 | 111 |

Hexadecimal to Binary Table

| Hexadecimal | Binary |
|---|---|
| 0 | 0000 |
| 1 | 0001 |
| 2 | 0010 |
| 3 | 0011 |
| 4 | 0100 |
| 5 | 0101 |
| 6 | 0110 |
| 7 | 0111 |
| 8 | 1000 |
| 9 | 1001 |
| A | 1010 |
| B | 1011 |
| C | 1100 |
| D | 1101 |
| E | 1110 |
| F | 1111 |



**In class activity**

The game of Nim

Source: **http://ocw.mit.edu/courses/urban-studies-and-planning/11-124-introduction-to-education-looking-forward-and-looking-back-on-education-fall-2011/math-science-education/week-7/MIT11_124F11_nim_handout.pdf**

Source:**http://education.jlab.org/nim/s_gamepage.html**

Copyright © 2017 Pearson Education, Inc.

**In class discussion**

Source: [http://www.businessinsider.com/the-martian-hexidecimal-language-2015-9](http://www.businessinsider.com/the-martian-hexidecimal-language-2015-9)

The link above is to an article talking about the use of hexadecimal in the 2015 movie *The Martian*. If you have the movie you can show the clip and talk about how this was used to relay messages from Mars to Earth by Mark Watney.

**EXAMPLE 5** Convert Between Binary and Octal

**Convert $1101110011_2$ to octal.**

Separate the base 2 number from right to left into groups of three digits, adding zeros if necessary.

| | | | |
|---|---|---|---|
| 1 | 101 | 110 | 011 |
| 001 | 101 | 110 | 011 |

Use the table below to change each group of three binary numbers to octal numbers.

| Octal | Binary |
|---|---|
| 0 | 000 |
| 1 | 001 |
| 2 | 010 |
| 3 | 011 |
| 4 | 100 |
| 5 | 101 |
| 6 | 110 |
| 7 | 111 |

| Binary Number | 1 | 101 | 110 | 011 |
|---|---|---|---|---|
| Binary Number (zeros added) | 001 | 101 | 110 | 011 |
| Corresponding Octal Number | 1 | 5 | 6 | 3 |

$$1101110011_2 = 1{,}563_8$$

Copyright © 2017 Pearson Education, Inc.

## Additional problems

1. Convert $110001101_2$ to octal. **$615_8$**
2. Convert $10000100001_2$ to octal.**$2041_8$**

**EXAMPLE 6** Convert Between Binary and Hexadecimal

**Convert $1101110011_2$ to hexadecimal.**

When going from base 2 to hexadecimal, we want to separate the base 2 number into groups of four digits, going from right to left adding zeros as necessary.

| Base 2 Number | 0011 | 0111 | 0011 |
|---|---|---|---|
| Corresponding hexadecimal number | 3 | 7 | 3 |

Hexadecimal to Binary Table

| Hexadecimal | Binary |
|---|---|
| 0 | 0000 |
| 1 | 0001 |
| 2 | 0010 |
| 3 | 0011 |
| 4 | 0100 |
| 5 | 0101 |
| 6 | 0110 |
| 7 | 0111 |
| 8 | 1000 |
| 9 | 1001 |
| A | 1010 |
| B | 1011 |
| C | 1100 |
| D | 1101 |
| E | 1110 |
| F | 1111 |

$$1101110011_2 = 373_{16}$$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

### In class activity

Source: **http://cse4k12.org/binary/bitmaps.html**

Source: **http://csunplugged.org/binary-numbers/**

If you have the space for a physical activity, have two (or more) teams (of 4 or 5 students each) line up.

- Each student represents a bit, with the student on one end being the bit in the 1's place, the next student representing the 2's place, the next the 4's place, etc.
- The students start in a standing position, which represents neither 1 nor 0. To represent a 1, the student's arms must be stretched straight overhead; to represent a 0, the student must squat down.
- You then call a number (one that can be represented using that many bits). The two teams then race to get their team to represent that number. The first team to have it correct gets a point. They normalize (all stand with no arms up) and a new number is called.
- Ask them about patterns they find during the game. (The 1's place student should notice that if the number is odd, their arms are up, but if the number is even, they are squatting. The student representing the highest bit should notice that their arms are up if the number is larger than or equal to their place value.)

### In class activity

**http://cse4k12.org/**

Several activities for converting between binary and octal and binary and hexadecimal.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

# 2.3 Computation in Other Bases

| KEY TERMS | |
|---|---|
| **Dividend** | A dividend is the quantity to be divided. |
| **Divisor** | A divisor is the quantity by which another quantity, the dividend, is to be divided by. |
| **Quotient** | A quotient is the answer to a division problem. |
| **Regrouping** | Regrouping is a process of shifting a place value of the base from one place value column to the next.<br>Regrouping is also called carrying or borrowing |
| **Remainder** | A remainder is the amount left over after division. |

## Objective 1 Add in Bases Other than 10

**Adding in Bases Other than 10**

When ADDING with other bases, follow these steps:

1. If the numbers are not already arranged vertically, place them vertically, with each place value in the same column.
2. Add the ones digits first, just as in base 10.
3. Evaluate the sum.
   a. If the sum is less than the base, write it under that column.
   b. If the sum is greater than or equal to the base, we must carry.

Find the remainder after dividing by the base and write it under the column.

To find the amount to carry, find out how many times the base will go into the sum evenly.

4. Continue adding the next digits as described in step 2 until all numbers are added. Remember to add in any carried numbers.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 1** Add in Different Bases: Base 8

**Add $376_8 + 334_8$.**

$$\begin{array}{rrr} & 3 & 7 & 6_8 \\ + & 3 & 3 & 4_8 \\ \hline \end{array}$$

**Step 1:**

$6 + 4 = 10$

$10 > 8$

$10 \div 8 = 1\ R2$

$$\begin{array}{rrr} & & 1 & \\ & 3 & 7 & 6_8 \\ + & 3 & 3 & 4_8 \\ \hline & & & 2_8 \end{array}$$

**Step 2:**

$1 + 7 + 3 = 11$

$11 > 8$

$11 \div 8 = 1\ R3$

$$\begin{array}{rrr} & 1 & 1 & \\ & 3 & 7 & 6_8 \\ + & 3 & 3 & 4_8 \\ \hline & & 3 & 2_8 \end{array}$$

**Step 3:**

$1 + 3 + 3 = 7$

$7 < 8$

$$\begin{array}{rrr} & 1 & 1 & \\ & 3 & 7 & 6_8 \\ + & 3 & 3 & 4_8 \\ \hline & 7 & 3 & 2_8 \end{array}$$

## Additional problems

1. $14631_7 + 6532_7$ **$24463_7$**
2. $101101_2 + 110010_2$ **$1011111_2$**

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 2** Add in Different Bases: Base 12

**Add $445_{12} + 3A6_{12}$**

$$\begin{array}{r} 4\ 4\ 5_{12} \\ +\ 3\ A\ 6_{12} \\ \hline \end{array}$$

**Step 1:**
$5 + 6 = 11$
$11 < 12$, so we can just write the value.
11 corresponds to B.

| A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| N | O | P | Q | R | S | T | U | V | W | X | Y | Z |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

$$\begin{array}{r} 4\ 4\ 5_{12} \\ +\ 3\ A\ 6_{12} \\ \hline \quad\quad B_{12} \end{array}$$

**Step 2:**
$4 + A$

| A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| N | O | P | Q | R | S | T | U | V | W | X | Y | Z |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

A corresponds to 10.
$4 + 10 = 14$
$14 > 12$
$14 \div 12 = 1\ R2$

$$\begin{array}{r} \quad 1 \\ 4\ 4\ 5_{12} \\ +\ 3\ A\ 6_{12} \\ \hline \quad 2\ B_{12} \end{array}$$

**Step 3:**
$1 + 4 + 3 = 8$
$8 < 12$

$$\begin{array}{r} \quad 1 \\ 4\ 4\ 5_{12} \\ +\ 3\ A\ 6_{12} \\ \hline 8\ 2\ B_{12} \end{array}$$

## Additional problems

1. $AB1_{12} + 315_{12}$ **$1206_{12}$**
2. $8C51_{16} + 947B_{16}$ **$120CC_{16}$**

Copyright © 2017 Pearson Education, Inc.

## Objective 2 Subtract in Bases Other Than 10


**Subtract 906 – 457 without a calculator showing your steps:**

$$\begin{array}{r} 8\ \ 9\ \ 16 \\ \cancel{9}\ \ \cancel{0}\ \ \cancel{6} \\ -\ 4\ \ 5\ \ 7 \\ \hline \mathbf{4\ \ 4\ \ 9} \end{array}$$



**Concept video questions and answers**

1. **Draw the model for $232_5$ labeling the columns.**



2. **When regrouping (or borrowing) what are you doing?**
   Taking a group that is the size of the base to add to another place value column.

**Subtracting in Bases Other Than 10**

When SUBTRACTING with other bases, follow these steps:

1. Align the numbers vertically, with each place value in the same column.
2. Subtract the ones digits first, just as in base 10. If you need to borrow from the first nonzero digit, make sure to borrow the amount of the base each time.
3. Borrow in the amount of the base until each digit in the top row is greater than the digits in the bottom row.
4. Subtract each column.
5. Check using addition in the given base.

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 3** Subtract in Different Bases: Base 5

**Subtract $400_5 - 244_5$**

| | |
|---|---|
| 25's 5's 1's<br>3 5<br>~~4~~ $^{5+}0$ 0<br>− 2 4 4<br><br>25's 5's 1's<br>4<br>3 ~~5~~ 5<br>~~4~~ $^{5+}0$ $^{5+}0$<br>− 2 4 4 | In base 5 our place value columns are 1's, 5's and 25's. Each time we borrow we are borrowing a group of 5.<br>**1) Right most column - do you need to borrow?**<br>**A.** Because 4 is more than 0 we need to borrow.<br>**B.** We cannot take anything from the 5's column because it is 0.<br>**C.** We have to borrow from the 4 in the 25's column.<br>**D.** Take one from the 4. This turns the 4 into a 3. We are adding 5 − 5's to the 0 in the 5's column, giving us 5 in this column.<br>**E.** Take one from the 5 in the 5's column. This turns the 5 into a 4. We are adding 5 − 1's to the ones column, giving us 5. |
| 25's 5's 1's<br>4<br>3 ~~5~~ 5<br>~~4~~ $^{5+}0$ $^{5+}0$<br>− 2 4 4<br>1 0 1<br>$400_5 - 244_5 = 101_5$ | 2) Subtract each column.<br>A. $5 - 4 = 1$<br>B. $4 - 4 = 0$<br>C. $3 - 2 = 1$ |

## Additional problems

1. $1001_2 - 110_2$
2. $476_8 - 267_8$

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 4** Subtract in Different Bases: Base 16

**Subtract $157A_{16} - 21C_{16}$**

| A | B | C | D | E | F | G | H | I | J | K | L | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| N | O | P | Q | R | S | T | U | V | W | X | Y | Z |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

$$\begin{array}{rrrr} & 1 & 5 & 7\ A_{16} \\ - & & 2 & 1\ C_{16} \\ \hline \end{array}$$

$$\begin{array}{rrrr} & & & 6\quad 16+10 \\ & 1 & 5 & 7\ \ \cancel{A(10)} \\ - & & 2 & 1\ C(12) \\ \hline & & & E_{16} \end{array}$$

$$\begin{array}{rrrr} & & & 6\quad 16+10 \\ & 1 & 5 & 7\ \ \cancel{A(10)} \\ - & & 2 & 1\ C(12) \\ \hline & & 5 & E_{16} \end{array}$$

$$\begin{array}{rrrr} & & & 6\quad 16+10 \\ & 1 & 5 & 7\ \ \cancel{A(10)} \\ - & & 2 & 1\ C(12) \\ \hline 1 & 3 & 5 & E_{16} \end{array}$$

## Additional problems

1. $4C6_{16} - 198_{16}$ **$32E_{16}$**
2. $97A_{12} - 3B8_{12}$ **$582_{12}$**

## Objective 3 Multiply in Bases Other than 10

**Multiplying in Bases Other Than 10**

When MULTIPLYING with other bases, follow these steps:

1. If numbers are not already arranged vertically, place them vertically, aligning each one's place.
2. Carry out the multiplication for each column using the base multiplication table and carrying when necessary.
3. Add each product to get the final answer.

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 5** Multiply in Different Bases: Base 6

**Multiply:** $314_6 \times 23_6$

**Step 1: Complete a multiplication table for the base in which you are multiplying.**

| X | 0 | 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 1 | 2 | 3 | 4 | 5 |
| 2 | 0 | 2 | 4 | 10 | 12 | 14 |
| 3 | 0 | 3 | 10 | 13 | 20 | 23 |
| 4 | 0 | 4 | 12 | 20 | 24 | 32 |
| 5 | 0 | 5 | 14 | 23 | 32 | 41 |

**Step 2: Carry out the multiplication using the base multiplication table.**

$$\begin{array}{rrrr} & & 2 & \\ & 3 & 1 & 4_6 \\ \times & & 2 & 3_6 \\ \hline & & & 0_6 \end{array}$$

Multiply $3 \times 4$ which from our table is 20. Write the 0 in the ones column and carry the 2.

$$\begin{array}{rrrr} & & 2 & \\ & 3 & 1 & 4_6 \\ \times & & 2 & 3_6 \\ \hline & & 5 & 0_6 \end{array}$$

Multiply $3 \times 1 = 3$ and add the 2 to get 5.

$$\begin{array}{rrrr} & & 2 & \\ & 3 & 1 & 4_6 \\ \times & & 2 & 3_6 \\ \hline 1 & 3 & 5 & 0_6 \\ & & & 0_6 \end{array}$$

Multiply $3 \times 3$ which is 13 from our table. We write 13 and then bring down a placeholder zero.

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

$$\begin{array}{rrrr} & & 1 & \\ & & 2 & \\ & 3 & 1 & 4_6 \\ \times & & 2 & 3_6 \\ \hline 1 & 3 & 5 & 0_6 \\ & & 2 & 0_6 \end{array}$$

Now multiply $2 \times 4$ which is 12 from our table. Write the 2 below the 5 and carry the 1.

$$\begin{array}{rrrr} & & 1 & \\ & & 2 & \\ & 3 & 1 & 4_6 \\ \times & & 2 & 3_6 \\ \hline 1 & 3 & 5 & 0_6 \\ & 3 & 2 & 0_6 \end{array}$$

Now multiply $2 \times 1$ which is 2 and add the 1 to get 3. Write this below the 3.

$$\begin{array}{rrrrr} & & & 1 & \\ & & & 2 & \\ & & 3 & 1 & 4_6 \\ & \times & & 2 & 3_6 \\ \hline & 1 & 3 & 5 & 0_6 \\ 1 & 0 & 3 & 2 & 0_6 \end{array}$$

Multiply $2 \times 3$ which is 10 from the multiplication table. Write this below the 1.

$$\begin{array}{rrrrr} & & & 1 & \\ & & & 2 & \\ & & 3 & 1 & 4_6 \\ & \times & & 2 & 3_6 \\ \hline & & 1 & & \\ & 1 & 3 & 5 & 0_6 \\ 1 & 0 & 3 & 2 & 0_6 \\ \hline & & & 1 & 0_6 \end{array}$$

Now we want to add each column, remembering we are adding in base 6.

$$0 + 0 = 0$$
$$5 + 2 = 11_6$$

Write the 1 and carry a 1.

$$\begin{array}{rrrrr} & & & 1 & \\ & & & 2 & \\ & & 3 & 1 & 4_6 \\ & \times & & 2 & 3_6 \\ \hline & 1 & 1 & & \\ & 1 & 3 & 5 & 0_6 \\ 1 & 0 & 3 & 2 & 0_6 \\ \hline & & 1 & 1 & 0_6 \end{array}$$

$$1 + 3 + 3 = 11_6$$

Write the 1 and carry a 1.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

$$\begin{array}{rrrrl} & & & 1 & \\ & & & 2 & \\ & & 3 & 1 & 4_6 \\ & \times & & 2 & 3_6 \\ \hline & 1 & 1 & & \\ & 1 & 3 & 5 & 0_6 \\ 1 & 0 & 3 & 2 & 0_6 \\ \hline 1 & 2 & 1 & 1 & 0_6 \end{array}$$

Bring down the last 1.

$1 + 1 = 2_6$

ALTERNATE METHOD
Convert both numbers to base 10, multiply them normally, then convert that number back to the desired base.

$$314_6 \times 23_6$$

- Convert each number to base 10.

$$314_6 = 3(6^2) + 1(6) + 4 = 118$$

$$23_6 = 2(6) + 3 = 15$$

- Multiply the base 10 numbers.

$$118 \times 15 = 1{,}770$$

- Convert the answer back to base 6.
  $1{,}770 = 12110_6$

## Additional problems

1. $21_3 \times 2_3$ **$112_3$**
2. $6A3_{16} \times 24_{16}$ **$EEEC_{16}$**

Copyright © 2017 Pearson Education, Inc.

## Objective 4 Divide in Bases Other Than 10

**Dividing in Bases Other Than 10**

When DIVIDING with other bases, follow these steps:

1. Determine how many times the divisor can divide into the dividend without going over and write this quotient in the correct place value column.
2. Multiply the quotient by the divisor and write the answer under the dividend.
3. Subtract and bring down the next digit on the right.
4. Repeat until there are no more digits to bring down. There will be a remainder if, after the last subtraction, the difference is not equal to zero.
5. Check by multiplying the quotient by the divisor and adding the remainder in the given base.

**EXAMPLE 6** Divide in Different Bases: Base 4

**Divide $10233_4$ by $2_4$**




Find all the multiplication facts for $2_4$. Because this problem is in base 4 which only includes the numbers 0, 1, 2, and 3, we will only need the multiplication facts up to $2 \times 3$.




$$2 \times 0 = 0_4$$
$$2 \times 1 = 2_4$$
$$2 \times 2 = 10_4$$
$$2 \times 3 = 12_4$$

| 1. Divide | 2. Multiply & Subtract | 3. Drop down the next digit |
|---|---|---|
| 64's 16's 4's ones<br>2<br>$2_4$ \| 1 0 2 3 $3_4$ | 2<br>$2_4$ \| 1 0 2 3 $3_4$<br>1 $0_4$<br>0 | 2<br>$2_4$ \| 1 0 2 3 $3_4$<br>1 $0_4$<br>0 2 |
| $2_4$ times $2_4$ is as close as you can get to $10_4$ without going over because<br>$2 \times 0 = 0_4$<br>$2 \times 1 = 2_4$<br>$2 \times 2 = 10_4$<br>$2 \times 3 = 12_4$ | Multiply the quotient of $2_4$ by the dividend $2_4$ to get $10_4$. Subtract to find the remainder of zero. | Drop down the 2. |

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

| 1. Divide | 2. Multiply & Subtract | 3. Drop down the next digit |
|---|---|---|
|  |  |  |
| $2_4$ times $1_4$ is as close as you can bet to $2_4$ without going over because<br>$2 \times 0 = 0_4$<br>$2 \times 1 = 2_4$<br>$2 \times 2 = 10_4$<br>$2 \times 3 = 12_4$ | Multiply the quotient of $1_4$ by the dividend $2_4$ to get $2_4$. Subtract to find the remainder of zero. | Drop down the 3. |

| 1. Divide | 2. Multiply & Subtract | 3. Drop down the next digit |
|---|---|---|
|  |  |  |
| $2_4$ times $1_4$ is as close as you can get to $3_4$ without going over because<br>$2 \times 0 = 0_4$<br>$2 \times 1 = 2_4$<br>$2 \times 2 = 10_4$<br>$2 \times 3 = 12_4$ | Multiply the quotient of $1_4$ by the dividend $2_4$ to get $2_4$. Subtract to find the remainder of 1. | Drop down the 3. |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual




## Teaching note

Source: http://www.dozenal.org/articles/DSA-Mult.pdf
This is a pdf of several different base multiplication tables to use as a reference.

Copyright © 2017 Pearson Education, Inc.

**EXAMPLE 7** Divide in Different Bases: Base 6

**Divide $2430_6$ by $4_6$**

To divide 2430 base 6 by 4 base 6, we want to first write the problem as a long division where 4 base 6 is the divisor and goes on the outside, and 2430 base 6 is the dividend and goes under the division bar.

$$4_6 \overline{)\ 2\ 4\ 3\ 0_6}$$

Find all the multiplication facts for $4_6$. We only need to go up to $4 \times 5$ because we are working in base 6 which only uses the values 0, 1, 2, 3, 4, and 5.

$$\begin{aligned} 4 \times 0 &= 0_6 \\ 4 \times 1 &= 4_6 \\ 4 \times 2 &= 12_6 \\ 4 \times 3 &= 20_6 \\ 4 \times 4 &= 24_6 \\ 4 \times 5 &= 32_6 \end{aligned}$$

Looking at the table, we see $4 \times 4 = 24_6$,

$$\begin{aligned} 4 \times 0 &= 0_6 \\ 4 \times 1 &= 4_6 \\ 4 \times 2 &= 12_6 \\ 4 \times 3 &= 20_6 \\ 4 \times 4 &= 24_6 \\ 4 \times 5 &= 32_6 \end{aligned}$$

4 base 6 divides into 24 base 6 four times. Multiplying 4 times 4 in base 6 is 24. We write this below and then subtract 24 minus 24 to get 0. Now, we want to bring down the 3.

$$\begin{array}{r} \quad\ 4 \\ 4_6 \overline{)\ 2\ 4\ 3\ 0} \\ -\ 2\ 4 \\ \hline \quad\ 0\ 3 \end{array}$$

4 base 6 cannot divide into 3, so we write a zero and bring down the zero.

$$\begin{array}{r} \quad\ 4\ 0 \\ 4_6 \overline{)\ 2\ 4\ 3\ 0} \\ -\ 2\ 4 \\ \hline \quad\ 0\ 3\ 0 \end{array}$$

4 base 6 divides into 30 four times. It cannot go five times because 32 is bigger than 30.

$$\begin{aligned} 4 \times 0 &= 0_6 \\ 4 \times 1 &= 4_6 \\ 4 \times 2 &= 12_6 \\ 4 \times 3 &= 20_6 \\ 4 \times 4 &= 24_6 \\ 4 \times 5 &= 32_6 \end{aligned}$$

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

Multiplying 4 times 4 gives us 24 in base 6. We write this below the 30 and subtract.

$$\begin{array}{rcccc} & & 4 & 0 & 4 \\ \cline{3-5} 4_6 & \multicolumn{1}{|c}{2} & 4 & 3 & 0 \\ - & 2 & 4 & & \\ \cline{2-5} & & 0 & 3 & 0 \\ & - & & 2 & 4 \\ \cline{3-5} \end{array}$$

We can't subtract 4 from zero, so we will need to borrow. Remember when you are doing the subtraction that you are doing this in base 6, so when you borrow, you are borrowing groups of 6. When we borrow 1 from the 3, it becomes 2, but then we need to add a group of 6 to the ones place.

$$\begin{array}{rcccc} & & 4 & 0 & 4 \\ \cline{3-5} 4_6 & \multicolumn{1}{|c}{2} & 4 & 3 & 0 \\ - & 2 & 4 & & \\ \cline{2-5} & & 0 & \overset{2}{\not 3} & 6+0 \\ & & - & 2 & 4 \\ \cline{4-5} & & & & 2 \end{array}$$

Adding 6 and zero then subtracting 4 gives us a remainder of 2.

Dividing 2430 base 6 by 4 base 6 give us $404_6\text{R}2_6$.

## Additional problems

1. $1110_4 \div 3_4$ **$130_4$**
2. $D80C_{16} \div B_{16}$ **$13A4_{16}$**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual



# 2.4 Early Computational Methods

| KEY TERMS | |
|---|---|
| **Egyptian Algorithm for Multiplication** | The Egyptian algorithm for multiplication is a procedure for multiplying two numbers which uses only the ability to add and multiply by two. |
| **Lattice** | A lattice is a grid used in lattice multiplication, which is constructed based on the number of digits being multiplied. |
| **Lattice Method** | The lattice method is an alternative way to multiply numbers using a lattice that is constructed based on the number of digits being multiplied. |
| **Multiplicand** | A multiplicand is the number that gets multiplied. |
| **Multiplier** | A multiplier is the number that gets multiplied to the multiplicand. |
| **Napier's Rods** | Napier's rods (bones) use the multiplication tables embedded in the rods to reduce multiplication to addition operations. |
| **Russian Peasant Method** | The Russian peasant method for multiplication involves a process of halving the multiplicand while doubling the multiplier to determine a product of two numbers. |
| **Standard Algorithm** | The standard algorithm is the algorithm for multiplication known as long multiplication. |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 1 Multiply Using the Egyptian Algorithm

**Egyptian Algorithm for Multiplication**

$$A \times B$$

1. Create two columns with one number *(A)* at the top of the first column and the other number *(B)* at the top of the second column. In this example, $A = 21$, $B = 18$.
2. Below the first number *(A)*, write all of the powers of 2 that are smaller than or equal to the first number starting with 1.
3. Below the second number *(B)*, double the second number until you reach the same row corresponding to the highest power of 2.

| 21 | × | 18 | = 378 |
|---|---|---|---|
| 1 | | 18 | |
| 2 | | 36 | |
| 4 | | 72 | |
| 8 | | 144 | |
| 16 | | 288 | |

4. In column A, find the numbers that sum to A, using each number at most once. In this example, the number at the top of column A is 21, $21 = 16 + 4 + 1$
5. Mark the rows in column A and the corresponding numbers in column B.
   In this example, we have 1, 4, 16 in column A corresponding to 18, 72, and 288 in column B.
6. Sum the marked numbers from column B.

$$\begin{array}{r} 1\ 8 \\ 7\ 2 \\ +2\ 8\ 8 \\ \hline 3\ 7\ 8 \end{array}$$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 1** Multiply using the Egyptian Algorithm

**Multiply 13 x 23 using the Egyptian algorithm.**

| 13 | 23 |
|---|---|

To multiply $13 \times 23$ using the Egyptian algorithm, we will first create two columns with 13 in the first column and 23 in the 2nd column.

| 13 | 23 |
|---|---|
| 1 | |
| 2 | |
| 4 | |
| 8 | |

Below 13 we will write all of the powers of 2 that are smaller than or equal to 13. Each time you are just multiplying by 2.

| 13 | 23 |
|---|---|
| 1 | 23 |
| 2 | 46 |
| 4 | 92 |
| 8 | 184 |

Below 23, we will start with 23 and double each number until we get to the last row.

| 13 | 23 |
|---|---|
| 1 | 23 |
| 2 | 46 |
| 4 | 92 |
| 8 | 184 |

Now we want to go back to the first column and figure out what numbers add up to give us 13. In this case we have $8 + 4 + 1 = 13$. These are highlighted.

| 13 | 23 |
|---|---|
| 1 | 23 |
| 2 | 46 |
| 4 | 92 |
| 8 | 184 |

Finally we will add the corresponding values in the 2nd column to get $23 + 92 + 184 = 299$.

Using the Egyptian algorithm we get $13 \times 23 = 299$.

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. 18 x 52 **936**

| | |
|---|---|
| 18 | 52 |
| 1 | 52 |
| 2 | 104 |
| 4 | 208 |
| 8 | 416 |
| 16 | 832 |

2. 34 x 105 **3570**

| | |
|---|---|
| 34 | 105 |
| 1 | 105 |
| 2 | 210 |
| 4 | 420 |
| 8 | 840 |
| 16 | 1680 |
| 32 | 3360 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 2 Multiply Using the Russian Peasant Method

**Russian Peasant Method of Multiplication**

$A \times B$

1. Write each number ($A$ and $B$) at the top of its own column
2. Double the number in the first column and halve the number in the second column. If the number in the second column is odd, divide it by two and drop the remainder.
3. If the number in the first column is even, cross out that entire row.
4. Keep doubling, halving, and crossing out until the number in the second column is 1.
5. Add up the remaining numbers in the second column, including the number at the top of column B. The total is the product of your original numbers.

**EXAMPLE 2** Multiply Using the Russian Peasant Method

**Multiply 29 x 49 using the Russian Peasant method.**

Multiply $29 \times 49$ using the Russian peasant method.

| 29 | 49 |
|---|---|

Write each number at the top of a column in a table. 49 is odd so we will keep the 1st row.

| 29 | 49 |
|---|---|
| 58 | 24 |

We want to double the number in the first column, and halve the number in the second column, dropping any remainder. Our goal is to get to 1 in the second column.

| 29 | 49 |
|---|---|
| ~~58~~ | ~~24~~ |

24 is even so we will cross out the entire row.

| 29 | 49 |
|---|---|
| ~~58~~ | ~~24~~ |
| ~~116~~ | ~~12~~ |

We will double 58 and halve 24 to get 116 and 12. Again, 12 is even so we will cross off the entire row.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

| 29 | 49 |
|---|---|
| ~~58~~ | ~~24~~ |
| ~~116~~ | ~~12~~ |
| ~~232~~ | ~~6~~ |

Doubling 116 we get 232 and halving 12 we get 6. 6 is also even so we cross out the entire row.

| 29 | 49 |
|---|---|
| ~~58~~ | ~~24~~ |
| ~~116~~ | ~~12~~ |
| ~~232~~ | ~~6~~ |
| 464 | 3 |

Doubling 232 we get 464 and halving 6 we get 3. Three is not even so we will not cross out the row this time.

| 29 | 49 |
|---|---|
| ~~58~~ | ~~24~~ |
| ~~116~~ | ~~12~~ |
| ~~232~~ | ~~6~~ |
| 464 | 3 |
| 928 | 1 |

Doubling 464 we get 928 and halving 3 but dropping the remainder, we get 1.

Now that the second column is at 1 we are done and can add up each number in the 1st column that is not crossed out.

| 29 | 49 |
|---|---|
| ~~58~~ | 24 |
| ~~116~~ | 12 |
| ~~232~~ | 6 |
| 464 | 3 |
| 928 | 1 |

$29 + 464 + 928 = 1{,}421$

$29 \times 49 = 1{,}421.$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. 34 x 105 **3,570**

| | |
|---|---|
| 34 | 105 |
| ~~68~~ | ~~52~~ |
| ~~136~~ | ~~26~~ |
| 272 | 13 |
| ~~544~~ | ~~6~~ |
| 1,088 | 3 |
| 2,176 | 1 |

2. 16 x 135 **2,160**

| | |
|---|---|
| 16 | 135 |
| 32 | 67 |
| 64 | 33 |
| ~~128~~ | ~~16~~ |
| ~~256~~ | ~~8~~ |
| ~~512~~ | ~~4~~ |
| ~~1,024~~ | ~~2~~ |
| 2,048 | 1 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 3 Multiply Using the Lattice Method


**Lattice Method of Multiplication**


$$A \times B$$

1. Draw a grid with one box for each digit in the product and a diagonal through each box from the upper right corner to the lower left corner (see **lattice**).
2. Write one multiplier across the top and the other down the right side, lining the digits up with the boxes.
3. Record each partial product as a two-digit number with the tens digit in the upper left and the ones digit in the lower right of each box. If the product does not have a tens digit, record a zero in the tens triangle.
4. When all partial products are complete, sum the numbers along the diagonals.
5. Carry double digits to the next place and record the answer.


**EXAMPLE 3** Multiply using the Lattice Method

**Multiply 183 x 49 using the lattice method.**








1. Set up lattice with 1 box for each digit in the product and a diagonal in each box. This one will have 3 columns because 183 has 3 digits and 2 rows because 49 has 2 digits.





2. Multiply each individual product placing one digit in each part of the box.

1 times 4 is 4 so we write 0 on top and 4 below.





8 times 4 is 32. Write 3 on top and 2 below.


Copyright © 2017 Pearson Education, Inc.





3 times 4 is 12. Write 1 on top and 2 below.





1 times 9 is 9. Write 0 on top and 9 below.




8 times 9 is 72. Write 7 on top and 2 below.





Finally, 3 times 9 is 27. Write 2 on top and 7 below.




Add along each diagonal.


First in the bottom right corner, 7 has nothing to add so we just write a 7.





On the next diagonal over we add 2 plus 2 plus 2 to get 6.

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual




The third diagonal we will add 1 plus 2 plus 7 plus 9 to get 19. We will write the nine but carry the one to the next diagonal.




Now we will add along the fourth diagonal. 1 plus 3 plus 4 is 8.




Finally the last diagonal only has a zero so we will just write a zero.


We get the answer to the multiplication problem by reading from left to right. $183 \times 49 = 8{,}967$.

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems

1. 333 x 82 **27,306**




2. 877 x 903 **791,931**




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Objective 4 Multiply Using Napier's Rods

**Concept video question and answer**

1. **Explain how to multiply $497 \times 7$ using Napier's rods.**

   Select the rods 4, 9, and 7 and place them next to the index rod.

   In the 7 row, the number on the very right is the ones digit for our answer.

   The next two numbers are together inside a parallelogram, and added together will form the tens digit, which will be 4 +3 = 7.

   The sum of the next two numbers, also in a parallelogram forms the hundreds digit. In this case, 6 + 8 =14 and is not just one single digit. So, we keep the 4 and carry the 1 to the next diagonal.

   The last digit plus the 1 we carried is the thousands digit. So we have 1 + 2 which is 3. Reading from left to right, the result of 497 times 7 is 3,479

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

**EXAMPLE 4** Multiply Using Napier's Rods

**Multiply 259 x 42 using Napier's rods.**

| 1 | 2 | 5 | 9 |
|---|---|---|---|
| 2 | 0/4 | 1/0 | 1/8 |
| 3 | 0/6 | 1/5 | 2/7 |
| 4 | 0/8 | 2/0 | 3/6 |
| 5 | 1/0 | 2/5 | 4/5 |
| 6 | 1/2 | 3/0 | 5/4 |
| 7 | 1/4 | 3/5 | 6/3 |
| 8 | 1/6 | 4/0 | 7/2 |
| 9 | 1/8 | 4/5 | 8/1 |

To multiply using Napier's bones, we want to select the rods 2, 5, and 9 and place them next to the index rod.

$42 = 40 + 2$, so we have

$259(40 + 2) = 259(40) + 259(2)$

We are multiplying by 42 so we want to think about this as 40 plus 2.

**Step 1:** $259 \times 40$

| 1 | 2 | 5 | 9 |
|---|---|---|---|
| 2 | 0/4 | 1/0 | 1/8 |
| 3 | 0/6 | 1/5 | 2/7 |
| 4 | 0/8 | 2/0 | 3/6 |
| 5 | 1/0 | 2/5 | 4/5 |
| 6 | 1/2 | 3/0 | 5/4 |
| 7 | 1/4 | 3/5 | 6/3 |
| 8 | 1/6 | 4/0 | 7/2 |
| 9 | 1/8 | 4/5 | 8/1 |

Look at the row that has 4 in it. We will use this to complete the first multiplication of 259 times 40.

We have 1 zero at the end of 40 so we will write the zero

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

**Step 1:** $259 \times 40 = _____0$

| | | | |
|---|---|---|---|
| 1 | 0 1 / 8 | 2 / 0 | 3 / 6 |
| | 0 | 3 | 6 |

**Step 1:** $259 \times 40 = 10{,}360$

Now we will add each of the diagonals starting at the right. We have 6, then 3 plus 0 is 3. 2 plus 8 is 10 so we will write a 0 and carry the 1. 1 plus 0 is 1. So 259 times 40 is 10,360

**Step 2:** $259 \times 42$

$(259 \times 40) + (259 \times 2)$

$10{,}360 + (259 \times 2)$

Now we want to multiply 259 times 2 so we look at the row that has 2.

| | | | |
|---|---|---|---|
| 1 | 2 | 5 | 9 |
| 2 | 0 / 4 | 1 / 0 | 1 / 8 |
| 3 | 0 / 6 | 1 / 5 | 2 / 7 |
| 4 | 0 / 8 | 2 / 0 | 3 / 6 |
| 5 | 1 / 0 | 2 / 5 | 4 / 5 |
| 6 | 1 / 2 | 3 / 0 | 5 / 4 |
| 7 | 1 / 4 | 3 / 5 | 6 / 3 |
| 8 | 1 / 6 | 4 / 0 | 7 / 2 |
| 9 | 1 / 8 | 4 / 5 | 8 / 1 |

**Step 2:** $259 \times 2$

| | | | |
|---|---|---|---|
| | 0 / 4 | 1 / 0 | 1 / 8 |
| | 5 | 1 | 8 |

$259 \times 2 = 518$

From **Step 1:** $259 \times 40 = 10{,}360$

From **Step 2:** $259 \times 2 = \begin{array}{r} + \quad 518 \\ \hline 10{,}878 \end{array}$

Adding each of the diagonals going from right to left we first have 8.

Adding 1 plus 0 we get 1.

Adding 1 plus 4 we get 5.

259 times 2 is 518.

Adding the results from each step we add 10,360 plus 518 to get 10,878.

$259 \times 42 = 10{,}878$


Copyright © 2017 Pearson Education, Inc.




Navigating Through Mathematics 1st edition Collins Solutions Manual

## Additional problems


1. 5 x 98 **490**




2. 27 x 356 **9,612**




Because you are multiplying by 20 and not just 2, the answer for this part is 7,120





Adding together the results of both to get 7,120 + 2,492 = 9,612

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

Napier's Rods cutouts



| 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 2 | 0 4 | 0 6 | 0 8 | 1 0 | 1 2 | 1 4 | 1 6 | 1 8 | 0 0 |
| 3 | 0 3 | 0 6 | 0 9 | 1 2 | 1 5 | 1 8 | 2 1 | 2 4 | 2 7 | 0 0 |
| 4 | 0 4 | 0 8 | 1 2 | 1 6 | 2 0 | 2 4 | 2 8 | 3 2 | 3 6 | 0 0 |
| 5 | 0 5 | 1 0 | 1 5 | 2 0 | 2 5 | 3 0 | 3 5 | 4 0 | 4 5 | 0 0 |
| 6 | 0 6 | 1 2 | 1 8 | 2 4 | 3 0 | 3 6 | 4 2 | 4 8 | 5 4 | 0 0 |
| 7 | 0 7 | 1 4 | 2 1 | 2 8 | 3 5 | 4 2 | 4 9 | 5 6 | 6 3 | 0 0 |
| 8 | 0 8 | 1 6 | 2 4 | 3 2 | 4 0 | 4 8 | 5 6 | 6 4 | 7 2 | 0 0 |
| 9 | 0 9 | 1 8 | 2 7 | 3 6 | 4 5 | 5 4 | 6 3 | 7 2 | 8 1 | 0 0 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

Navigating Through Mathematics
MODULE 2 REVIEW - NUMERATION

NAME_____
CLASS DAY/TIME_____

1. Express the given Hindu-Arabic numeral in expanded form: 1,588

2. Express the given Hindu-Arabic numeral in expanded form: 17,474

3. Express the given expanded numeral as a Hindu-Arabic numeral. 3. _____

$$(3 \times 10^1) + (0 \times 1)$$

4. Express the given expanded numeral as a Hindu-Arabic numeral. 4. _____

$$(4 \times 10^2) + (0 \times 10^1) + (7 \times 1)$$

5. Using the table, write the given Egyptian numeral as a Hindu-Arabic numeral. 5. _____

|  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |



6. Using the table, write the given Egyptian numeral as a Hindu-Arabic numeral. 6. _____

|  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |



Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

7. Using the table, write 332 as an Egyptian numeral.

|  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |

8. Using the table, write 32,305 as an Egyptian numeral.

|  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |

9. Use the table to write **CXLV** as a Hindu-Arabic numeral. 9. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

10. Use the table to write **MMMCLIV** as a Hindu-Arabic numeral. 10. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

11. Use the table to write $\overline{\text{X}}\text{CDLXVIII}$ as a Hindu-Arabic numeral. 11. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

12. Use the table to write $\overline{\text{VIII}}\text{CMLII}$ as a Hindu-Arabic numeral. 12. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

13. Use the table to express the following Babylonian numeral as a Hindu-Arabic numeral: 13. _____

| **Babylonian numerals** |  |  |
|---|---|---|
| **Hindu-Arabic numerals** | 1 | 10 |



14. Use the table to express the following Babylonian numeral as a Hindu-Arabic numeral: 14. _____

| **Babylonian numerals** |  |  |
|---|---|---|
| **Hindu-Arabic numerals** | 1 | 10 |



15. Using the table, write the Hindu-Arabic numeral 1,278 as a Babylonian numeral.

| **Babylonian numerals** |  |  |
|---|---|---|
| **Hindu-Arabic numerals** | 1 | 10 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

16. Use the table to write 498 as a Chinese Numeral. 16.

| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

17. Use the table to write 9,408 as a Chinese Numeral. 17.

| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

18. Use the table to write the following Chinese Numeral as a Hindu-Arabic Numeral. 18. _____



| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

Copyright © 2017 Pearson Education, Inc.

18. Use the table to write the following Chinese Numeral as a Hindu-Arabic Numeral. 18. _____



| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

19. Convert $1433_5$ to a numeral in base ten. 19. _____

20. Convert $9C51_{16}$ to a numeral in base ten. 20. _____

21. Convert 477 to base three. 21. _____

22. Convert 6,565 to base seven. 22. _____

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

23. Convert the number $1001011001_2$ from binary form to octal form. 23. _____

24. Convert the number $1010111001_2$ from binary form to octal form. 24. _____

25. Convert the number $10000111001_2$ from binary form to hexadecimal form. 25. _____

26. Convert the number $111000010111001_2$ from binary form to hexadecimal form. 26. _____

27. Add the given numbers in the indicated base. 27. _____

$$5142_8 + 1756_8$$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

28. Add the given numbers in the indicated base. 28. _____

$101101_2 + 110010_2$

29. Subtract the given numbers in the indicated base. 29. _____

$32_7 - 6_7$

30. Subtract the given numbers in the indicated base. 30. _____

$1001_3 - 121_3$

31. Multiply the given numbers in the indicated base. 31. _____

$457_8 \times 5_8$

32. Multiply the given numbers in the indicated base. 32. _____

$3122_4 \times 23_4$

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

33. Divide the given numbers in the indicated base. 33. _____

$534_7 \div 4_7$

34. Divide the given numbers in the indicated base. 34. _____

$1343_5 \div 4_5$

35. Use the Egyptian algorithm to find the product. 35. _____

$16 \cdot 187$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual


36. Use the Egyptian algorithm to find the product. 36. _____

$27 \cdot 235$

37. Multiply $51 \times 12$ using the Russian peasant method. 37. _____

38. Multiply $233 \times 17$ using the Russian peasant method. 38. _____

39. Multiply $129 \times 53$ using the lattice method. 39. _____





Copyright © 2017 Pearson Education, Inc.




Navigating Through Mathematics 1st edition Collins Solutions Manual


40. Multiply $389 \times 87$ using the lattice method. 40. _____




41. Multiply $9 \times 337$ using Napier's rods.





42. Multiply $7 \times 225$ using Napier's rods.




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Module 2 Review Answers

1. $1(1{,}000) + 5(100) + 8(10) + 8$
2. $1(10{,}000) + 7(1{,}000) + 4(100) + 7(10) + 4$
3. 30
4. 407
5. 341
6. 2,300,432
7. 
8. 
9. 145
10. 3,154
11. 10,448
12. 8,952
13. 1,267
14. 84,332
15. 

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

16. 四百九十八

17. 九千四百零八

18. 1,223

19. 243

20. 40,017

21. $122200_3$

22. $25066_7$

23. $1131_8$

24. $1271_8$

25. $439_{16}$

26. $3859_{16}$

27. $7120_8$

28. $1011111_2$

29. $23_7$

30. $110_3$

31. $2753_8$

32. $211132_4$

33. $124_7$ R$2_7$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

34. $210_5$ R$3_5$

35. 2,992

| | |
|---|---|
| 16 | 187 |
| 1 | 187 |
| 2 | 374 |
| 4 | 748 |
| 8 | 1496 |
| 16 | 2992 |

36. 6,345

| | |
|---|---|
| 27 | 235 |
| 1 | 235 |
| 2 | 470 |
| 4 | 940 |
| 8 | 1880 |
| 16 | 3760 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual


37. 612

| | |
|---|---|
| ~~51~~ | ~~12~~ |
| ~~102~~ | ~~6~~ |
| 204 | 3 |
| 408 | 1 |


38. 3,961

| | |
|---|---|
| 233 | 17 |
| ~~466~~ | ~~8~~ |
| ~~932~~ | ~~4~~ |
| ~~1864~~ | ~~2~~ |
| 3728 | 1 |

39. 6,837




40. 33,843




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

Navigating Through Mathematics
MODULE 2 TEST - NUMERATION

NAME_____
CLASS DAY/TIME_____

1. Express the given Hindu-Arabic numeral in expanded form: .
901

2. Write the Hindu-Arabic numeral in expanded form: 10,721


3. Express the given expanded numeral as a Hindu-Arabic numeral. 3. _____

$$(5 \times 10^1) + (9 \times 1)$$

4. Express the given expanded numeral as a Hindu-Arabic numeral. 4. _____


$$(8 \times 10^2) + (6 \times 10^1) + (7 \times 1)$$

5. Using the table, write the given Egyptian numeral as a Hindu-Arabic numeral. 5. _____

|  | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |



6. Using the table, write 2,441 as an Egyptian numeral. 6. _____

|  | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 10 | 100 | 1000 | 10,000 | 100,000 | 1,000,000 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

7. Use the table to write **DV** as a Hindu-Arabic numeral. 7. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

8. Use the table to write $\overline{\mathbf{V}}\mathbf{CDLXVI}$ as a Hindu-Arabic numeral. 8. _____

| Roman Numerals | I | V | X | L | C | D | M |
|---|---|---|---|---|---|---|---|
| Hindu-Arabic Numerals | 1 | 5 | 10 | 50 | 100 | 500 | 1000 |

9. Use the table to express the following Babylonian numeral as a Hindu-Arabic numeral: 9. _____



| **Babylonian numerals** |  |  |
|---|---|---|
| **Hindu-Arabic numerals** | 1 | 10 |

10. Write 1,3476 as a Babylonian numeral.

| **Babylonian numerals** |  |  |
|---|---|---|
| **Hindu-Arabic numerals** | 1 | 10 |

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

11. Use the table to write 567 as a Chinese Numeral. 11.

| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

12. Use the table to write the following Chinese Numeral as a Hindu-Arabic Numeral. 12. _____

百三十四五

| 一 | 二 | 三 | 四 | 五 | 六 | 七 | 八 | 九 | 十 | 百 | 千 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 100 | 1000 |

13. Convert $8A21_{12}$ to a numeral in base ten: 13. _____

14. Convert 3,248 to base eight. 14. _____

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

15. Convert the number $10000100001_2$ from binary form to octal form. 15. _____

16. Convert the number $100111001_2$ from binary form to hexadecimal form. 16. _____

17. Add the given numbers in the indicated base. 17. _____

$$7632_9 + 1656_9$$

18. Subtract the given numbers in the indicated base. 18. _____

$$4C6_{16} - 198_{16}$$

19. Multiply the given numbers in the indicated base. 19. _____

$$513_6 \times 23_6$$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

20. Divide the given numbers in the indicated base. 20. _____


$424_5 \div 3_5$

21. Use the Egyptian algorithm to find the product. 21. _____

$32 \cdot 119$

22. Multiply $42 \times 13$ using the Russian peasant method. 22. _____


23. Multiply $142 \times 63$ using the lattice method. 23. _____




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual


24. Multiply $9 \times 254$ using Napier's rods. 24. _____




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

## Module 2 Test Answers

1. $9(100) + 0(10) + 1$
2. $1(10{,}000) + 0(1{,}000) + 7(100) + 2(10) + 1$
3. 59
4. 867
5. 632
6. 
7. 505
8. 5,446
9. 12,120
10. 
11. 五
    百
    六
    十
    七
12. 135
13. 15,289
14. $6260_8$
15. $2041_8$
16. $139_{16}$
17. $9388_9$

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

18. $32E_{16}$

19. $21043_6$

20. $123_5$

21. 3,808

| | |
|---|---|
| 32 | 119 |
| 1 | 119 |
| 2 | 238 |
| 4 | 476 |
| 8 | 952 |
| 16 | 3808 |


22. 546

| | |
|---|---|
| 42 | 13 |
| ~~84~~ | ~~6~~ |
| 168 | 3 |
| 408 | 1 |


Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

23. 8,946




24. 2,286




Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual



# Module 2 – Project

## Numeration Systems

Computers deal in numbers, not letters. To get computers to work, each character needs to be represented as a sequence of numbers. In order for text files to be reliably stored and processed by computers, it is important that the data is interpreted in the same way. The **A**merican **S**tandard **C**ode for **I**nformation **I**nterchange (ASCII) is used to encode characters of the alphabet as binary numbers. Each character is assigned an eight-digit binary number written in two groups of four digits. The capital letters A – 0 start with 0100 and the letters P – Z start with 0101. Lowercase letters a – 0 start with 0110 and lowercase letters p – z start with 0111.

ASCII - Binary Character Table

| Letter | ASCII Code | Binary | Letter | ASCII Code | Binary |
|---|---|---|---|---|---|
| a | 097 | 01100001 | A | 065 | 01000001 |
| b | 098 | 01100010 | B | 066 | 01000010 |
| c | 099 | 01100011 | C | 067 | 01000011 |
| d | 100 | 01100100 | D | 068 | 01000100 |
| e | 101 | 01100101 | E | 069 | 01000101 |
| f | 102 | 01100110 | F | 070 | 01000110 |
| g | 103 | 01100111 | G | 071 | 01000111 |
| h | 104 | 01101000 | H | 072 | 01001000 |
| i | 105 | 01101001 | I | 073 | 01001001 |
| j | 106 | 01101010 | J | 074 | 01001010 |
| k | 107 | 01101011 | K | 075 | 01001011 |
| l | 108 | 01101100 | L | 076 | 01001100 |
| m | 109 | 01101101 | M | 077 | 01001101 |
| n | 110 | 01101110 | N | 078 | 01001110 |

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

| | | | | | |
|---|---|---|---|---|---|
| o | 111 | 01101111 | O | 079 | 01001111 |
| p | 112 | 01110000 | P | 080 | 01010000 |
| q | 113 | 01110001 | Q | 081 | 01010001 |
| r | 114 | 01110010 | R | 082 | 01010010 |
| s | 115 | 01110011 | S | 083 | 01010011 |
| t | 116 | 01110100 | T | 084 | 01010100 |
| u | 117 | 01110101 | U | 085 | 01010101 |
| v | 118 | 01110110 | V | 086 | 01010110 |
| w | 119 | 01110111 | W | 087 | 01010111 |
| x | 120 | 01111000 | X | 088 | 01011000 |
| y | 121 | 01111001 | Y | 089 | 01011001 |
| z | 122 | 01111010 | Z | 090 | 01011010 |

1) Write your first name (Capitalize the first letter of your first name).
2) Write your first name in ASCII binary (base 2) code.
3) Now change your entire first name from base 2 to base 16 (hexadecimal) Recall the following conversions:

| | |
|---|---|
| 0 | 000 |
| 1 | 001 |
| 2 | 010 |
| 3 | 011 |
| 4 | 100 |
| 5 | 101 |
| 6 | 110 |
| 7 | 111 |

4) Change the first letter from base 2 (binary) to base 10.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

5) Write the number in the Egyptian, Babylonian, Roman, and traditional Chinese.
6) Pick your two favorite 4-digit base 10 number and convert them to base 5.
7) Add and subtract the two numbers from #6 while they are still in base 5.
8) Make up your own 3 digit by 2 digit multiplication problem and show the answer to that problem using
    a. Egyptian algorithm
    b. Russian peasant method
    c. Lattice method and
    d. Napier's rods.

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual



# Module 2 – Project Sample Answers

## Numeration Systems

Computers deal in numbers, not letters. To get computers to work, each character needs to be represented as a sequence of numbers. In order for text files to be reliably stored and processed by computers, it is important that the data is interpreted in the same way. The **A**merican **S**tandard **C**ode for **I**nformation **I**nterchange (ASCII) is used to encode characters of the alphabet as binary numbers. Each character is assigned an eight-digit binary number written in two groups of four digits. The capital letters A – 0 start with 0100 and the letters P – Z start with 0101. Lowercase letters a – 0 start with 0110 and lowercase letters p – z start with 0111.

ASCII - Binary Character Table

| Letter | ASCII Code | Binary | Letter | ASCII Code | Binary |
|---|---|---|---|---|---|
| a | 097 | 01100001 | A | 065 | 01000001 |
| b | 098 | 01100010 | B | 066 | 01000010 |
| c | 099 | 01100011 | C | 067 | 01000011 |
| d | 100 | 01100100 | D | 068 | 01000100 |
| e | 101 | 01100101 | E | 069 | 01000101 |
| f | 102 | 01100110 | F | 070 | 01000110 |
| g | 103 | 01100111 | G | 071 | 01000111 |
| h | 104 | 01101000 | H | 072 | 01001000 |
| i | 105 | 01101001 | I | 073 | 01001001 |
| j | 106 | 01101010 | J | 074 | 01001010 |
| k | 107 | 01101011 | K | 075 | 01001011 |
| l | 108 | 01101100 | L | 076 | 01001100 |
| m | 109 | 01101101 | M | 077 | 01001101 |
| n | 110 | 01101110 | N | 078 | 01001110 |

Copyright © 2017 Pearson Education, Inc.



Navigating Through Mathematics 1st edition Collins Solutions Manual

| | | | | | |
|---|---|---|---|---|---|
| o | 111 | 01101111 | O | 079 | 01001111 |
| p | 112 | 01110000 | P | 080 | 01010000 |
| q | 113 | 01110001 | Q | 081 | 01010001 |
| r | 114 | 01110010 | R | 082 | 01010010 |
| s | 115 | 01110011 | S | 083 | 01010011 |
| t | 116 | 01110100 | T | 084 | 01010100 |
| u | 117 | 01110101 | U | 085 | 01010101 |
| v | 118 | 01110110 | V | 086 | 01010110 |
| w | 119 | 01110111 | W | 087 | 01010111 |
| x | 120 | 01111000 | X | 088 | 01011000 |
| y | 121 | 01111001 | Y | 089 | 01011001 |
| z | 122 | 01111010 | Z | 090 | 01011010 |

1) Write your first name (Capitalize the first letter of your first name).
   **Ron**
2) Write your first name in ASCII binary (base 2) code.
   **01010010111110**
3) Now change your entire first name from base 2 to base 16 (hexadecimal) Recall the following conversions:

| | |
|---|---|
| 0 | 000 |
| 1 | 001 |
| 2 | 010 |
| 3 | 011 |
| 4 | 100 |
| 5 | 101 |
| 6 | 110 |
| 7 | 111 |

   **12276**

4) Change the first letter from base 2 (binary) to base 10.
   **$01010010_2$ = 82**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual

5) Write the number in the Egyptian, Babylonian, Roman, and traditional Chinese.

| Egyptian | Babylonian | Roman | Chinese |
|---|---|---|---|
|  |  | LXXXII | 八<br>十<br>二 |

6) Pick your two favorite 4-digit base 10 number and convert them to base 5.
**$8888 = 241023_5$** **$2121 = 31441_5$**
7) Add and subtract the two numbers from #6 while they are still in base 5.
   a. Addition: $323014_5$
   b. Subtraction: $204032_5$
8) Make up your own 3 digit by 2 digit multiplication problem and show the answer to that problem using
   a. Egyptian algorithm
   b. Russian peasant method
   c. Lattice method and
   d. Napier's rods.
   **See instructor's resource manual for section 2.4 for examples**

Copyright © 2017 Pearson Education, Inc.


Navigating Through Mathematics 1st edition Collins Solutions Manual