Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

SKU: 9780134181028-SOLUTIONS

Instructor Manual for

Transport Processes and Separation Process Principles

Fifth Edition

Christie John Geankoplis
A. Allen Hersel
Daniel Lepek



Boston • Columbus • New York • San Francisco • Amsterdam • Cape Town
Dubai • London • Madrid • Munich • Paris • Montreal • Toronto • Delhi • Mexico City
São Paulo • Hong Kong • Seoul • Singapore • Taipei • Tokyo

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

The author and publisher have taken care in the preparation of this work, but make no expressed or implied warranty of any kind and assume no responsibility for errors or omissions. No liability is assumed for incidental or consequential damages in connection with or arising out of the use of the information or programs contained herein.

Visit us on the Web: informit.com

Copyright © 2019 Pearson Education, Inc.

This work is protected by United States copyright laws and is provided solely for the use of instructors in teaching their courses and assessing student learning. Dissemination or sale of any part of this work (including on the World Wide Web) will destroy the integrity of the work and is not permitted. The work and materials from it should never be made available to students except by instructors using the accompanying text in their classes. All recipients of this work are expected to abide by these restrictions and to honor the intended pedagogical purposes and the needs of other instructors who rely on these materials.

ISBN-13: 978-0-13-418163-9
ISBN-10: 0-13-418163-8

September 2020, version 2

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

Publisher's Note: This Instructor Manual is a work in process. Any pages without a supplied solution will be replaced at future releases.

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.2-1)

Eq. (1.3-4) $k = 353.2 = °C + 273.15 \quad °C = 80.05 = \boxed{80\,°C}$

Eq. (1.3-2) $°C = 80.0 = (1/1.8)(°F - 32) \quad °F = \boxed{176\,°F}$

Eq. (1.3-3) $°R = °F + 460 = 176 + 460 \quad °R = \boxed{636\,°R}$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.2-2)

Eq. (1.3-2) $°C = (1/1.8)(°F - 32) = (1/1.8)(155 - 32) = \boxed{68.33°C}$

Eq. (1.3-4) $K = °C + 273.15 = 68.33 + 273.15 = \boxed{341.5\,K}$

Eq. (1.3-3) $°R = °F + 460 = 155 + 460 = \boxed{615°R}$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.3-1)

$$\mathrm{MW}(\mathrm{O_2}) = 32.00, \quad \mathrm{MW}(\mathrm{N_2}) = 28.02$$

$$\mathrm{MW}(\mathrm{air}) = 0.21(32.00) + 0.79(28.02) = \boxed{28.9\,\mathrm{kg/kg\,mol}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.3-2)

$$\underset{\text{MW } 28.01}{2CO} + \underset{32.00}{O_2} \rightarrow \underset{44.01}{2CO_2} \qquad \text{moles CO} = \frac{56.0\,\text{kg}}{28.01\,\text{kg/kg mol}} = 2.00\,\text{kg mol}$$

$$\text{moles } O_2 = 1.00, \quad 1.00(32.00) = \boxed{32.0\,\text{kg } O_2} \qquad 2.00(44.0) = \boxed{88.0\,\text{Kg } CO_2}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.3-3)

Gas	g	MW	g mol	mol/sec
N_2	20	28.02	0.7138	0.1648 mol/sec
O_2	83	32.00	2.5938	0.5990
CO_2	45	44.01	1.0225	0.2362
Total	148 g		4.330/g mol	1.0000

$$\text{Average mol wt} = \frac{148\,\text{g}}{4.3301\,\text{g mol}} = \boxed{\begin{array}{l}34.2\,\text{g/g mol}\\ 34.2\,\text{kg/kg mol}\end{array}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.3-4)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.3-5)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.4-1)

P = 2.4 mm Hg

From Appendix A.1

1 atm = 760 mm Hg

$$P = \frac{2.4\,\text{mm Hg}}{760\,\text{mm Hg/atm}} = \boxed{3.16\times10^{-3}\,\text{atm}}$$

1 atm = 33.90 × 12 in. H_2O (at 4°C)

$$P = \frac{2.4}{760}\,\text{atm}\left(33.90\times12\,\frac{\text{in.}H_2O}{\text{atm}}\right) = \boxed{1.285\,\text{in.}H_2O}$$

1 μm = 10^{-3} mm

$$P = \frac{2.4\,\text{mm}}{10^{-3}\,\text{mm/μm}} = \boxed{2,400\,\mu\text{m Hg}}$$

1 atm = 1.01325 × 10^5 Pa

$$P = \frac{2.4}{760}\,\text{atm}\left(1.01325\times10^{5}\,\frac{\text{Pa}}{\text{atm}}\right) = \boxed{320\,\text{Pa}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.4-2)

$V_1 = 65.0\ ft^3$, $T_1 = 460 + 90 = 550\ °R$, $T_2 = 460 + 65 = 525\ °R$

From Appendix A.1, 1 atm = 14.696 psia

$p_1 = 29.0 + 14.696 = 43.696$ psia, $p_2 = 75.0 + 14.696 = 89.696$ psia

$p_1 = 43.696/14.696 = 2.975$ atm, $p_2 = 89.696/14.696 = 6.104$ atm

Eq. (1.4-2)

$$V_2 = V_1 \frac{p_1}{p_2} = 65.0 \frac{(2.975)}{(6.104)} = \boxed{30.24\,ft^3}$$

$R = 0.7302\ ft^3 \cdot atm/lb\ mol \cdot °R$, MW of $N_2 = 28.01$

Eq. (1.4-1)


$$n = pV/RT = (2.975)(65.0)/(0.7302)(550) = \boxed{0.4815\,lb\,mol}$$

Density, $$= (0.4815)(28.01)/30.24 = \boxed{0.446\,lb_m/ft^3}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-1)



Basis: 10 000 kg/a feed

Total balance

$$10\,000 = S + W$$

Solids balance

$$0.38\,(10\,000) = 0.745 + (0)W$$


$$W = 10000 - 5135 = \boxed{4865\,\text{kg}\,H_2O/\text{d}}$$

$$\boxed{S = 5135\,\text{kg/d of } 74\%\,\text{solution}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-2)



Basis: 1000 kg/h "dry" fish cake

Solids balance

$$0.20\,W = S(0) + 0.60(1000)$$

$$\boxed{W = 3000\,\text{kg/h wet cake feed}}$$

Total balance

$$W = S + 1000$$

$$3000 = S + 1000$$

$$\boxed{S = 2000\,\text{kg}\,H_2O/\text{h}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-3)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-4)


Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-5)



Basis: 1000 kg crushed fruit

Soluble solids balance over whole process

$$1220 + 0.14(1000) + 2.5 = 0.67J + W(0)$$

$$\boxed{J = 2033.5\,\text{kg jam}}$$

Total balance over mixer

$$1220 + 1000 + 2.5 = M$$

$$\boxed{M = 2222.5\,\text{kg mixture}}$$

Total balance over evaporator

$$2222.5 = W + 2033.5$$

$$\boxed{W = 189\,\text{kg}\,H_2O}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.


Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-6)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-7)



Soybean feed

	%	kg	
Oil	18.0	1800	
Protein	35.0	3500	meal
Carbohydrate	27.1	2710	
Fiber, ash	9.4	940	
Moisture	10.5	1050	
	100.0	10,000	

(a) Balance on meal (1)

$$0.82(10000) = 0.94\,P \qquad \boxed{P = 8723\,\text{kg dressed beans}} \qquad L = 1277\,\text{kg oil}$$

Total balance

$$10{,}000 = L + P$$

(b) Balance on meal (2)

$$0.94(8723) = 0.995\,M \qquad \boxed{M = 8241\,\text{kg extracted meal}}$$

kg oil = 0.005(8241) = 41 kg oil in meal

(c) Composition of M

Oil 41 kg

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

Protein	3500
Carbohydrate	2710
Fiber, ash	940
H_2O	1050
	M = 8241 kg

Balance on meal (less H_2O) (3)


$$8241 - 1050 = 0.92\,D \qquad \boxed{D = 7816\,\text{kg dried meal}}$$

$$\text{Wt}\% = \frac{3500}{7816} \times 100 = \boxed{44.8\,\text{wt}\,\%\,\text{protein}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-8)



Basis: 100 kg wet solid/h

Bone dry solids balance on overall process

$$0.85(100) = 0.93S \qquad \boxed{S = 91.4\,\text{kg/h "dried" product}}$$

Water balance on overall process

$$0.01x + 0.15(100) = 0.10x + 0.07(91.4)$$

$$\boxed{x = 95.6\,\text{kg/h dry air in fresh air}}$$

Water balance on inlet point

$$0.01X + 0.10R = 0.03(R + X)$$

$$0.01(95.6) + 0.10R = 0.03(R + 95.6)$$

$$\boxed{R = 27.3\,\text{kg/h dry air in recycle air}}$$

Overall check balance on H_2O

$$0.01(95.6) + 0.15(100) = 0.07(91.4) + 0.10(95.6)$$

$$0.956 + 15.00 = \quad 6.40 + 9.56$$

$$15.956 \cong 15.96 \text{ Hence, a close check.}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.


Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-9)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-10)



Basis: 1000 kg fresh juice

Total balance on overall process

$1000 = W + C$

Solids balance on overall process

$0.125(1000) = W(0) + 0.42\ C$

$W = 1000 - 298$

$W = 702$ kg H_2O

$\boxed{C = 298\,\text{kg concentrated juice}}$

Balance on evaporator

Total

$800 = 702 + E$

$E = 98$ kg evaporated juice

Solids

$$\frac{w}{100}(800) = 702(0) + 0.58(98)$$

$\boxed{w = 7.10\%\ \text{solids in strained juice}}$

Solids balance on mixer

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

$$\frac{v}{100}(200)+0.58\overset{(E)}{(98)}=0.42\overset{(C)}{(298)}$$

$$\boxed{v=34.2\%\ \text{solids in pulpy juice by passed}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-11)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-12)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-13)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.5-14)

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.6-1)

$$g\,\text{mol}\,CO_2 = \frac{250}{44.0} = 5.680$$

$$c_{km}\left(298-373\,K\right) = 38.73\,\text{kJ/kg mol}\cdot K \quad \text{Table}1.5-1$$

$$\left(298-373\,K\right) = 38.73$$

$$q\left(373-623\,K\right) = q_1\left(298-623\right) - q_2\left(298-373\right)$$

$$q = \frac{5.680}{1000}\left[43.06\left(623-298\right) - 38.73\left(373-298\right)\right]$$

$$\boxed{q = 62.98\,\text{kJ}}$$

$$q = \frac{62.98\,\text{kJ}\times 1000}{4.184\,\dfrac{\text{J}}{\text{cal}}} = \boxed{15050\,\text{cal}}$$

$$q = \frac{62.98\,\text{kJ}}{1.05506\,\text{kJ/btu}} = \boxed{59.7\,\text{btu}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.6-3)

From appendix A.4, $c_k = 4.02$ kJ/kg · K at 32.8 °C

assume $c_{km} = 4.02$ note: (t − 10) °C = (t − 10) K

$$q = 121300\,\text{kJ} = 454\,\text{kg}\left(4.02\,\frac{\text{kJ}}{\text{kg}\cdot\text{K}}\right)(t-10)\,\text{K}$$

solving, $(t-10) = 66.5\,\text{K} = 66.5\,°\text{C}$ $\boxed{t = 76.5\,°\text{C}}$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.6-4)

(a) A.2-9 P = 30 psia Liquid H_2O

$$\Delta H = H_{240°F} - H_{40°F}$$
$$= 208.44 - 8.02 = \boxed{200.42\ \text{btu/lb}_m}$$

(b) P = 24.97 psia

$$H_{240°F}(\text{vapor}) = 1160.7$$
$$H_{40°F}(\text{liquid}) = \underline{\quad 8.02}$$
$$\boxed{\Delta H = 1152.7\ \text{btu/lb}_m}$$

(c) P = 1.0 atm abe

$$H_{212°F}(\text{vapor}) = 1150.5$$
$$H_{40°F}(\text{liquid}) = \underline{\quad 28.1}$$
$$\boxed{\Delta H = -1122.4\ \text{btu/lb}_m}$$


(d) P = 1.0 atm abe

$$H_{212°F}(\text{vapor}) = 1150.5$$
$$H_{212°F}(\text{liquid}) = \underline{\quad 180.2}$$
$$\boxed{\Delta H = -970.3\text{btu/lb}_m\ (-2256.9\text{kJ/kg})}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.6-5)



From Table A.2–9, t_2 = 126.6 °C (linear interpolation)

h (liq. at 21.1 °C) = 88.56 kJ/kg, h (liq. at 110 °C) = 461.30 kJ/kg

H (sat'd vapor at 126.6 °C) = 2715.7 kJ/kg

First stage (1)

$$q_1 = (461.30 - 88.56\,\text{kJ/kg})\left(1000\frac{\text{kg}}{\text{h}}\right) = \boxed{3.7274\times10^5\,\text{kJ/h}}$$

Both stages (1) and (2)

$$q_1 + q_2 = (2715.7 - 88.56)(1000) = \boxed{2.6271\times10^6\,\text{kJ/h}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.6-7)

Table A.3–1 (4.0 g mol NH_3)

$$\underset{4(-46.19\,\text{kJ/gmol})}{4\,NH_3(g)} + \underset{5(O)}{5\,O_2(g)} \rightarrow \underset{4(+90.374)}{4\,NO(g)} + \underset{6(-241.826)}{6H_2O(g)}$$

Eq. (1.6-7)

$$\Delta H^\circ = \sum \Delta H^\circ_{f(\text{products})} - \sum \Delta H^\circ_{f(\text{reactants})}$$

$$= \left[4(+90.374) + 6(-241.826)\right] - \left[4(-46.19) + 5(0)\right]$$

$$\boxed{\Delta H^\circ = -904.7\,\text{kJ/gmol}\,(-216.24\,\text{kcal/gmol})}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.7-1)




Table A.4–1

C_{km} (milk) = 3.85 kJ/kg · k

Heat balance: Datum=25 °C

Input

H (milk) = 4540 (3.85)(60 − 25) = 611765 kJ/h

Output

H (milk) = 4540 (3.85)(4.44−25) = −359368 kJ/h

q

Input = Output


611765 = −359368 + q

$$q = 971133\,\text{kJ/h} = \frac{971{,}133}{3600} = \boxed{\begin{matrix}269,6\,\text{kW} \\ (920\,000\,\text{btu/h})\end{matrix}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.7-4)



Datum: 25 °C

(air c_{km} = 29.20 kJ/kg mol · K for 25 − 32.2 °C Table 1.6–1)

Heat in

$$H(\text{air}) = (1000)(29.20)(32.2 - 25.0) = 210\,240\ \text{kJ/h}$$

$$H(\text{steam}) = S\underset{\substack{(\text{Table A.2–9})\\ 148.9\,^\circ\text{C}}}{(2745.1)} = 2745.15\,S\ \text{kJ/h}$$

Heat out

$$H(\text{air}) = (1000)(29.25)(65.5 - 25.0) = 1\,184\,625\ \text{kJ/h}$$

$$H(\text{water}) = S\underset{137.8\,^\circ\text{C}}{(579.70)} = 579.70\,S\ \text{kJ/h}$$

In = out

210 240 + 2745.15 = 1 184 625 + 57.70 S

$$\boxed{S = 450\ \text{kg steam/h}}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.8-1)

Simpson's Method

Eq. (1.8-2) $h = 0.1 \qquad m = \frac{b \quad a}{0.1} = \frac{0.6 \quad 0}{0.1} = 6$

Eq. (1.8-3)

$$A = \int_{x=0}^{x=0.6} f(x)\,dx = \frac{h}{3}[f_0 + 4(f_1 + f_3 + f_5 + ...) + 2(f_2 + f_4 + f_6 + ...)]$$

$$A = \frac{0.1}{3}[100 + 4(75 + 53.5 + 60) + 2(60.5 + 53 + 72.5)]$$

$$A = 38.45$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual

(1.8-2)

$$\text{Total flow in } m^3 = \int_{t=0}^{t=t_F} q\,dt \qquad \text{Eq. (1.8-1)}$$

where t = min., and q = flow rate m^3/min.

The data of flow note q vs. t are plotted as shown.

(a) For the first 60 min., a series of rectangles are drawn as shown. The total area under the curve is the sum of the rectangles A through F.

$$\begin{aligned}\text{Total area} &= 680(10)+740(10)+805(10)+853(10)\\ &\quad +884(10)+884(10)\\ &= \boxed{48460\ m^3 \text{ for } 60 \text{ min.}}\end{aligned}$$

For 120 min., use rectangles A through L

$$\begin{aligned}\text{Total area} &= 48,460+840(10)+763(10)+700(10)+650(10)\\ &\quad +620(10)+620(10)\\ &= \boxed{90390\ m^3 \text{ for } 120 \text{ min.}}\end{aligned}$$

(b) Simpson's method

Eq. (1.8-3)

$$h = 10 \text{ min.} \quad m = \frac{b-a}{h} = \frac{120-0}{10} = 12$$

Eq. (1.8-4)

$$\begin{aligned}\int_0^{120} f(x)dx &= \frac{h}{3}\left[h_0 + 4\left(f_1+f_3+f_5+f_7+f_9+\overset{f_{m-1}}{\square}+f_{11}\right)\right.\\ &\quad \left. +2\left(f_2+f_4+f_6+f_8+f_{10}+\overset{f_m}{\square}+f_{12}\right)\right]\\ &= \frac{10}{3}\left[655+4(705+830+890+800+670+620)\right.\\ &\quad \left. +2(780+870+870+725+640+610)\right]\\ &= \boxed{92350\ m^3 \text{ for } 120 \text{ min}}\end{aligned}$$

Ancillary material to Geankoplis, et al., Transport Processes and Separation Process Principles, 5/E, ISBN: 9780134181028.
Copyright (c) 2019 Pearson Education, Inc. Do not distribute.

Transport Processes and Separation Process Principles 5th edition Geankoplis Solutions Manual