College Algebra 12th edition Lial Test Bank

SKU: 9780134217451-TEST-BANK

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

List the ordered pairs from the table.

1)

x	y
1	3
2	0
4	–6
5	–9

A) (3, 1), (0, 2), (–6, 4), (–9, 5)
B) (1, 0), (2, 3), (4, –9), (5, –6)
C) (1, –9), (2, –6), (4, 0), (5, 3)
D) (1, 3), (2, 0), (4, –6), (5, –9)

Answer: D

2)

Sales at the University Bookstore

Month	Sales
1	$720,000
2	$180,000
3	$1,060,000
4	$300,000

A) (1, 180,000), (2, 720,000), (3, 300,000), (4, 1,060,000)
B) (720,000, 1), (180,000, 2), (1,060,000, 3), (300,000, 4)
C) (1, 720,000), (2, 180,000), (3, 1,060,000), (4, 300,000)
D) (300,000, 1), (1,060,000, 2), (180,000, 3), (720,000, 4)

Answer: C

For the points P and Q, find the distance d(P, Q).

3) P(5, 4), Q(–4, –1)
A) 4
B) $\sqrt{56}$
C) 45
D) $\sqrt{106}$

Answer: D

4) P(3, –5), Q(7, –7)
A) $12\sqrt{3}$
B) 12
C) $2\sqrt{5}$
D) 6

Answer: C

5) P(–2, –3), Q(1, 6)
A) 72
B) $72\sqrt{2}$
C) $3\sqrt{10}$
D) 6

Answer: C

College Algebra 12th edition Lial Test Bank

6) P(7, –2), Q(5, 2)

A) $12\sqrt{3}$

B) $2\sqrt{5}$

C) 12

D) 6

Answer: B

7) P($3\sqrt{5}, 5\sqrt{7}$), Q($-2\sqrt{5}, -9\sqrt{7}$)

A) $\sqrt{1497}$

B) 1497

C) $\sqrt{123}$

D) 123

Answer: A

For the points P and Q, find the coordinates of the midpoint of the segment PQ.

8) P(5, 9), Q(7, 1)

A) $(6, 5)$

B) (–2, 8)

C) $(-1, 4)$

D) (12, 10)

Answer: A

9) P(7, –9), Q(0, 8)

A) (7, –1)

B) (7, –17)

C) $\left(\frac{7}{2}, -\frac{1}{2}\right)$

D) $\left(\frac{7}{2}, -\frac{17}{2}\right)$

Answer: C

10) P(0, –1), Q(8, 8)

A) $\left(4, \frac{7}{2}\right)$

B) (8, 7)

C) $\left(-4, -\frac{9}{2}\right)$

D) (–8, –9)

Answer: A

11) P(–5, 2), Q(2, 6)

A) (–3, 8)

B) $\left(-\frac{7}{2}, -2\right)$

C) (–7, –4)

D) $\left(-\frac{3}{2}, 4\right)$

Answer: D

College Algebra 12th edition Lial Test Bank

12) P($7\sqrt{3}, -\sqrt{13}$), Q($-\sqrt{3}, 0$)

A) $(-3, 13)$

B) $\left(3\sqrt{6}, -\frac{\sqrt{39}}{2}\right)$

C) $\left(3\sqrt{3}, -\frac{\sqrt{13}}{2}\right)$

D) $\left(4\sqrt{3}, \frac{\sqrt{13}}{2}\right)$

Answer: C

13) P($13\sqrt{3}, \sqrt{10}$), Q($-\sqrt{3}, 4\sqrt{10}$)

A) $\left(6\sqrt{6}, -\frac{\sqrt{30}}{2}\right)$

B) $\left(6\sqrt{3}, 5\sqrt{10}\right)$

C) $\left(7\sqrt{3}, \frac{\sqrt{10}}{2}\right)$

D) $\left(6\sqrt{3}, \frac{5\sqrt{10}}{2}\right)$

Answer: D

14) P($-\sqrt{10}, 1$), Q($0, \sqrt{5}$)

A) $\left(-\frac{\sqrt{10}}{2}, \frac{1+\sqrt{5}}{2}\right)$

B) $(-\sqrt{10}, 1+\sqrt{5})$

C) $\left(\frac{-\sqrt{10}+\sqrt{5}}{2}, \frac{1}{2}\right)$

D) $\left(\frac{\sqrt{10}}{2}, \frac{1-\sqrt{5}}{2}\right)$

Answer: A

Determine whether the three points are the vertices of a right triangle.

15) $(3, -9)$, $(10, -9)$, $(10, -1)$

A) Yes

B) No

Answer: A

16) $(-2, 3)$, $(0, 7)$, $(2, 6)$

A) Yes

B) No

Answer: A

17) $(5, 8)$, $(11, 10)$, $(15, -2)$

A) Yes

B) No

Answer: A

College Algebra 12th edition Lial Test Bank

18) (–1, –1), (5, 1), (4, –4)
A) Yes
B) No
Answer: B

19) (3, –5), (9, –3), (15, –10)
A) Yes
B) No
Answer: B

20) (–6, 7), (5, –4), (7, –2)
A) Yes
B) No
Answer: A

Determine whether the three points are collinear.

21) (–2, 6), (–4, –3), (0, 15)
A) Yes
B) No
Answer: A

22) (13, –10), (5, –4), (7, –2)
A) Yes
B) No
Answer: B

23) (–5, –11), (4, 7), (9, 17)
A) Yes
B) No
Answer: A

24) (8, –4), (–5, 8), (1, 1)
A) Yes
B) No
Answer: B

Find the coordinates of the other endpoint of the segment, given its midpoint and one endpoint.

25) midpoint (3, 1), endpoint (2, –3)
A) (4, 5)
B) (0, –11)
C) (4, –7)
D) (10, –1)
Answer: A

26) midpoint (–1, –1), endpoint (3, 1)
A) (–1, –7)
B) (11, 5)
C) (–5, 3)
D) (–5, –3)
Answer: D

College Algebra 12th edition Lial Test Bank

27) midpoint (–8, –9), endpoint (–10, –5)

A) (–6, –13)

B) (–14, 3)

C) (–18, –1)

D) (–6, –1)

Answer: A

28) midpoint (–8, 7), endpoint (–4, 6)

A) (–12, 8)

B) (–2, –2)

C) (4, 4)

D) (–12, 5)

Answer: A

29) midpoint (c, y), endpoint (m, q)

A) (c – m, y – q)

B) (2m – c, 2q – y)

C) (2c – m, 2y – q)

D) $\left(\frac{c + m}{2}, \frac{y + q}{2}\right)$

Answer: C

30) midpoint $\left(\frac{p + a}{2}, \frac{q - w}{2}\right)$, endpoint (p, q)

A) (a, w)

B) $\left(\frac{3p + a}{4}, \frac{3q - w}{4}\right)$

C) (a, –w)

D) $\left(\frac{a}{2}, -\frac{w}{2}\right)$


Answer: C

College Algebra 12th edition Lial Test Bank

Solve the problem.

31) The graph shows an idealized linear relationship for the average monthly payment to retirees from 1995 to 1999. Use the midpoint formula to estimate the average payment in 1997.

Average Monthly Payment to Retirees



a = $452; b = $524

A) $36
B) $500
C) $524
D) $488

Answer: D

32) The table lists how financial aid income cutoffs (in dollars) for a family of four have changed over time. Use the midpoint formula to approximate the financial aid cutoff for 1985.

Year	Income (in dollars)
1960	20,250
1970	25,500
1980	30,750
1990	36,000
2000	41,250

A) $33,375
B) $20,250
C) $51,750
D) $17,625

Answer: A

College Algebra 12th edition Lial Test Bank

33) The table shows enrollment in 2–year technical schools for 1980, 1990 and 2000. Assuming a linear relationship, estimate the enrollment for 1995.


Year	Enrollment (in millions)
1980	2.3
1990	2.9
2000	3.5

A) 2.3 million
B) 4.9 million
C) 1.5 million
D) 3.2 million


Answer: D

Graph the equation by determining the missing values needed to plot the ordered pairs.

34) $y + x = 3$; (2,), (3,), (1,)




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


35) $y - x = 2$; (2,), (, 8), (4,)



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: D

36) $x + 2y = 4$; (0,), (, 0), (1,), (, 1)




College Algebra 12th edition Lial Test Bank


A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

37) $4x + 6y = 24$; (0,), (, 0), (2,)




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


38) $5y = -2x + 10$; (0,), (, 0), (1,)




A)



B)




C)



College Algebra 12th edition Lial Test Bank


D)




Answer: B

Graph the equation by plotting points.

39) $y = \sqrt{x - 3}$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


40) $y = \sqrt{x} - 4$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

41) $y = x^2 - 1$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


42) $y = |-4 - x|$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

43) $y = |x| + 3$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


44) $y = -x^2 + 1$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

45) $y = x^3 + 2$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


46) $y = (x + 1)^3$




A)



B)




C)



College Algebra 12th edition Lial Test Bank

D)



Answer: D

Provide an appropriate response.

47) If the point (a, b) is in the fourth quadrant, in what quadrant is (a, –b)?

A) II
B) I
C) III
D) IV

Answer: B

48) If the point (a, b) is in the fourth quadrant, in what quadrant is (–a, –b)?

A) I
B) III
C) IV
D) II

Answer: D

49) If the point (a, b) is in the fourth quadrant, in what quadrant is (b, a)?

A) II
B) IV
C) I
D) III

Answer: A

50) If a vertical line is drawn through the point (3, –4), where will it intersect the x–axis?

A) (3, 0)
B) (–4, 0)
C) (0, 3)
D) (0, –4)

Answer: A

51) If a horizontal line is drawn through the point (1, –8), where will it intersect the y–axis?

A) (–8, 0)
B) (0, 1)
C) (0, –8)
D) (1, 0)

Answer: C

College Algebra 12th edition Lial Test Bank

52) What is the midpoint of the segment joining (c, y) and (–5c, 7y)?

A) (–3c, 4y)
B) (–2c, 4y)
C) (–4c, 8y)
D) (2c, 3y)

Answer: B

53) What is the distance from the origin to the point (m, –n)?

A) $\sqrt{m^2 + n^2}$
B) $\sqrt{m - n}$
C) $\sqrt{m^2 - n^2}$
D) $m^2 + n^2$

Answer: A

54) What is the distance from the point (a, w) to the point (m, q)?

A) $\sqrt{(m - a)^2 + (q - w)^2}$
B) $\sqrt{(a - w)^2 + (m - q)^2}$
C) $\sqrt{(m - a)^2 - (q - w)^2}$
D) $[\sqrt{m - a} + \sqrt{q - w}\,]^2$

Answer: A

55) Are the points A(3, 6), B(6, 9), C(8, 1), and D(11, 4) the vertices of a parallelogram (opposite sides equal in length)? of a rhombus (all sides equal in length)?

A) no; yes
B) yes; no
C) no; no
D) yes; yes

Answer: B

56) Are the points A(–3, 5), B(0, 6), C(2, –2), and D(5, 1) the vertices of a parallelogram (opposite sides equal in length)? of a rhombus (all sides equal in length)?

A) no; yes
B) no; no
C) yes; no
D) yes; yes

Answer: B

Find the center–radius form of the equation of the circle.

57) center (0, 0), radius 7

A) $x^2 + y^2 = 14$
B) $x^2 + y^2 = 49$
C) $x^2 + y^2 = 7$
D) $x^2 + y^2 = \sqrt{7}$

Answer: B

College Algebra 12th edition Lial Test Bank

58) center (1, –1), radius 6

A) $(x - 1)^2 + (y + 1)^2 = 6$

B) $(x - 1)^2 + (y + 1)^2 = 36$

C) $(x + 1)^2 + (y - 1)^2 = 6$

D) $(x + 1)^2 + (y - 1)^2 = 36$

Answer: B

59) center (10, 0), radius 3

A) $x^2 + (y - 10)^2 = 3$

B) $(x + 10)^2 + y^2 = 9$

C) $x^2 + (y + 10)^2 = 3$

D) $(x - 10)^2 + y^2 = 9$

Answer: D

60) center (0, 2), radius 4

A) $(x - 2)^2 + y^2 = 16$

B) $x^2 + (y - 2)^2 = 16$

C) $x^2 + (y + 2)^2 = 4$

D) $(x + 2)^2 + y^2 = 16$

Answer: B

61) center (–8, –7), radius $\sqrt{3}$

A) $(x + 7)^2 + (y + 8)^2 = 9$

B) $(x - 7)^2 + (y - 8)^2 = 9$

C) $(x - 8)^2 + (y - 7)^2 = 3$

D) $(x + 8)^2 + (y + 7)^2 = 3$

Answer: D

62) center (0, –2), radius $\sqrt{7}$

A) $x^2 + (y - 2)^2 = 7$

B) $(x - 2)^2 + y^2 = 49$

C) $x^2 + (y + 2)^2 = 7$

D) $(x + 2)^2 + y^2 = 49$

Answer: C

63) center (4, 0), radius $\sqrt{7}$

A) $(x - 4)^2 + y^2 = 7$

B) $(x + 4)^2 + y^2 = 7$

C) $(x - 4)^2 + y^2 = \sqrt{7}$

D) $x^2 + (y - 4)^2 = 49$

Answer: A

College Algebra 12th edition Lial Test Bank

64) center $(-\sqrt{2}, -2)$, radius $\sqrt{2}$

A) $(x - \sqrt{2})^2 + (y - 2)^2 = 4$

B) $(x - \sqrt{2})^2 + (y - 2)^2 = 2$


C) $(x + \sqrt{2})^2 + (y + 2)^2 = \sqrt{2}$

D) $(x + \sqrt{2})^2 + (y + 2)^2 = 2$


Answer: D

Graph the circle.


65) $x^2 + y^2 = 25$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: B

66) $(x - 1)^2 + (y + 3)^2 = 25$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


67) $(x - 2)^2 + (y - 4)^2 = 9$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: A

68) $x^2 + (y - 5)^2 = 9$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: A

College Algebra 12th edition Lial Test Bank


69) $(x - 5)^2 + y^2 = 4$




A)



B)




C)



College Algebra 12th edition Lial Test Bank


D)



Answer: C

Use the graph to determine the equation of the circle in center–radius form.

70)



A) $(x - 4)^2 + (y - 4)^2 = 9$

B) $(x - 4)^2 + (y - 4)^2 = 3$


C) $(x + 4)^2 + (y + 4)^2 = 3$

D) $(x + 4)^2 + (y + 4)^2 = 9$

Answer: A

College Algebra 12th edition Lial Test Bank

71)



A) $(x - 2)^2 + (y + 3)^2 = 3$


B) $(x + 2)^2 + (y - 3)^2 = 9$

C) $(x + 2)^2 + (y - 3)^2 = 3$

D) $(x - 2)^2 + (y + 3)^2 = 9$

Answer: D

72)



A) $(x + 1)^2 + (y - 1)^2 = 9$

B) $(x - 1)^2 + (y + 1)^2 = 9$


C) $(x - 1)^2 + (y + 1)^2 = 3$

D) $(x + 1)^2 + (y - 1)^2 = 3$

Answer: A

College Algebra 12th edition Lial Test Bank

73)



A) $(x + 2^2 + (y + 4)^2 = 4$

B) $(x + 2)^2 + (y + 4)^2 = 16$

C) $(x - 2)^2 + (y - 4)^2 = 16$

D) $(x - 2)^2 + (y - 4)^2 = 4$

Answer: B

Decide whether or not the equation has a circle as its graph. If it does not, describe the graph.

74) $x^2 + y^2 + 10x - 18y + 42 = 0$

A) yes

B) no; the graph is the point (5, –9)

C) no; the graph is the point (–5, 9)

D) no; the graph is nonexistent

Answer: A

75) $x^2 + y^2 - 8x + 12y - 29 = 0$

A) no; the graph is nonexistent

B) yes

C) no; the graph is the point (–4, 6)

D) no; the graph is the point (4, –6)

Answer: B

76) $x^2 + y^2 + 6x - 18y + 90 = 0$

A) no; the graph is the point (–3, 9)

B) no; the graph is nonexistent

C) no; the graph is the point (3, –9)

D) yes

Answer: A

77) $x^2 + y^2 + 16x + 12y + 211 = 0$

A) no; the graph is nonexistent

B) no; the graph is the point (–8, –6)

C) no; the graph is the point (8, 6)

D) yes

Answer: A

College Algebra 12th edition Lial Test Bank

78) $5x^2 + 5y^2 + 40x - 30y + 120 = 0$

A) no; the graph is the point (4, –3)

B) yes

C) no; the graph is the point (–4, 3)

D) no; the graph is nonexistent

Answer: B

Find the center and radius of the circle.

79) $x^2 + y^2 + 4x - 16y - 13 = 0$

A) center: (8, –2); radius: 9

B) center: (2, –8); radius: 81

C) center: (–8, 2); radius: 81

D) center: (–2, 8); radius: 9

Answer: D

80) $x^2 + y^2 - 2x + 10y - 55 = 0$

A) center: (1, –5); radius: 9

B) center: (–1, 5); radius: 81

C) center: (5, –1); radius: 81

D) center: (–5, 1); radius: 9

Answer: A

81) $x^2 + y^2 + 16x + 6y + 24 = 0$

A) center: (–8, –3); radius: 7

B) center: (3, 8); radius: 49

C) center: (8, 3); radius: 49

D) center: (–3, –8); radius: 7

Answer: A

82) $5x^2 + 5y^2 + 20x - 30y - 60 = 0$

A) center: (–2, 3), radius: 5

B) center: (2, –3), radius: 25

C) center: (–3, 2), radius: 25

D) center: (3, –2), radius: 5

Answer: A

Find the center–radius form of the circle described or graphed.

83) a circle having a diameter with endpoints (3, –4) and (3, 4)

A) $(x - 3)^2 + y^2 = 16$

B) $(x + 4)^2 + y^2 = 9$

C) $(x - 3)^2 + y^2 = 4$

D) $x^2 + (y + 4)^2 = 9$

Answer: A

College Algebra 12th edition Lial Test Bank

84) a circle having a diameter with endpoints (–2, 3) and (8, –5)

A) $x^2 + (y + 1)^2 = 25$

B) $(x - 3)^2 + y^2 = 16$

C) $(x - 3)^2 + (y + 1)^2 = 41$

D) $(x + 1)^2 + (y - 3)^2 = 41$

Answer: C

85) a circle having a diameter with endpoints (4, –6) and (–6, –5)

A) $\left(x - 1\right)^2 + \left(y + \frac{11}{2}\right)^2 = 5$


B) $\left(x + 1\right)^2 + \left(y + \frac{11}{2}\right)^2 = \frac{101}{4}$

C) $\left(x - 1\right)^2 + \left(y - \frac{11}{2}\right)^2 = 125$

D) $\left(x - 5\right)^2 + \left(y + \frac{1}{2}\right)^2 = 101$

Answer: B

86)



A) $(x + 5)^2 + (y + 4)^2 = 4$

B) $(x - 5)^2 + (y - 4)^2 = 4$


C) $(x + 5)^2 + (y + 4)^2 = 2$

D) $(x - 5)^2 + (y - 4)^2 = 2$

Answer: B

College Algebra 12th edition Lial Test Bank

87)



A) $(x + 2)^2 + (y - 1)^2 = 3$

B) $(x - 2)^2 + (y + 1)^2 = 3$

C) $(x + 2)^2 + (y - 1)^2 = 9$

D) $(x - 2)^2 + (y + 1)^2 = 9$

Answer: C

Solve the problem.

88) Suppose that receiving stations X, Y, and Z are located on a coordinate plane at the points (0, 9), (–12, 17), and (–8, –7) respectively. The epicenter of an earthquake is determined to be 5 units from X, 15 units from Y, and 13 units from Z. Where on the coordinate plane is the epicenter located?

A) at (–2, 5)

B) at (–2, 4)

C) at (–3, 5)

D) at (–4, 7)

Answer: C

89) The locations of three receiving stations and the distances to the epicenter of an earthquake are contained in the following three equations: $(x + 5)^2 + (y + 3)^2 = 4$, $(x + 7)^2 + (y + 5)^2 = 4$, $(x - 1)^2 + (y + 13)^2 = 100$. Determine the location of the epicenter.

A) at (–5, –5)

B) at (–4, –6)

C) at (–4, –5)

D) at (–6, –3)

Answer: A

90) Find the center–radius form of the equation of a circle with center (5, 7) and tangent to the x–axis.

A) $(x + 5)^2 + (y + 7)^2 = 49$

B) $(x - 5)^2 + (y - 7)^2 = 25$

C) $(x - 5)^2 + (y - 7)^2 = 49$

D) $(x + 5)^2 + (y + 7)^2 = 25$

Answer: C

College Algebra 12th edition Lial Test Bank

91) Find the equation of a circle with center at (–6, 2), passing through the point (–3, 6). Write it in center–radius form.

A) $(x - 6)^2 + (y + 2)^2 = 25$

B) $(x + 6)^2 + (y - 2)^2 = 25$

C) $(x + 6)^2 + (y - 2)^2 = 5$

D) $(x - 6)^2 + (y + 2)^2 = 5$

Answer: B

92) Find all points (x, y) with x = y that are 5 units from (9, 2).

A) (5, 5) and (6, 6)

B) (–5, –5) and (–6, –6)

C) (5, 5) and (–6, –6)

D) (–5, –5) and (6, 6)

Answer: A

93) Find all values of y such that the distance between (2, y) and (–10, 3) is 13.

A) –8, 2

B) –2, 8

C) –8, –2

D) 2, 8

Answer: B

94) A circle has a diameter with endpoints (–2, 1) and (18, 17). Find the coordinates of the center.

A) (16, 18)

B) (38, 33)

C) (8, 9)

D) (–12, –7)

Answer: C

95) A circle has a diameter with endpoints (–2, 1) and (22, 11). Find the radius.

A) $\sqrt{13}$

B) 13

C) $\sqrt{26}$

D) 26

Answer: B

96) Find the center–radius form of the equation of the circle having a diameter with endpoints (–5, 1) and (3, 7).

A) $(x - 1)^2 + (y + 4)^2 = 5$

B) $(x + 3)^2 + (y - 7)^2 = 10$

C) $(x + 1)^2 + (y - 4)^2 = 25$

D) $(x - 3)^2 + (y + 7)^2 = 100$

Answer: C

Decide whether the relation defines a function.

97) {(1, –4), (2, –2), (6, 7), (8, –7), (11, –1)}

A) Function

B) Not a function

Answer: A


College Algebra 12th edition Lial Test Bank

98) {(–5, 1), (–3, –6), (3, –2), (3, 3)}
A) Function
B) Not a function
Answer: B

99) {(–8, 2), (–8, 8), (1, 7), (3, 6), (8, 4)}
A) Not a function
B) Function
Answer: A


100) {(–5, 4), (–2, –8), (–1, 8), (7, –2)}
A) Function
B) Not a function
Answer: A

101)




A) Function
B) Not a function
Answer: A

102)



A) Function
B) Not a function
Answer: B

103)



A) Function
B) Not a function
Answer: B

College Algebra 12th edition Lial Test Bank

104) Student Test Score

Name	Test Score
Bob L.	76
Susan H.	83
Jim H.	76
Bruce B.	96

A) Function
B) Not a function

Answer: A

105) Student Test Score

Name	Test Score
Bob L.	85
Susan H.	83
Jim H.	85
Bruce B.	96

A) Not a function
B) Function

Answer: B


106) Annual New Telemarketing Companies

Year	Number
1995	75
1996	150
1997	225
1998	235
1999	375

A) Function
B) Not a function

Answer: A

107)




A) Function
B) Not a function

Answer: A

College Algebra 12th edition Lial Test Bank


108)



A) Function
B) Not a function

Answer: A


109)



A) Not a function
B) Function

Answer: A

110)




A) Not a function
B) Function

Answer: B

College Algebra 12th edition Lial Test Bank


111)



A) Function
B) Not a function

Answer: B


112)



A) Function
B) Not a function

Answer: B

113)




A) Function
B) Not a function

Answer: A

College Algebra 12th edition Lial Test Bank


114)



A) Function
B) Not a function

Answer: A


115)



A) Not a function
B) Function

Answer: B

116)



A) Not a function
B) Function

Answer: A

College Algebra 12th edition Lial Test Bank

Give the domain and range of the relation.

117) {(3, 7), (–2, –9), (–6, –4), (5, 0)}

A) domain: {–9, –6, –4, –2}; range: {3, 5, 7}
B) domain: {3, 5, 7}; range: {–9, –6, –4, –2}
C) domain: {–6, –2, 3, 5}; range: {–9, –4, 0, 7}
D) domain: {–9, –4, 0, 7}; range: {–6, –2, 3, 5}

Answer: C

118) {(3, 7), (–1, –8), (–7, –4), (5, –8)}

A) domain: {–8, –4, 7}; range: {–7, –1, 3, 5}
B) domain: {3, 5, 7}; range: {–8, –7, –4, –1}
C) domain: {–8, –7, –4, –1}; range: {3, 5, 7}
D) domain: {–7, –1, 3, 5}; range: {–8, –4, 7}


Answer: D

119) {(2, 2), (–1, –1), (–6, –6), (5, 5)}

A) domain: {–6, –1}; range: {2, 5}
B) None of these
C) domain: {–6, –1, 2, 5}; range: {–6, –1, 2, 5}
D) domain: {2, 5}; range: {–6, –1}

Answer: C


120)



A) domain: {5, 8, 13}; range: {4, 7, 12}
B) None of these
C) domain: {4, 5, 7}; range: {8, 12, 13}
D) domain: {4, 7, 12}; range: {5, 8, 13}

Answer: D

121)




A) domain: {5, 13}; range: {4, 7, 12}
B) domain: {4, 7, 12}; range: {5, 13}
C) None of these
D) domain: {4, 5, 7}; range: {12, 13}

Answer: B

College Algebra 12th edition Lial Test Bank


122)



A) domain: {5, 8, 13}; range: {4, 7, 12}
B) domain: {4, 12}; range: {5, 13}
C) None of these
D) domain: {4, 7, 12}; range: {5, 8, 13}

Answer: D


123)



A) domain: {4, 7, 12}; range: {5, 8, 13}
B) domain: {4, 8, 12}; range: {5, 7, 13}
C) None of these
D) domain: {5, 8, 13}; range: {4, 7, 12}

Answer: A

124)



A) domain: {5, 8, 13}; range: {4, 7, 12}
B) domain: {4, 8, 12}; range: {5, 7, 13}
C) None of these
D) domain: {4, 7, 12}; range: {5, 8, 13}

Answer: A

125) Annual New Telemarketing Companies

Year	Number
1995	56
1996	112
1997	187
1998	178
1999	318

A) None of these
B) domain: {1995, 1996, 1997, 1998, 1999}; range: {56, 112, 178, 187, 318}
C) domain: {56, 112, 178, 187, 318}; range: {1995, 1996, 1997, 1998, 1999}
D) domain: {Year}; range: {Number}

Answer: B

College Algebra 12th edition Lial Test Bank


126) Annual New Telemarketing Companies

Year	Number
1993	52
1994	102
1995	187
1996	170
1997	218

A) domain: {1993, 1994, 1995, 1996, 1997}; range: {52, 102, 170, 187, 218}
B) None of these
C) domain: {52, 102, 170, 187, 218}; range: {1993, 1994, 1995, 1996, 1997}
D) domain: {Year}; range: {Number}

Answer: A


127)



A) domain: (−∞, ∞); range: (−∞, ∞)
B) domain: (−∞, 0] ∪ [0, ∞); range: (−∞, −3] ∪ [−3, ∞)
C) domain: (−∞, −3) ∪ (−3, ∞); range: (−∞, 0) ∪ (0, ∞)
D) domain: (−∞, 0) ∪ (0, ∞); range: (−∞, −3) ∪ (−3, ∞)

Answer: A

128)




A) domain: (−∞, ∞); range: (−∞, −2) ∪ (−2, ∞)
B) domain: (−∞, ∞); range: (−∞, ∞)
C) domain: {−2}; range: (−∞, ∞)
D) domain: (−∞, ∞); range: {−2}

Answer: D

College Algebra 12th edition Lial Test Bank


129)



A) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
B) domain: $(-\infty, \infty)$; range: $\{-1\}$
C) domain: $\{-1\}$; range: $(-\infty, \infty)$
D) domain: $(-\infty, -1) \cup (-1, \infty)$; range: $(-\infty, \infty)$

Answer: C

130)




A) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
B) domain: $(-\infty, \infty)$; range: $[-5, \infty)$
C) domain: $(-5, \infty)$; range: $(5, \infty)$
D) domain: $[-5, \infty)$; range: $(-\infty, \infty)$

Answer: D

College Algebra 12th edition Lial Test Bank


131)



A) range: (–3, 3); domain: (–10, 10)
B) range: (–3, 0) ∪ (0, 3); domain: (–10, 0) ∪ (0, 10)
C) range: (–∞, –3) ∪ (–3, 0) ∪ (0, 3) ∪ (3, ∞); domain: (–∞, –10) ∪ (–10, 0) ∪ (0, 10) ∪ (10, ∞)
D) range: (–∞, ∞); domain: (–∞, ∞)

Answer: D

132)




A) range: (–∞, 4) ∪ (4, ∞); domain: (–∞, –5) ∪ (–5, ∞)
B) range: (–∞, ∞); domain: (–∞, ∞)
C) range: (–∞, 0) ∪ (0, 4) ∪ (4, ∞); domain: (–∞, –5) ∪ (–5, 0) ∪ (0, ∞)
D) None of these

Answer: B

College Algebra 12th edition Lial Test Bank


133)



A) domain: (−∞, ∞); range: [4, ∞)
B) domain: (−∞, 0); range: (−∞, 0)
C) domain: (0, ∞); range: [0, ∞)
D) domain: (−∞, 0) ∪ (0, ∞); range: (−∞, 0) ∪ (0, ∞)

Answer: A

134)




A) domain: (−∞, 4]; range: [0, 3]
B) domain: [0, 3]; range: (−∞, 4]
C) domain: [−0, 4]; range: [−3, 0]
D) domain: [−3, 0]; range: [−0, 4]

Answer: D

College Algebra 12th edition Lial Test Bank


135)



A) domain: (–∞, –1]; range: (–∞, 3]
B) domain: (–∞, ∞); range: (–∞, 3]
C) domain: (–∞, ∞); range: (–∞, ∞)
D) domain: (–∞, –1) or (–1, ∞); range: (–∞, 3) or (3, ∞)

Answer: B

136)



A) domain: (–∞, ∞); range: [–1, ∞)
B) domain: [0, ∞); range: (–∞, ∞)
C) domain: [0, ∞); range: [–1, ∞)
D) domain: [0, ∞); range: [0, ∞)

Answer: C

Decide whether the relation defines a function.

137) $4x = 11 - 4y$

A) Not a function
B) Function

Answer: B

138) $y = 4x - 6$

A) Function
B) Not a function

Answer: A

College Algebra 12th edition Lial Test Bank

139) $y = x^3$

A) Not a function
B) Function

Answer: B

140) $y^2 = 4x$

A) Function
B) Not a function

Answer: B

141) $y = \sqrt{7x - 4}$

A) Not a function
B) Function

Answer: B

142) $2x + 4y > 2$

A) Function
B) Not a function

Answer: B

143) $x = y^4$

A) Function
B) Not a function

Answer: B

144) $y = x^6$

A) Not a function
B) Function

Answer: B

145) $xy = -7$

A) Function
B) Not a function

Answer: A

146) $y = \dfrac{3}{x - 3}$

A) Not a function
B) Function

Answer: B

Give the domain and range of the relation.

147) $y = x^2 + 6$

A) domain: $(-\infty,\infty)$; range: $(-6, \infty)$
B) domain: $(6, \infty)$; range: $(-\infty, \infty)$
C) domain: $(-\infty, \infty)$; range: $[6, \infty)$
D) domain: $(-6, \infty)$; range: $(-\infty, \infty)$

Answer: C

College Algebra 12th edition Lial Test Bank

148) $y = (x - 1)^2 + 1$

A) domain: $(-1, \infty)$; range: $(-\infty, \infty)$
B) domain: $(-\infty, 1)$; range: $(-\infty, \infty)$
C) domain: $(-\infty, \infty)$; range: $(-\infty, 1)$
D) domain: $(-\infty, \infty)$; range: $[1, \infty)$

Answer: D

149) $y = 4x + 4$

A) domain: $(-\infty, \infty)$; range: $[4, \infty)$
B) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
C) domain: $[0, \infty)$; range: $(-\infty, \infty)$
D) domain: $(-\infty, \infty)$; range: $[0, \infty)$

Answer: B

150) $y = 9x^4$

A) domain: $(-\infty, \infty)$; range: $[0, \infty)$
B) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
C) domain: $(-\infty, \infty)$; range: $[9, \infty)$
D) domain: $[0, \infty)$; range: $[-9, \infty)$

Answer: A

151) $x = y^2$

A) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
B) domain: $[0, \infty)$; range: $(-\infty, \infty)$
C) domain: $(-\infty, \infty)$; range: $[0, \infty)$
D) domain: $[0, \infty)$; range: $[0, \infty)$

Answer: B

152) $xy = 10$

A) domain: $[0, \infty)$; range: $(-\infty, \infty)$
B) domain: $(-\infty, 0) \cup (0, \infty)$; range: $[0, \infty)$
C) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
D) domain: $(-\infty, 0) \cup (0, \infty)$; range: $(-\infty, 0) \cup (0, \infty)$

Answer: D

153) $y = \sqrt{3 + x}$

A) domain: $[-3, \infty)$; range: $[0, \infty)$
B) domain: $(-\infty, \infty)$; range: $[-3, \infty)$
C) domain: $[0, \infty)$; range: $(-\infty, \infty)$
D) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

154) $y = \sqrt{6x - 4}$

A) domain: $(-\infty, \infty)$; range: $\left[\frac{2}{3}, \infty\right)$

B) domain: $\left[\frac{2}{3}, \infty\right)$; range: $(-\infty, \infty)$

C) domain: $\left[\frac{2}{3}, \infty\right)$; range: $[0, \infty)$

D) domain: $\left(\frac{2}{3}, \infty\right)$; range: $[0, \infty)$

Answer: C

155) $y = \frac{7}{14 - x}$

A) domain: $(-\infty, 14) \cup (14, \infty)$; range: $(-\infty, 0) \cup (0, \infty)$

B) domain: $(-\infty, 14) \cup (14, \infty)$; range: $(-\infty, \infty)$

C) domain: $(-\infty, \infty)$; range: $(-\infty, 0) \cup (0, \infty)$

D) domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$

Answer: A

156) $y = \frac{-9}{x - 5}$

A) domain: $(-\infty, -5) \cup (-5, \infty)$; range: $(-\infty, 0) \cup (0, \infty)$

B) domain: $(-\infty, 5) \cup (5, \infty)$; range: $(-\infty, 0) \cup (0, \infty)$

C) domain: $(-\infty, 5) \cup (5, \infty)$; range: $(-\infty, \infty)$

D) domain: $(-\infty, -5) \cup (5, \infty)$; range: $(-\infty, \infty)$

Answer: B

Evaluate the function.

157) Find f(–3) when $f(x) = 3x - 1$

A) –8

B) –10

C) 2

D) –6

Answer: B

158) Find f(3) when $f(x) = x^2 + 5x + 1$

A) –7

B) 23

C) 25

D) –5

Answer: C

159) Find f(0) when $f(x) = x^2 - 2x - 2$

A) 2

B) 4

C) 0

D) –2

Answer: D

College Algebra 12th edition Lial Test Bank

160) Find f(4) when $f(x) = 5x^2 + 2x - 2$

A) 86

B) 90

C) 70

D) 22

Answer: A

161) Find $f\left(\frac{1}{3}\right)$ when $f(x) = -5x^2 - 6x - 7$

A) -2

B) $-\frac{86}{9}$

C) 2

D) $\frac{86}{9}$

Answer: B

162) Find g(a – 1) when $g(x) = \frac{1}{4}x - 1$.

A) $\frac{1}{4}a - 1$

B) $\frac{a - 5}{4}$

C) $\frac{a + 5}{4}$

D) $\frac{1}{4}a - 4$

Answer: B

163) Find g(a + 1) when g(x) = 4x + 3.

A) $\frac{1}{4}a + 3$

B) 4a + 3

C) 4a + 7

D) 4a – 1

Answer: C

164) Find f(k) when $f(x) = 3x^2 + 4x + 5$

A) $9k^2 + 16k + 25$

B) $3k^2 + 16k + 5$

C) $3k^2 + 4k + 5$

D) $3k^2 + 4k + 25$

Answer: C

College Algebra 12th edition Lial Test Bank

165) Find f(–x) when $f(x) = 3x^2 - 2x + 5$

A) $-3x^2 + 2x + 5$

B) $-3x^2 + 2x - 5$

C) $3x^2 + 2x + 5$

D) $3x^2 + 2x - 5$

Answer: C

166) Find f(k – 1) when $f(x) = 5x^2 + 5x + 5$

A) $5k^2 + 30k + 15$

B) $-5k^2 + 5k + 5$

C) $5k^2 - 5k + 15$

D) $5k^2 - 5k + 5$

Answer: D

167) Find f(–2) if f = {(–2, 3), (3, 0), (0, 5), (5, –2)}

A) 3

B) None of these


C) 5

D) (3, 5)

Answer: A

168) Find f(4)

f



A) (12, 7)

B) 7

C) None of these


D) 12

Answer: D

College Algebra 12th edition Lial Test Bank

The graph of y = f(x) is given. Use the graph to find the function value.

169)




Find f(–4).

A) 1
B) None of these
C) 1.8
D) –4

Answer: C

170)




Find f(4).

A) –1
B) None of these
C) 15
D) 4

Answer: C

171)




Find f(–3).

A) –5
B) –3
C) None of these
D) 2

Answer: A

College Algebra 12th edition Lial Test Bank


172) Find f(–2).



A) –2
B) 1.25
C) 5
D) 2

Answer: D

173) Find f(3).




A) 5
B) –7
C) 1
D) 7

Answer: D

College Algebra 12th edition Lial Test Bank

174) Find f(–5).



A) –5
B) 0
C) 8
D) 3

Answer: D

An equation that defines y as a function of x is given. Rewrite the equation using function notation f(x).

175) $x - 2y = 18$

A) $f(x) = -x + 9$

B) $f(x) = \frac{1}{2}x - 18$

C) $f(x) = \frac{1}{2}x - 9$

D) $f(x) = -\frac{1}{2}x + 9$

Answer: C

176) $x + 8y = 6$

A) $f(x) = \frac{1}{8}x + \frac{3}{4}$

B) $f(x) = 8x - 6$

C) $f(x) = -\frac{1}{8}x + \frac{3}{4}$

D) $f(x) = -x + \frac{3}{4}$

Answer: C

177) $y - 9x^2 = 5 - x$

A) $f(x) = 9x^2 + x + 5$

B) $f(x) = 9x^2 - x + 5$

C) $f(x) = -9x^2 - x + 5$

D) $f(x) = -9x^2 + x - 5$

Answer: B

College Algebra 12th edition Lial Test Bank

178) $14x + 4y = 4$

A) $f(x) = \frac{7}{2}x + 1$

B) $f(x) = 14x - 4$

C) $f(x) = -\frac{7}{2}x + 1$

D) $f(x) = \frac{7}{2}x - 1$

Answer: C

179) $9x - 5y = 7$

A) $f(x) = 9x - 7$

B) $f(x) = \frac{5}{9}x + \frac{7}{9}$


C) $f(x) = \frac{9}{5}x - \frac{7}{5}$

D) $f(x) = \frac{9}{5}x + \frac{7}{5}$

Answer: C

Determine the largest open intervals of the domain over which the function is increasing, decreasing, and constant.

180)



A) Increasing $(-\infty, -1)$; Decreasing $(-1, \infty)$

B) Increasing $(-\infty, 1)$; Decreasing $(1, \infty)$


C) Increasing $(-1, \infty)$; Decreasing $(-\infty, -1)$

D) Increasing $(1, \infty)$; Decreasing $(-\infty, 1)$

Answer: C

College Algebra 12th edition Lial Test Bank


181)



A) Increasing (–∞, 0); Decreasing (–∞, 0)
B) Increasing (0, ∞); Decreasing (–∞, 0)
C) Increasing (–∞, 0); Decreasing (0, ∞)
D) Increasing (–∞, 0); Decreasing (0, –∞)

Answer: B

182)




A) Increasing (–∞, 0); Decreasing (–∞, 0)
B) Increasing (–∞, 0); Decreasing (0, –∞)
C) Increasing (0, ∞); Decreasing (–∞, 0)
D) Increasing (–∞, 0); Decreasing (0, ∞)

Answer: D

College Algebra 12th edition Lial Test Bank


183)



A) Increasing (–∞, 0); Decreasing (0, ∞)
B) Increasing never; Decreasing for all reals
C) Increasing for all reals; Decreasing never
D) Increasing (0, ∞); Decreasing (–∞, 0)

Answer: C

184)




A) Increasing (–∞, 3); Decreasing(–∞, –3); Constant (–3, 3)
B) Increasing (3, ∞); Decreasing (–∞, –3); Constant (–3, 3)
C) Increasing (–∞, 3); Decreasing (–3, ∞); Constant (–3, 3)
D) Increasing (3, ∞); Decreasing (–3, ∞); Constant (–3, 3)

Answer: B

College Algebra 12th edition Lial Test Bank


185)



A) Increasing (3, ∞); Decreasing (−∞, 3)
B) Increasing (3, ∞); Decreasing (3 ∞)
C) Increasing (−∞, 3); Decreasing (3, ∞)
D) Increasing (−∞, 3); Decreasing (−∞, 3)

Answer: C

186)




A) Increasing (−∞, −2) ∪ (2, ∞); Decreasing never
B) Increasing (2, ∞); Decreasing (−∞, −2)
C) Increasing never; Decreasing (−∞, −2) ∪ (2, ∞)
D) Increasing (−2, 2); Decreasing (−∞, −2) ∪ (2, ∞)

Answer: A

College Algebra 12th edition Lial Test Bank

Use the graph to solve the problem.


187) The height h in feet of a projectile thrown upward from the roof of a building after time t seconds is shown in the graph below. How high will the projectile be after 2 s?



A) 350 ft
B) 375 ft
C) 425 ft
D) 400 ft

Answer: B

188) The surface area a of a cylinder is shown in the graph below. What is the radius r if the surface area is 20 m^2?




A) 0.8 m
B) 1.2 m
C) 0.6 m
D) 1.0 m

Answer: D

College Algebra 12th edition Lial Test Bank


189) The graph shows the relationship between current I and resistance R if the voltage is fixed. Find the current if the resistance is 2.2Ω.



A) 0.8 A
B) 0.4 A
C) 1.0 A
D) 0.6 A

Answer: A

190) The graph shows the relationship between the area A of a rectangle and the length L, if the width is fixed. Find the area if the length is 4 cm.




A) 12 cm^2
B) 0 cm^2
C) 72 cm^2
D) 48 cm^2

Answer: D

College Algebra 12th edition Lial Test Bank

The line graph shows the recorded hourly temperatures in degrees Fahrenheit at an airport.



191) At what time was the temperature the highest?
A) 1 p.m.
B) 2 p.m.
C) 5 p.m.
D) 11 a.m.

Answer: A

192) At what time was the temperature its lowest?
A) 4 p.m.
B) 1 p.m.
C) 9 a.m.
D) 6 p.m.

Answer: C

193) What temperature was recorded at 5 p.m.?
A) 77 ° F
B) 74 ° F
C) 78 ° F
D) 76 ° F

Answer: D

194) During which hour did the temperature increase the most?
A) 1 p.m. to 2 p.m.
B) 10 a.m. to 11 a.m.
C) 9 a.m. to 10 a.m.
D) 12 p.m. to 1 p.m.

Answer: B

College Algebra 12th edition Lial Test Bank

195) At what time was the temperature 77°?
A) 11 a.m. and 12 p.m.
B) 11 a.m. and 12 p.m. and 3 p.m.
C) 2 p.m.
D) 12 p.m. and 3 p.m.

Answer: B

196) During which two hour period did the temperature increase the most?
A) 12 p.m. to 2 p.m.
B) 10 a.m. to 11 a.m.
C) 10 a.m. to 12 p.m.
D) 9 a.m. to 11 a.m.

Answer: D

197) At what times was the temperature higher than 77°F?
A) after 12 p.m.
B) from 11 a.m. until 3 p.m.
C) from 12 p.m. until 1 p.m.
D) from 12 p.m. until 3 p.m.

Answer: D

198) At what times was the temperature below 77°F?
A) after 3 p.m.
B) from 12 p.m. until 3 p.m
C) from 9 a.m. until 12 p.m. and from 3 p.m. until 6 p.m.
D) from 9 a.m. until 11 a.m. and from 3 p.m. until 6 p.m.

Answer: D

Match the description with the correct symbolic expression.

199) a linear function whose graph has a slope of 8
A) $8x - 6y = 7$
B) $f(x) = -8x + 8$
C) $x = 8$
D) $y = 8x + 7$

Answer: D

200) a linear function whose graph has y–intercept –4
A) $y = -4x + 4$
B) $x = -4$
C) $f(x) = -8x - 4$
D) $-4x + 11y = 4$

Answer: C

201) a vertical line
A) $6x - 5y = 2$
B) $x = 6$
C) $y = 6x + 2$
D) $f(x) = -3x + 6$

Answer: B

College Algebra 12th edition Lial Test Bank

202) a constant function

A) $y = -5x + 2$

B) $f(x) = -7$

C) $-5x + 6y = 2$

D) $x = -5$

Answer: B

203) a linear equation whose graph has x–intercept –5 and y–intercept 11

A) $y = 11x + 55$

B) $f(x) = -5$

C) $x = 11$

D) $-11x + 5y = 55$

Answer: D

204) a linear function whose graph passes through the origin

A) $x = 2$

B) $6x - 6y = 6$

C) $y = -2x$

D) $f(x) = 2$

Answer: C

205) a line with a negative slope

A) $x = -2$

B) $f(x) = 2x - 2$

C) $2x + 9y = -9$

D) $y = -9$

Answer: C

206) a function that is not linear

A) $f(x) = -4$

B) $f(x) = x^2 - 6$

C) $f(x) = -6x + 7$

D) $f(x) = 7x + 2$

Answer: B

207) a line with a positive slope

A) $y = x^7$

B) $x = -4$

C) $-5x + 2y = 7$

D) $y = -4x + 7$

Answer: C

208) a horizontal line

A) $y = -6x + 11$

B) $11x + 6y = -3$

C) $x = -6$


D) $f(x) = 6$

Answer: D


Graph the linear function and give the domain and the range. If the function is a constant function, identify it as such.

College Algebra 12th edition Lial Test Bank


209) f(x) = 6x − 1




A) D = (−∞, ∞), R = (−∞, ∞)



B) D = (−∞, ∞), R = (−∞, ∞)




C) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank

D) D = (−∞, ∞), R = (−∞, ∞)




Answer: D

210) g(x) = x + 1




A) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank


B) D = (−∞, ∞), R = (−∞, ∞)



C) D = (−∞, ∞), R = (−∞, ∞)




D) D = (−∞, ∞), R = (−∞, ∞)




Answer: D

College Algebra 12th edition Lial Test Bank


211) h(x) = 3x




A) D = (−∞, ∞), R = (−∞, ∞)



B) D = (−∞, ∞), R = (−∞, ∞)




C) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank

D) D = (−∞, ∞), R = (−∞, ∞)




Answer: B

212) $f(x) = \frac{1}{4}x + 6$




A) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank


B) D = (−∞, ∞), R = (−∞, ∞)



C) D = (−∞, ∞), R = (−∞, ∞)




D) D = (−∞, ∞), R = (−∞, ∞)




Answer: D

College Algebra 12th edition Lial Test Bank


213) $f(x) = \frac{1}{4}x$




A) D = (−∞, ∞), R = (−∞, ∞)



B) D = (−∞, ∞), R = (−∞, ∞)




C) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank

D) D = (−∞, ∞), R = (−∞, ∞)




Answer: A

214) h(x) = 4




A) D = {4}, R = (−∞, ∞)
constant function




College Algebra 12th edition Lial Test Bank


B) D = {4}, R = (−∞, ∞)
constant function



C) D = (−∞, ∞), R = {4}
constant function



D) D = (−∞, ∞), R = {4}
constant function




Answer: D


Graph the line and give the domain and the range.

College Algebra 12th edition Lial Test Bank


215) y = 6



A) D = {6}, R = (−∞, ∞)




B) D = (−∞, ∞), R = {6}




College Algebra 12th edition Lial Test Bank

C) D = (−∞, ∞), R = {6}




D) D = {6}, R = (−∞, ∞)




Answer: B

216) x = −5




College Algebra 12th edition Lial Test Bank


A) D = (−∞, ∞), R = {−5}



B) D = {−5}, R = (−∞, ∞)




C) D = {−5}, R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank

D) D = $(-\infty, \infty)$, R = $\{-5\}$




Answer: B

217) $x + 4 = 0$




A) D = $(-\infty, \infty)$, R = $(-\infty, \infty)$




College Algebra 12th edition Lial Test Bank


B) D = {−4}, R = (−∞, ∞)



C) D = (−∞, ∞), R = {−4}




D) D = (−∞, ∞), R = {−4}




Answer: B

College Algebra 12th edition Lial Test Bank


218) $y + 4 = 0$



A) $D = (-\infty, \infty)$, $R = \{-4\}$




B) $D = (-\infty, \infty)$, $R = (-\infty, \infty)$




College Algebra 12th edition Lial Test Bank

C) D = (−∞, ∞), R = {−4}




D) D = {−4}, R = (−∞, ∞)



Answer: C


219) −5x + 35 = 0

A) D = {7}, R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank


B) D = (−∞, ∞), R = {7}



C) D = (−∞, ∞), R = {−7}



D) D = {−7}, R = (−∞, ∞)




Answer: A


College Algebra 12th edition Lial Test Bank

220) $3y + 21 = 0$


A) $D = \{-7\}$, $R = (-\infty, \infty)$



B) $D = (-\infty, \infty)$, $R = \{-7\}$




C) $D = \{-7\}$, $R = (-\infty, \infty)$




College Algebra 12th edition Lial Test Bank

D) D = (−∞, ∞), R = {−7}




Answer: B

221) 3x − 6y = 18




A) D = (−∞, ∞), R = (−∞, ∞)




College Algebra 12th edition Lial Test Bank


B) D = (−∞, ∞), R = (−∞, ∞)



C) D = (−∞, ∞), R = (−∞, ∞)




D) D = (−∞, ∞), R = (−∞, ∞)




Answer: C

College Algebra 12th edition Lial Test Bank


222) $5x - 20y = 0$




A) D = (−∞, ∞), R = (−∞, ∞)



B) D = (−∞, ∞), R = (−∞, ∞)




C) D = (−∞, ∞), R = (−∞, ∞)



College Algebra 12th edition Lial Test Bank

D) D = (−∞, ∞), R = (−∞, ∞)



Answer: B

Find the slope of the line satisfying the given conditions.

223) through (9, –4) and (–6, –7)

A) – 5

B) $-\frac{1}{5}$

C) $\frac{1}{5}$

D) 5

Answer: C

224) through (7, –7) and (6, 9)

A) $\frac{1}{16}$

B) – 16

C) $-\frac{1}{16}$

D) 16

Answer: B

225) through (6, –7) and (4, 2)

A) $\frac{2}{9}$

B) $\frac{9}{2}$

C) $-\frac{2}{9}$

D) $-\frac{9}{2}$

Answer: D

College Algebra 12th edition Lial Test Bank

226) through (–3, –6) and (7, 6)

A) $-\frac{5}{6}$

B) $\frac{6}{5}$

C) $\frac{5}{6}$

D) $-\frac{6}{5}$

Answer: B

227) through (2, –5) and (2, 9)

A) –14

B) 0

C) 14

D) undefined

Answer: D

228) through (5, 5) and (–2, 5)

A) 7

B) undefined

C) 0

D) –7

Answer: C

229) vertical, through (3, –8)

A) 1

B) 0

C) –1

D) undefined

Answer: D

230) horizontal, through (–5, –7)

A) 0

B) undefined

C) –1


D) 1

Answer: A


Find the slope of the line and sketch the graph.

College Algebra 12th edition Lial Test Bank


231) $y + 5 = 0$



A) $m = -\frac{1}{5}$




B) m: undefined




College Algebra 12th edition Lial Test Bank

C) m = 0




D) m = –5




Answer: C

232) y = 3x




College Algebra 12th edition Lial Test Bank


A) $m = \frac{1}{3}$



B) $m = 3$




C) $m = -3$




College Algebra 12th edition Lial Test Bank

D) m = 0




Answer: B

233) $y = 3x - 1$




A) $m = \frac{1}{3}$




College Algebra 12th edition Lial Test Bank


B) m = –1



C) m = 3




D) m = –3




Answer: C

College Algebra 12th edition Lial Test Bank


234) $-5y = 3x$



A) $m = -\frac{5}{3}$




B) $m = -\frac{3}{5}$




College Algebra 12th edition Lial Test Bank

C) $m = \frac{5}{3}$




D) $m = \frac{3}{5}$




Answer: B

235) $2x + 5y = 24$




College Algebra 12th edition Lial Test Bank


A) $m = -\frac{2}{5}$



B) $m = \frac{2}{5}$




C) $m = \frac{5}{2}$




College Algebra 12th edition Lial Test Bank

D) $m = -\frac{5}{2}$




Answer: A

236) $2x - 3y = -3$




A) $m = -\frac{2}{3}$




College Algebra 12th edition Lial Test Bank


B) $m = -\frac{3}{2}$



C) $m = \frac{3}{2}$



D) $m = \frac{2}{3}$




Answer: D


Graph the line described.

College Algebra 12th edition Lial Test Bank


237) through (0, 4); $m = \frac{1}{6}$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: C

238) through (–3, –10); m = 5




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


239) through (0, 3); m = – 2




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

240) through (0, 4); $m = -\frac{1}{6}$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


241) through (10, 0); $m = -\frac{1}{5}$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

242) through (6, 4); m = 0




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


243) through (5, –3); m = 0




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

244) through (–2, 9); undefined slope




A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)




Answer: D

College Algebra 12th edition Lial Test Bank

Choose the value which could represent the slope of the line. Assume that the scale on the x–axis is the same as the scale on the y–axis.


245)



A) 7
B) 1
C) –7
D) –1

Answer: D

246)




A) –1
B) 7
C) –7
D) 1

Answer: D

College Algebra 12th edition Lial Test Bank

247)



A) 2


B) $-\frac{1}{2}$

C) – 2

D) $\frac{1}{2}$

Answer: A

248)



A) 1

B) $\frac{3}{2}$


C) 0

D) undefined

Answer: D

College Algebra 12th edition Lial Test Bank

249)




A) –2
B) undefined
C) 2
D) 0

Answer: D

Find the average rate of change illustrated in the graph.

250)




A) 2.5 miles per hour
B) 0.2 miles per hour
C) 25 miles per hour
D) 5 miles per hour

Answer: D

College Algebra 12th edition Lial Test Bank


251)



A) –$4000.00 per year
B) $5000.00 per year
C) $4000.00 per year
D) –$5000.00 per year

Answer: A

252)




A) $2.00 per minute
B) $0.25 per minute
C) $4.00 per minute
D) $0.50 per minute

Answer: B

College Algebra 12th edition Lial Test Bank

253)



A) 0.85 mm per second
B) 1 mm per second
C) 1.3 mm per second
D) 0.75 mm per second

Answer: D

Solve the problem.

254) From April through December, the stock price of QRS Company had a roller coaster ride. The chart below indicates the price of the stock at the beginning of each month during that period. Find the average rate of change in price per month between June and September. Round to the nearest cent.

Month	Price
April (x = 1)	115
May	108
June	89
July	99
August	96
September	111
October	92
November	84
December	66

A) $7.33 per month
B) –$7.33 per month
C) –$11.00 per month
D) $11.00 per month

Answer: A

College Algebra 12th edition Lial Test Bank

255) Along with incomes, people's charitable contributions have steadily increased over the past few years. The table below shows the average deduction for charitable contributions reported on individual income tax returns over 6 years. Find the average rate of change per year between year 3 and year 5.

Year	Charitable Contributions
1	$1970
2	$2430
3	$2460
4	$2810
5	$3050
6	$3180

A) $590 per year
B) $310 per year
C) $295 per year
D) $360 per year

Answer: C

256) The rate of return of certain investments increases as the risk factor of the investment increases. An investment with a risk factor of 2 has a rate of return of 5.0%. An investment with a risk factor of 25 has a rate of return of 24.0%. What is the average rate of change in return per unit of risk? Round to two decimal places.
A) 1.21% per unit risk
B) 0.91% per unit risk
C) 1.10% per unit risk
D) 0.83% per unit risk

Answer: D

257) A deep sea diving bell is being lowered at a constant rate. After 12 minutes, the bell is at a depth of 300 ft. After 50 minutes the bell is at a depth of 1500 ft. What is the average rate of change of depth? Round to one decimal place.
A) 31.6 ft per minute
B) 0.03 ft per minute
C) 30.0 ft per minute
D) 24.0 ft per minute


Answer: A

258) The linear function $f(x) = 3.1x + 33$ models the percentage of people, f(x), who graduated from college x years after 1998. Find and interpret the slope.
A) $m = 3.1$; the percentage of people graduating from college has increased at a rate of 3.1% per year since 1998.
B) $m = 3.1$; the percentage of people graduating from college has decreased at a rate of 3.1% per year since 1998.
C) $m = -3.1$; the percentage of people graduating from college has decreased at a rate of 3.1% per year since 1998.
D) $m = 33$; the percentage of people graduating from college has increased at a rate of 33% per year since 1998.

Answer: A

College Algebra 12th edition Lial Test Bank

259) A school has just purchased new computer equipment for $23,000.00. The graph shows the depreciation of the equipment over 5 years. The point (0, 23,000) represents the purchase price and the point (5, 0) represents when the equipment will be replaced. Find and interpret the average rate of change in cost per year.



A) –$23,000 per year; the value of the equipment decreases by $23,000 per year during these years.
B) –$18,400 per year; the value of the equipment decreases by $18,400 per year during these years.
C) – $4600 per year; the value of the equipment decreases by $4600 per year during these years.
D) $4600 per year; the value of the equipment increases by $4600 per year during these years.

Answer: C

260) An investment is worth $3539 in year 0, the initial investment year. By year 3 its value has increased to $4964. Let y be the value of the investment in the year x. Find and interpret the average rate of change in value per year.
A) $6389 per year; the value of the investment increases by $6389 per year during these years.
B) $475 per year; the value of the investment increases by $475 per year during these years.
C) –$475 per year; the value of the investment decreases by $475 per year during these years.
D) $3539 per year; the value of the investment increases by $3539 per year during these years.

Answer: B

261) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 5 seconds, the gauge on the bottle indicates that it contains 25 ounces of water. After it has been filling for 12 seconds, the gauge indicates the bottle contains 53 ounces of water. Find and interpret the average rate of change in the volume of water per second.
A) $\frac{1}{4}$ ounce per second; the average rate of change in the volume of water is $\frac{1}{4}$ ounce per second.
B) 41 ounces per second; the average rate of change in the volume of water is 41 ounces per second.
C) 4 ounces per second; the average rate of change in the volume of water is 4 ounces per second.
D) 5 ounces per second; the average rate of change in the volume of water is 5 ounces per second.

Answer: C

262) Regrind, Inc. regrinds used typewriter platens. The variable cost to regrind each platen is $1.30. The total cost to regrind 110 platens is $500. Find the linear cost function to regrind platens. If reground platens sell for $9.60 each, how many must be reground and sold to break even?
A) C(x) = 1.30x + 500; 46 platens
B) C(x) = 1.30x + 357; 43 platens
C) C(x) = 1.30x + 357; 33 platens
D) C(x) = 1.30x + 500; 61 platens

Answer: B

College Algebra 12th edition Lial Test Bank

263) Northwest Molded molds plastic handles which cost $0.30 per handle to mold. The fixed cost to run the molding machine is $2227 per week. If the company sells the handles for $1.30 each, how many handles must be molded and sold weekly to break even?

A) 1484 handles
B) 7423 handles
C) 1391 handles
D) 2227 handles

Answer: D

264) A lumber yard has fixed costs of $1702.80 per day and variable costs of $0.48 per board–foot produced. Lumber sells for $1.58 per board–foot. How many board–feet must be produced and sold daily to break even?


A) 1032 board–feet
B) 3547 board–feet
C) 1548 board–feet
D) 826 board–feet

Answer: C


Match the equation with the correct graph.

265) $5x + 2y = -2$

A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)



Answer: A


266) $8x - 5y = 10$

A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)




Answer: B


College Algebra 12th edition Lial Test Bank

267) $y = \frac{1}{5}x - 2$


A)



B)




C)



College Algebra 12th edition Lial Test Bank


D)




Answer: A

268) $y = -\frac{1}{3}x - 2$

A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)



Answer: D


269) $y - 2 = \frac{5}{8}(x - 2)$

A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)




Answer: C


College Algebra 12th edition Lial Test Bank

270) $y + 4 = \frac{2}{3}(x + 1)$


A)



B)




C)



College Algebra 12th edition Lial Test Bank


D)




Answer: C

271) y = 3

A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)



Answer: B


272) x = 2

A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)



Answer: D

Write an equation for the line described. Give your answer in standard form.

273) through (0, 5), $m = \frac{5}{9}$

A) $5x - 9y = -45$
B) $5x + 9y = -45$
C) $5x - 9y = 45$
D) $9x - 5y = -45$

Answer: A

College Algebra 12th edition Lial Test Bank

274) through (–3, 5), undefined slope

A) $y = 5$

B) $x = -3$

C) $x = 5$

D) $y = -3$

Answer: B

275) x–intercept (2, 0), y–intercept (0, 5)

A) $5x - 2y = 10$

B) $5x + 2y = -10$

C) $5x + 2y = 10$

D) $-5x + 2y = 10$

Answer: C

Write an equation for the line described. Give your answer in slope–intercept form.

276) $m = 8$, through (2, –7)

A) $y = 8x + 22$

B) $y = 9x + 24$

C) $y = 8x - 21$

D) $y = 8x - 23$

Answer: D

277) $m = -7$, through (–4, 2)

A) $y = -7x + 33$

B) $y = 7x - 24$

C) $7x + y = 26$

D) $y = -7x - 26$

Answer: D

278) $m = \frac{8}{3}$, through (4, –5)

A) $y = \frac{3}{8}x - \frac{47}{8}$

B) $y = -\frac{8}{3}x + \frac{47}{3}$

C) $y = \frac{8}{3}x + \frac{47}{3}$

D) $y = \frac{8}{3}x - \frac{47}{3}$

Answer: D

279) horizontal, through (3, –5)

A) $y = 3$

B) $y = -5$

C) $x = 3$

D) $x = -5$

Answer: B

College Algebra 12th edition Lial Test Bank

280) vertical, through (3, 4)

A) $y = 4$

B) $x = 4$

C) $y = 3$

D) $x = 3$

Answer: D

281) through $(-4, 5)$, $m = 0$

A) $y = -4$

B) $y = 5$

C) $x = 5$

D) $x = -4$

Answer: B

282) through $(-5, 2)$ and $(0, -4)$

A) $y = \frac{6}{5}x - 4$

B) $y = \frac{7}{4}x - 4$

C) $y = -\frac{6}{5}x - 4$

D) $y = -\frac{7}{4}x - 4$

Answer: C

283) $m = -4$, $b = 8$

A) $-4x + 8y = 0$

B) $y = -2x + 8$

C) $y = 8x - 4$

D) $y = -4x + 8$

Answer: D

284) $m = \frac{5}{3}$, $b = -3$

A) $y = \frac{5}{3}x - 3$

B) $\frac{5}{3}x - 3y = 0$

C) $y = \frac{5}{3}x + 3$

D) $y = -3x + \frac{5}{3}$

Answer: A

College Algebra 12th edition Lial Test Bank

285) slope 0, y–intercept $\left(0, -\frac{5}{8}\right)$

A) $x = -\frac{5}{8}$

B) $y = -\frac{5}{8}$

C) $y = -\frac{5}{8}x$

D) $y = \frac{5}{8}x$

Answer: B

Find the slope and the y–intercept of the line.

286) $5x + 8y = 31$

A) slope: $\frac{5}{8}$; y–intercept: $\left(0, \frac{31}{8}\right)$

B) slope: $-\frac{5}{8}$; y–intercept: $\left(0, \frac{31}{8}\right)$

C) slope: $-\frac{3}{5}$; y–intercept: $\left(0, \frac{8}{31}\right)$

D) slope: $\frac{3}{5}$; y–intercept: $\left(0, \frac{8}{31}\right)$

Answer: B

287) $4x - 5y = -5$

A) slope: $\frac{4}{5}$; y–intercept: (0, 1)

B) slope: $\frac{5}{4}$; y–intercept: (0, –1)

C) slope: $-\frac{5}{4}$; y–intercept: (0, 1)

D) slope: $-\frac{4}{5}$; y–intercept: (0, –1)

Answer: A

288) $y = -2x + 3$

A) slope: 3; y–intercept: (0, 2)

B) slope: 3; y–intercept: (0, –2)

C) slope: 2; y–intercept: (0, 3)

D) slope: –2; y–intercept: (0, 3)

Answer: D

College Algebra 12th edition Lial Test Bank

289) $-5y = 2x$

A) slope: 0; y–intercept: $\left(0, -\frac{2}{5}\right)$

B) slope: $-\frac{2}{5}$; y–intercept: (0, 0)

C) slope: $-\frac{5}{2}$; y–intercept: (0, 0)

D) slope: 0; y–intercept: $\left(0, -\frac{5}{2}\right)$

Answer: B

290) $x + 4y = -5$

A) slope: –4; y–intercept: (0, –5)

B) slope: $\frac{1}{4}$; y–intercept: $\left(0, -\frac{5}{4}\right)$

C) slope: $-\frac{5}{4}$; y–intercept: $\left(0, -\frac{1}{4}\right)$

D) slope: $-\frac{1}{4}$; y–intercept: $\left(0, -\frac{5}{4}\right)$

Answer: D

291) $4x - y = -3$

A) slope: 3; y–intercept: (0, 4)

B) slope: $\frac{1}{4}$; y–intercept: (0, –3)

C) slope: 4; y–intercept: (0, –3)

D) slope: 4; y–intercept: (0, 3)

Answer: D

292) $y - \frac{8}{5}x + 3 = 0$

A) slope: –3; y–intercept: $\left(0, \frac{8}{5}\right)$

B) slope: $\frac{8}{5}$; y–intercept (0, –3)

C) slope: 3; y–intercept: $\left(0, -\frac{8}{5}\right)$


D) slope: $\frac{8}{5}$; y–intercept: (0, 3)

Answer: B

College Algebra 12th edition Lial Test Bank

The graph of a linear function f is shown. Identify the slope, y–intercept, and x–intercept.

293)



A) 2; (0, –4), (2, 0)


B) 2; (0, 2), (–4, 0)

C) $\frac{1}{2}$; (0, –4), (2, 0)

D) $\frac{1}{2}$; (0, 2), (–4, 0)

Answer: D

294)



A) $\frac{1}{2}$; (0, 4), (–8, 0)

B) 2; (0, –8), (4, 0)


C) 2; (0, 4), (–8, 0)

D) $\frac{1}{2}$; (0, –8), (4, 0)

Answer: B

College Algebra 12th edition Lial Test Bank

295)



A) $-\frac{1}{2}$; (0, 4), (8, 0)

B) –2; (0, 4), (8, 0)


C) $\frac{1}{2}$; (0, 4), (8, 0)

D) $-\frac{1}{2}$; (0, 8), (4, 0)

Answer: A

The graph of a linear function f is shown. Write the equation that defines f. Write the equation in slope–intercept form.

296)



A) y = 2x – 5

B) y = –2x + 5


C) y = –2x – 5

D) y = 2x + 5

Answer: C

College Algebra 12th edition Lial Test Bank


297)



A) $y = x - 1$
B) $y = -x - 1$
C) $y = -x + 1$
D) $y = x + 1$

Answer: D

298)




A) $y = -4x$
B) $y = \frac{x}{-4}$
C) $y = 4x$
D) $y = \frac{x}{4}$

Answer: C

College Algebra 12th edition Lial Test Bank

299)



A) $y = 3x - 3$


B) $y = 3x + 3$

C) $y = \frac{1}{3}x + 3$

D) $y = \frac{1}{3}x - 3$

Answer: D

300)



A) $y = 2x$

B) $y = -\frac{1}{2}x$


C) $y = \frac{1}{2}x$

D) $y = -2x$

Answer: C

College Algebra 12th edition Lial Test Bank

301)



A) x = 1
B) x = –1
C) y = 1
D) y = –1

Answer: C

Write an equation for the line described. Write the equation in the form specified.

302) parallel to y = –9, through (5, 3)

A) y = 3
B) y = –3
C) y = 5
D) y = –9

Answer: A

303) parallel to x = –2, through (5, 3)

A) y = –2
B) y = 3
C) x = 3
D) x = 5

Answer: D

304) perpendicular to y = 2, through (3, 4)

A) y = 3
B) y = 4
C) x = 3
D) x = 4

Answer: C

305) perpendicular to x = –3, through (8, 7)

A) x = 7
B) y = 7
C) y = 8
D) x = 8

Answer: B

College Algebra 12th edition Lial Test Bank

306) parallel to $y + 8x = 4$, through (4, 5); slope–intercept form

A) $y = -8x - 37$

B) $y = -\frac{1}{8}x - \frac{37}{8}$

C) $y = -8x + 37$

D) $y = 8x - 37$

Answer: C

307) perpendicular to $-2x + y = 8$, through (5, 4); slope–intercept form

A) $y = \frac{1}{2}x - \frac{13}{2}$

B) $y = -2x - 13$

C) $y = -\frac{1}{2}x - \frac{13}{2}$

D) $y = -\frac{1}{2}x + \frac{13}{2}$

Answer: D

308) parallel to $2x + 7y = 65$, through (8, 4); slope–intercept form

A) $y = -\frac{8}{7}x + \frac{65}{7}$

B) $y = -\frac{7}{2}x + 2$

C) $y = \frac{2}{7}x - \frac{44}{7}$

D) $y = -\frac{2}{7}x + \frac{44}{7}$

Answer: D

309) parallel to $3x + 8y = 57$; through (3, 7); standard form

A) $8x + 3y = 7$

B) $3x + 8y = 57$

C) $3x + 8y = 65$

D) $3x - 8y = 65$

Answer: C

310) perpendicular to $2x - 5y = -19$, through (3, –5); slope–intercept form

A) $y = -\frac{3}{5}x - \frac{19}{5}$

B) $y = \frac{5}{2}x + \frac{5}{2}$

C) $y = -\frac{2}{5}x - \frac{2}{5}$

D) $y = -\frac{5}{2}x + \frac{5}{2}$

Answer: D

College Algebra 12th edition Lial Test Bank

311) perpendicular to $8x - 7y = 127$, through (8, 9); standard form

A) $8x + 7y = 127$

B) $8x + 7 = 8$

C) $7x - 8y = 128$

D) $7x + 8y = 128$

Answer: D

Solve the problem. Write all linear equations in slope–intercept form.

312) A house was purchased for $83,000. After 6 years the value of the house was $101,000. Find a linear equation that models the value of the house after x years.

A) $y = 6x + 83{,}000$

B) $y = 101{,}000$

C) $y = 3000x + 83{,}000$

D) $y = 3000x$

Answer: C

313) A company can make 9 satellite dishes for $92,300, while 16 satellite dishes cost $97,130. Find a linear equation that models the cost to produce x satellite dishes.

A) $y = 7x + 4830$

B) $y = 690x + 86{,}090$

C) $y = x + 4830$

D) $y = 690x - 86{,}090$

Answer: B

314) In a lab experiment 3 grams of acid were produced in 17 minutes and 18 grams in 45 minutes. Find a linear equation that models the number of grams produced in x minutes.

A) $y = \frac{28}{15}x - \frac{28}{171}$

B) $y = x + 14$

C) $y = \frac{15}{28}x - \frac{171}{28}$

D) $y = \frac{15}{28}x + \frac{171}{28}$

Answer: C

315) A biologist recorded 6 snakes on 16 acres in one area and 15 snakes on 33 acres in another area. Find a linear equation that models the number of snakes in x acres.

A) $y = x + 10$

B) $y = \frac{17}{9}x - \frac{17}{42}$

C) $y = \frac{9}{17}x + \frac{42}{17}$

D) $y = \frac{9}{17}x - \frac{42}{17}$

Answer: D

College Algebra 12th edition Lial Test Bank

316) With 23.5% commitment, a company can clean up 40% of an energy leak. With 28.5% commitment, it can clean up 80% of an energy leak. Find a linear equation that models the percent cleanup for x percent commitment.

A) $y = 8x - 148$
B) $y = 8x + 148$
C) $y = 5x + 40$
D) $y = x + 40$

Answer: A

317) Suppose that a sales person observes that if an item is priced at $10 per item then 4 items are sold. If 2 items are sold for $12 per item then find a linear equation to model the number y of items sold for x dollars per item. Find the slope–intercept form of the equation of the line.

A) $y = -x - 6$
B) $y = x + 14$
C) $y = -x + 14$
D) $y = x - 6$

Answer: C

318) A driver wants to gauge the fuel efficiency of her vehicle at speeds of 30 mph and above. She notices that traveling at an average speed of 45 mph results in a rating of 39 mpg, whereas at an average speed of 50 mph, her car rates 29 mpg. Find a linear equation to model the gas mileage y for an average speed of x mph. Find the slope–intercept form of the equation of the line.

A) $y = -2x + 51$
B) $y = -2x + 129$
C) $y = \frac{1}{2}x + 51$
D) $y = \frac{1}{2}x + 129$

Answer: B

319) The table lists the average annual cost (in dollars) of room and board at public four–year colleges in the city of Bookhaven for selected years.

PUBLIC FOUR–YEAR COLLEGE ROOM AND BOARD

Year	Room and Board (in dollars)
1	1350
2	1705
3	2002.5
4	2352.5
5	2745
6	3105

Determine a linear function f defined by $f(x) = mx + b$ that models the data using (1, 1350) and (6, 3105).

A) $f(x) = 2851 - 1501x$
B) $f(x) = 1350$
C) $f(x) = 351x + 999$
D) $f(x) = 999x + 351$

Answer: C

College Algebra 12th edition Lial Test Bank

320) The amount of time t it takes a flame to go out in a closed container is a linear function of the volume of the container x. A flame in 798 mL container takes 14 seconds to go out and a flame in a 1344 mL container takes 27 seconds. Write a linear function that relates t to x.

A) $t = 42x - 5$

B) $t = \frac{1}{42}x$

C) $t = \frac{41}{2142}x - \frac{65}{51}$

D) $t = \frac{1}{42}x - 5$

Answer: D

321) By reading a graph on defense spending in the country of Warpeas, you discover that in year 0 the country spent $235 million on defense and in year 8 spent $611 million. Write a linear function that relates y (in millions of dollars) to x.

A) $y = -47x - 235$

B) $y = 47x + 235$

C) $y = \frac{1}{5}x + 235$

D) $y = \frac{423}{4}x + 235$

Answer: B

Use a graphing calculator to solve the linear equation.

322) $-6x + 9 + 4x = -2x + 14$

A) {−9}

B) {5}

C) ∅

D) all real numbers

Answer: C

323) $4(2z - 2) = 7(z + 2)$

A) {10}

B) {22}

C) {−6}

D) {6}

Answer: B

324) $10y = 5y + 9 + 4y$

A) {−90}

B) {9}

C) {−9}

D) {90}

Answer: B

College Algebra 12th edition Lial Test Bank

325) $7x + 3(-3x - 3) = -6 - 5x$

A) {1}
B) {–1}
C) {0}
D) {2}

Answer: A


326) $(-9x + 8) + 4 = -8(x + 9)$

A) {– 76}
B) {– 84}
C) {84}
D) {– 3}

Answer: C

327) Rewrite the equation so that one side is 0, then replace 0 with y. The graph of the equation for y is shown. Use the graph to determine the solution of the equation.

$3x + 1 + x = 2x - 3$




A) $y = 2x + 4$; 0
B) $y = 2x + 4$; –2
C) $y = 4x + 2$; 0
D) $y = 4x + 2$; –2

Answer: B

College Algebra 12th edition Lial Test Bank

328) The graph of y_1 is shown in the standard viewing window. Which is the only choice that could possibly be the solution of the equation $y_1 = 0$?



$-5, 5, \frac{16}{3}, 15$

A) $\frac{16}{3}$


B) 5

C) 15

D) –5

Answer: C

329) The graph of y_1 is shown in the standard viewing window. Which is the only choice that could possibly be the solution of the equation $y_1 = 0$?



$-12, -\frac{13}{4}, 3, 12$

A) 12

B) 3


C) –12

D) $-\frac{13}{4}$

Answer: C

College Algebra 12th edition Lial Test Bank

330) The graph of y_1 is shown in the standard viewing window. Which is the only choice that could possibly be the solution of the equation $y_1 = 0$?



$-90, -\frac{91}{10}, \frac{91}{10}, 85$

A) $-\frac{91}{10}$


B) -90

C) 85

D) $\frac{91}{10}$

Answer: B

331) The graph of y_1 is shown in the standard viewing window. Which is the only choice that could possibly be the solution of the equation $y_1 = 0$?



$-30, -\frac{31}{6}, \frac{31}{6}, 30$

A) -30

B) $-\frac{31}{6}$


C) $\frac{31}{6}$

D) 30

Answer: D

College Algebra 12th edition Lial Test Bank

332) The graph of y_1 is shown in the standard viewing window. Which is the only choice that could possibly be the solution of the equation $y_1 = 0$?



$-12, -7, -\frac{13}{4}, 12$

A) -12
B) -7
C) $-\frac{13}{4}$
D) 12

Answer: A

Determine whether the three points are collinear.

333) (0, –9), (7, –7), (–7, –11)
A) Yes
B) No

Answer: A

334) (–1, –11), (–8, –7), (–5, –4)
A) Yes
B) No

Answer: B

335) (–3, –7), (0, –1), (6, 11)
A) Yes
B) No

Answer: A


336) (5, –1), (–3, 6), (1, 1)
A) Yes
B) No

Answer: B


College Algebra 12th edition Lial Test Bank

Refer to the following graphs to determine an appropriate response.


Graph A




Graph B



Graph C



Graph D



337) Which one is the graph of $y = \sqrt{x}$? What is it's domain?

A) graph D; [0, ∞)
B) graph A; (−∞, ∞)
C) graph B; [0, ∞)
D) graph C; {−2, −1, 0, 1, 2}

Answer: A

338) Which one is the graph of y = [[x]]? What is the value of y when x = 1.5?

A) graph D; 1
B) graph B; 2.25
C) graph C; 1
D) graph A; 2.25

Answer: C

College Algebra 12th edition Lial Test Bank

339) Which one is the graph of $y = x^3$? What is its range?

A) graph B; $(-\infty, \infty)$
B) graph D; $[0, \infty)$
C) graph C; $[-2, 2]$
D) graph A; $(-\infty, \infty)$

Answer: D

340) Which is not the graph of a function? What is its equation?

A) graph B; $x = y^2$
B) graph A; $y = x$
C) graph D; $y = [[x]]$
D) graph C; $y = \sqrt{x}$

Answer: A

341) Which one is discontinuous over its domain? What is its range?

A) graph C; $\{-2, -1, 0, 1, 2\}$
B) graph B; $[0, \infty)$
C) graph B; $(-\infty, \infty)$
D) graph C; $(-\infty, \infty)$

Answer: A


342) Which graphs of functions increase over the whole of their domain?

A) graphs C and D
B) graphs A and D
C) graph D
D) graphs A and B

Answer: B

Determine the intervals of the domain over which the function is continuous.

343) P(2, 3)




A) $(-\infty, 2] \cup [2, \infty)$
B) $(-\infty, \infty)$
C) $(-\infty, 3) \cup (3, \infty)$
D) $(-\infty, 2) \cup (2, \infty)$

Answer: D

College Algebra 12th edition Lial Test Bank


344)



A) [0, ∞)
B) (−∞, 5]
C) (5, ∞)
D) (−∞, ∞)

Answer: D

345)




A) (−∞, 1) ∪ (1, ∞)
B) (−∞, ∞)
C) (−∞, 1] ∪ [1, ∞)
D) (−∞, 0) ∪ (0, ∞)

Answer: A

College Algebra 12th edition Lial Test Bank


346)



A) [3, ∞)
B) (−∞, 3) ∪ (3, ∞)
C) [2, ∞)
D) (−∞, ∞)

Answer: A

347)




A) [0, ∞]
B) (−∞, 4) ∪ (4, ∞)
C) (−∞, −2) ∪ (−2, ∞)
D) (−∞, ∞)

Answer: C

College Algebra 12th edition Lial Test Bank

348)



A) $(-\infty, 4) \cup (4, \infty)$
B) $[4, \infty)$
C) $(-\infty, 1) \cup (1, \infty)$
D) $(-\infty, \infty)$

Answer: D

Find the requested value.

349) f(–3) for $f(x) = \begin{cases} 3x, & \text{if } x \le -1 \\ x - 2, & \text{if } x > -1 \end{cases}$

A) –9
B) 1
C) 9
D) –5

Answer: A

350) f(6) for $f(x) = \begin{cases} 3x + 3, & \text{if } x \le 0 \\ 3 - 5x, & \text{if } 0 < x < 5 \\ x, & \text{if } x \ge 5 \end{cases}$

A) –27
B) 6
C) 21
D) 5

Answer: B

351) f(8) for $f(x) = \begin{cases} 6x + 1, & \text{if } x < 1 \\ 8x, & \text{if } 8 \le x \le 11 \\ 8 - 4x, & \text{if } x > 11 \end{cases}$

A) –24
B) 45
C) 64
D) 7

Answer: C

College Algebra 12th edition Lial Test Bank


352) f(−6) for $f(x) = \begin{cases} 8x + 1, & \text{if } x < 6 \\ 6x, & \text{if } 6 \le x \le 8 \\ 6 - 7x, & \text{if } x > 8 \end{cases}$

A) −36
B) 49
C) −47
D) 48


Answer: C

Graph the function.


353) $f(x) = \begin{cases} 5, & \text{if } x \ge 1 \\ -4 - x, & \text{if } x < 1 \end{cases}$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: A

354) $f(x) = \begin{cases} 4, & \text{if } x > 1 \\ -4, & \text{if } x \le 1 \end{cases}$




College Algebra 12th edition Lial Test Bank


A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: C

355) $f(x) = \begin{cases} x - 4, & \text{if } x > 0 \\ -5, & \text{if } x \le 0 \end{cases}$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: A

College Algebra 12th edition Lial Test Bank


356) $f(x) = \begin{cases} 5x + 8, & \text{if } x < 0 \\ 3x^2 - 5 & \text{if } x \geq 0 \end{cases}$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

357) $f(x) = \begin{cases} x^2 - 4, & \text{if } x < -1 \\ 0, & \text{if } -1 \le x \le 1 \\ x^2 + 4, & \text{if } x > 1 \end{cases}$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


358) $f(x) = \begin{cases} 2x^2, & \text{if } x \le -1 \\ 2, & \text{if } -1 < x < 1 \\ 2x + 1, & \text{if } x \ge 1 \end{cases}$



A)




B)




College Algebra 12th edition Lial Test Bank

C)



D)




Answer: D

College Algebra 12th edition Lial Test Bank

Give a rule for the piecewise–defined function. Then give the domain and range.

359)



A) $f(x) = \begin{cases} -3 & \text{if } x \le 0 \\ 3 & \text{if } x > 0 \end{cases}$; Domain: {–3, 3}, Range: $(-\infty, \infty)$

B) $f(x) = \begin{cases} 3x & \text{if } x \le 0 \\ -3x & \text{if } x > 0 \end{cases}$; Domain: {–3, 3}, Range: $(-\infty, \infty)$


C) $f(x) = \begin{cases} 3 & \text{if } x \le 0 \\ -3 & \text{if } x > 0 \end{cases}$; Domain: $(-\infty, \infty)$, Range: {–3, 3}

D) $f(x) = \begin{cases} 3 & \text{if } x < 0 \\ -3 & \text{if } x \ge 0 \end{cases}$; Domain: $(-\infty, \infty)$, Range: {–3, 3}

Answer: C

College Algebra 12th edition Lial Test Bank

360)



A) $f(x) = \begin{cases} -6 & \text{if } x < -2 \\ -1 & \text{if } x \geq -2 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $\{-6, -1\}$

B) $f(x) = \begin{cases} -6 & \text{if } x \leq -2 \\ -1 & \text{if } x > -2 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $\{-6, -1\}$


C) $f(x) = \begin{cases} -6 & \text{if } x \leq -2 \\ -1 & \text{if } x > -2 \end{cases}$; Domain: $\{-6, -1\}$, Range: $(-\infty, \infty)$

D) $f(x) = \begin{cases} -6 & \text{if } x < -2 \\ -1 & \text{if } x \geq -2 \end{cases}$; Domain: $\{-6, -1\}$, Range: $(-\infty, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

361)



A) $f(x) = \begin{cases} 2 & \text{if } x < -3 \\ 4 & \text{if } x \geq 4 \end{cases}$; Domain: $(-\infty, -3) \cup [4, \infty)$, Range: $\{2, 4\}$

B) $f(x) = \begin{cases} 2 & \text{if } x \leq -3 \\ 4 & \text{if } x > 4 \end{cases}$; Domain: $\{2, 4\}$, Range: $(-\infty, -3] \cup (4, \infty)$


C) $f(x) = \begin{cases} 2 & \text{if } x \leq -3 \\ 4 & \text{if } x > 4 \end{cases}$; Domain: $(-\infty, -3] \cup (4, \infty)$, Range: $\{2, 4\}$

D) $f(x) = \begin{cases} 2 & \text{if } x < -3 \\ 4 & \text{if } x \geq 4 \end{cases}$; Domain: $\{2, 4\}$, Range: $(-\infty, -3) \cup [4, \infty)$

Answer: C

College Algebra 12th edition Lial Test Bank

362)



A) $f(x) = \begin{cases} 5 & \text{if } x < 0 \\ x & \text{if } x \geq 0 \end{cases}$; Domain: $(-\infty, 0] \cup (5)$, Range: $(-\infty, \infty)$

B) $f(x) = \begin{cases} 5 & \text{if } x < 0 \\ -5x & \text{if } x \geq 0 \end{cases}$; Domain: $(-\infty, 0) \cup \{5\}$, Range: $(-\infty, \infty)$


C) $f(x) = \begin{cases} 5 & \text{if } x \leq 0 \\ -x & \text{if } x > 0 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 0) \cup \{5\}$

D) $f(x) = \begin{cases} 5 & \text{if } x < 0 \\ -x & \text{if } x \geq 0 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 0] \cup \{5\}$

Answer: D

College Algebra 12th edition Lial Test Bank

363)



A) $f(x) = \begin{cases} 2x - 3 & \text{if } x \neq 3 \\ -2 & \text{if } x = 3 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 3) \cup (3, \infty)$

B) $f(x) = \begin{cases} 2x - 3 & \text{if } x \neq 3 \\ -3 & \text{if } x = 3 \end{cases}$; Domain: $(-\infty, 3] \cup [3, \infty)$, Range: $(-\infty, \infty)$


C) $f(x) = \begin{cases} x - 3 & \text{if } x \neq 3 \\ -2 & \text{if } x = 3 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 3] \cup [3, \infty)$

D) $f(x) = \begin{cases} 2x - 3 & \text{if } x < 3 \\ 2x + 3 & \text{if } x \geq 3 \end{cases}$; Domain: $(-\infty, 3) \cup (3, \infty)$, Range: $(-\infty, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

364)



A) $f(x) = \begin{cases} -2x & \text{if } x \le 1 \\ x + 1 & \text{if } x > 1 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, \infty)$

B) $f(x) = \begin{cases} -x & \text{if } x \le 1 \\ 2x + 1 & \text{if } x > 1 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 2) \cup (2, \infty)$


C) $f(x) = \begin{cases} 2x & \text{if } x \le 1 \\ x + 1 & \text{if } x > 1 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, \infty)$

D) $f(x) = \begin{cases} -2x & \text{if } x \le 1 \\ x + 2 & \text{if } x > 1 \end{cases}$; Domain: $(-\infty, 2) \cup (2, \infty)$, Range: $(-\infty, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

365)



A) $f(x) = \begin{cases} x^3 & \text{if } x < 1 \\ x + 4 & \text{if } x \geq 1 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 1) \cup [5, \infty)$

B) $f(x) = \begin{cases} \sqrt[3]{x} & \text{if } x < 1 \\ x + 4 & \text{if } x \geq 1 \end{cases}$; Domain: $(-\infty, \infty)$, Range: $(-\infty, 1) \cup [5, \infty)$


C) $f(x) = \begin{cases} x^3 & \text{if } x < 1 \\ x - 4 & \text{if } x \geq 1 \end{cases}$; Domain: $(-\infty, 1) \cup [5, \infty)$, Range: $(-\infty, \infty)$

D) $f(x) = \begin{cases} -x^3 & \text{if } x < 1 \\ x - 4 & \text{if } x \geq 1 \end{cases}$; Domain: $(-\infty, 1) \cup [5, \infty)$, Range: $(-\infty, \infty)$

Answer: A


Graph the function.

366) $f(x) = [\![x]\!] + 1$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


367) $f(x) = [\![x + 1]\!]$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

368) $f(x) = [\![x]\!] - 1$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: A

College Algebra 12th edition Lial Test Bank


369) $f(x) = [\![x - 1]\!]$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

370) f(x) = 2[[x]]




A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)



Answer: C

Solve the problem.


371) Employees of a publishing company received an increase in salary of 3% plus a bonus of $700. Let S(x) represent the new salary in terms of the previous salary x. Find the value of S(15,000).

A) $15,700
B) $13,883
C) $20,200
D) $16,150


Answer: D

College Algebra 12th edition Lial Test Bank


372) Assume it costs 25 cents to mail a letter weighing one ounce or less, and then 20 cents for each additional ounce or fraction of an ounce. Let L(x) be the cost of mailing a letter weighing x ounces. Graph y = L(x).



A)




B)




College Algebra 12th edition Lial Test Bank

C)



D)



Answer: A

373) A video rental company charges $5 per day for renting a video tape, and then $4 per day after the first. Use the greatest integer function and write an expression for renting a video tape for x days.

A) $y = 4x + 5$

B) $y = 4[\![x - 1]\!] + 5$

C) $y + 5 = 4[\![x]\!]$

D) $y = [\![4x + 5]\!]$

Answer: B

374) Suppose a car rental company charges $72 for the first day and $22 for each additional or partial day. Let S(x) represent the cost of renting a car for x days. Find the value of S(5.5).

A) $171

B) $121

C) $193

D) $182

Answer: D

College Algebra 12th edition Lial Test Bank

375) Suppose a life insurance policy costs $20 for the first unit of coverage and then $5 for each additional unit of coverage. Let C(x) be the cost for insurance of x units of coverage. What will 10 units of coverage cost?

A) $50
B) $65
C) $70
D) $30

Answer: B

376) The charges for renting a moving van are $65 for the first 40 miles and $5 for each additional mile. Assume that a fraction of a mile is rounded up. (i) Determine the cost of driving the van 84 miles. (ii) Find a symbolic representation for a function f that computes the cost of driving the van x miles, where $0 < x \le 100$. (Hint: express f as a piecewise–constant function.)

A) \$285; $f(x) = \begin{cases} 65 & \text{if } 0 < x \le 40 \\ 65 + 5(x - 40) & \text{if } 40 < x \le 100 \end{cases}$


B) \$685; $f(x) = \begin{cases} 65 & \text{if } 0 < x \le 40 \\ 65 + 5(x - 40) & \text{if } 40 < x \le 100 \end{cases}$

C) \$5680; $f(x) = \begin{cases} 65x & \text{if } 0 < x \le 40 \\ 65 + 5(x - 40) & \text{if } 40 < x \le 100 \end{cases}$

D) \$685; $f(x) = \begin{cases} 65 & \text{if } 0 < x \le 40 \\ 65 + 5(x + 40) & \text{if } 40 < x \le 100 \end{cases}$


Answer: A

377) Sketch a graph showing the distance (in miles) that a person is from home after x hours if that individual drives at 30 mph to a lake 60 miles away, stays at the lake 1.5 hours, and then returns home at a speed of 60 mph.




College Algebra 12th edition Lial Test Bank

A)




B) none of these

C)



D)




Answer: D

College Algebra 12th edition Lial Test Bank


378) The table lists the average composite scores on a national entrance exam for selected years.

Year	2	4	6	8	10	12	14
Score	122.7	131.5	131.5	129.5	133.9	132.0	130.0

(i) Make a line graph of the data.
(ii) If the graph represents a piecewise–linear function f, find a symbolic representation for the piece of f located on the interval [4, 6].




A) f(x) = 131.5 if 4 ≤ x ≤ 6




B) none of these

College Algebra 12th edition Lial Test Bank

C) f(x) = 0.75x –1355 if 4 ≤ x ≤ 8



D) f(x) = 4.4x –8589.3 if 8 ≤ x ≤ 10



Answer: A

379) In Country X, the average hourly wage in dollars from 1960 to 2010 can be modeled by

$$f(x) = \begin{cases} 0.077(x - 1960) + 0.39 & \text{if } 1960 \le x < 1995 \\ 0.189(x - 1995) + 3.06 & \text{if } 1995 \le x \le 2010 \end{cases}$$

Use f to estimate the average hourly wages in 1965, 1985, and 2005.

A) $3.45, $0.39, $6.84
B) $0.78, $2.32, $6.84
C) $0.78, $3.06, $6.84

Answer: C

College Algebra 12th edition Lial Test Bank

Describe how the graph of the equation relates to the graph of $y = x^2$.

380) $f(x) = (x - 2)^2$

A) a translation 2 units up
B) a translation 2 units to the left
C) a translation 2 units down
D) a translation 2 units to the right

Answer: D

381) $f(x) = x^2 + 7$

A) a translation 7 units down
B) a translation 7 units up
C) a translation 7 units to the right
D) a translation 7 units to the left

Answer: B

382) $f(x) = 6x^2$

A) a translation 6 units up
B) a horizontal stretch by a factor of 6
C) a vertical stretch by a factor of 6
D) a translation 6 units to the right

Answer: C

383) $f(x) = -(x + 6)^2$

A) a translation 6 units to the left and a reflection across the x–axis
B) a translation 6 units to the right and a reflection across the y–axis
C) a translation 6 units up and a reflection across the x–axis
D) a translation 6 units to the right and a reflection across the x–axis

Answer: A

384) $f(x) = (x - 7)^2 + 9$

A) a translation 7 units to the left and 9 units down
B) a translation 7 units to the left and 9 units up
C) a translation 9 units to the right and 7 units up
D) a translation 7 units to the right and 9 units up

Answer: D

385) $f(x) = \frac{1}{5}x^2 - 6$

A) vertical stretching by a factor of 5 and a translation 6 units to the right
B) vertical shrinking by a factor of $\frac{1}{5}$ and a translation 6 units to the left
C) vertical shrinking by a factor of $\frac{1}{5}$ and a translation 6 units down
D) vertical stretching by a factor of 5 and a translation 6 units down

Answer: C

College Algebra 12th edition Lial Test Bank

Describe how the graph of the equation relates to the graph of $y = \sqrt[3]{x}$.

386) $f(x) = 7\sqrt[3]{x}$

A) a vertical stretching by a factor of 7
B) a reflection across the y–axis
C) a translation 7 units up
D) a reflection across the x–axis

Answer: A


387) $f(x) = \sqrt[3]{x} + 5$

A) a reflection across the x–axis
B) a translation 5 units to the right
C) a translation 5 units up
D) a vertical stretching by a factor of 5

Answer: C

Solve the problem.

388) Select the equation that describes the graph shown.




A) $y = x^2 - 2$
B) $y = (x + 2)^2$
C) $y = (x - 2)^2 + 2$
D) $y = (x - 2)^2$

Answer: A

College Algebra 12th edition Lial Test Bank

389) Select the equation that describes the graph shown.



A) $y = x^2 + 5$


B) $y = (x - 5)^2$

C) $y = x^2 - 5$

D) $y = (x + 5)^2$

Answer: B

390) Select the equation that describes the graph shown.



A) $y = (x - 3)^2 + 2$

B) $y = (x + 3)^2 + 2$


C) $y = x^2 - 3$

D) $y = (x + 2)^2 - 3$

Answer: A

College Algebra 12th edition Lial Test Bank

391) Select the equation that describes the graph shown.



A) $y = -2x^2$


B) $y = -x^2$

C) $y = -\frac{1}{2}x^2$

D) $y = 2x^2$

Answer: A

392) Select the equation that describes the graph shown.



A) $y = -2(x - 3)^2$

B) $y = -2x^2 - 3$


C) $y = -2(x - 3)^2 + 3$

D) $y = -2(x + 3)^2$

Answer: B

College Algebra 12th edition Lial Test Bank


393) Select the equation that describes the graph shown.



A) $y = \sqrt{x + 3}$
B) $y = \sqrt{x - 3}$
C) $y = \sqrt{x} + 3$
D) $y = \sqrt{x + 3} + 1$

Answer: A

394) Select the equation that describes the graph shown.




A) $y = \sqrt{x + 1} - 3$
B) $y = \sqrt{x + 1} + 3$
C) $y = \sqrt{x - 1} - 3$
D) $y = \sqrt{x} - 3$

Answer: A


Graph the function.

395) $f(x) = 5x^2$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: C


396) $f(x) = \frac{1}{4}x^3$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: A

397) $f(x) = 3\sqrt{x}$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: A


398) $f(x) = (2x)^2$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: A

399) f(x) = |5x|




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: C


400) $f(x) = -2^{|x|}$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: D

401) $f(x) = -\frac{1}{2}x^2$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: A


402) $f(x) = 6(-x)^3$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: C

403) $f(x) = \frac{1}{5}\sqrt{-x}$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: A


404) $f(x) = \frac{1}{3}|-x|$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: A

405) $y = x^2 - 5$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: B


406) $f(x) = (x - 3)^2$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: A

407) $y = (x + 3)^2 + 5$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


408) $f(x) = x^3 - 2$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

409) $y = (x + 4)^3$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: C

College Algebra 12th edition Lial Test Bank


410) $f(x) = (x - 2)^3 - 2$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

411) $y = \sqrt{x - 3}$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


412) $y = \sqrt{x - 5} - 1$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: C

413) f(x) = |x| + 4




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


414) $y = |x - 7| - 5$




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

415) $y = \frac{1}{3}(x - 4)^3$




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


416) $f(x) = 3(x + 1)^2 - 2$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: B

417) $y = -\frac{1}{2}(x + 3)^3 + 2$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


418) $f(x) = -(x - 6)^2 - 2$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: D

419) $y = 5x^2 - 1$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




College Algebra 12th edition Lial Test Bank

Answer: D


420) $y = 6|x| - 3$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: B

421) $g(x) = -\sqrt{x+2} - 2$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


422) $h(x) = \sqrt{-x + 2} - 1$



A)




B)




College Algebra 12th edition Lial Test Bank

C)




D)




Answer: B

423) $g(x) = \frac{1}{3}|x + 4| + 5$




College Algebra 12th edition Lial Test Bank


A)




B)



C)




D)




Answer: A

College Algebra 12th edition Lial Test Bank


424) $g(x) = -(x + 2)^3 - 3$



A)




B)




College Algebra 12th edition Lial Test Bank

C)



D)



Answer: A

Suppose the point (2, 4) is on the graph of y = f(x). Find a point on the graph of the given function.

425) y = f(x + 5)

A) (2, –1)
B) (–3, 4)
C) (7, 4)
D) (2, 9)

Answer: B

426) y = f(x) + 4

A) (6, 4)
B) (2, 8)
C) (–2, 4)
D) (2, –4)

Answer: B

427) y = 3f(x)

A) (2, 6)
B) (2, 12)
C) (6, 4)
D) (5, 2)

Answer: B

College Algebra 12th edition Lial Test Bank

428) The reflection of the graph of y = f(x) across the x–axis

A) (–2, 4)
B) (–2, –4)
C) (2, –4)
D) (2, 4)

Answer: C


429) The reflection of the graph of y = f(x) across the y–axis


A) (2, –4)
B) (–2, 4)
C) (2, 4)
D) (–2, –4)

Answer: B


The figure below shows the graph of a function y = f(x). Use this graph to solve the problem.

430) Sketch the graph of y = –f(x).






A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D


College Algebra 12th edition Lial Test Bank

431) Sketch the graph of y = f(−x).







A)



B)




C)




College Algebra 12th edition Lial Test Bank


D)




Answer: A

432) Sketch the graph of y = f(−x).






A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: A


College Algebra 12th edition Lial Test Bank

433) Sketch the graph of y = –f(x).







A)



B)




C)




College Algebra 12th edition Lial Test Bank


D)




Answer: D

434) Sketch the graph of y = 2f(x).






A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D


College Algebra 12th edition Lial Test Bank

435) Sketch the graph of $y = -\frac{1}{2}f(x)$.







A)



B)




C)




College Algebra 12th edition Lial Test Bank


D)




Answer: D

436) Sketch the graph of y = f(x – 3).






A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)




Answer: C


Graph the point symmetric to the given point.

College Algebra 12th edition Lial Test Bank


437) Plot the point (9, 6), then plot the point that is symmetric to (9, 6) with respect to the x–axis.




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: C

438) Plot the point (–6, –9), then plot the point that is symmetric to (–6, –9) with respect to the x–axis.




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


439) Plot the point (–5, 0), then plot the point that is symmetric to (–5, 0) with respect to the x–axis.




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: D

440) Plot the point (7, 10), then plot the point that is symmetric to (7, 10) with respect to the y-axis.




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


441) Plot the point (–4, 7), then plot the point that is symmetric to (–4, 7) with respect to the y–axis.




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

442) Plot the point (2, 0), then plot the point that is symmetric to (2, 0) with respect to the y–axis.




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: D

College Algebra 12th edition Lial Test Bank


443) Plot the point (0, –1), then plot the point that is symmetric to (0, –1) with respect to the y–axis.




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

444) Plot the point (4, 1), then plot the point that is symmetric to (4, 1) with respect to the origin.




A)




College Algebra 12th edition Lial Test Bank


B)



C)




D)




Answer: B

College Algebra 12th edition Lial Test Bank


445) Plot the point (9, –6), then plot the point that is symmetric to (9, –6) with respect to the origin.




A)



B)




C)




College Algebra 12th edition Lial Test Bank

D)




Answer: B

446) Plot the point (5, 0), then plot the point that is symmetric to (5, 0) with respect to the origin.




A)




College Algebra 12th edition Lial Test Bank


B)



C)



D)



Answer: B

Determine whether the equation has a graph that is symmetric with respect to the y–axis, the x–axis, the origin, or none of these.

447) $y = 5x^2 + 5$

A) x–axis, y–axis, origin
B) y–axis only
C) origin only
D) x–axis only

Answer: B

College Algebra 12th edition Lial Test Bank

448) $y = (x - 9)(x + 8)$
A) none of these
B) x–axis, y–axis, origin
C) y–axis only
D) x–axis only
Answer: A

449) $y = -5x^3 + 5x$
A) x–axis only
B) y–axis only
C) x–axis, y–axis, origin
D) origin only
Answer: D

450) $y = -3x^5 + 8x^3$
A) none of these
B) origin only
C) x–axis, y–axis, origin
D) y–axis only
Answer: B

451) $x^2 - y^2 = 4$
A) origin only
B) y–axis, origin
C) x–axis, y–axis
D) x–axis, y–axis, origin
Answer: D

452) $y = -0.66x^4 + x^2 + 6$
A) origin only
B) x–axis only
C) none of these
D) y–axis only
Answer: D

453) $y = 2x^4 + 8x - 4$
A) origin only
B) none of these
C) y–axis only
D) x–axis only
Answer: B

Determine if the function is even, odd, or neither.

454) $f(x) = 3x^2 + 2$
A) Neither
B) Even
C) Odd
Answer: B

College Algebra 12th edition Lial Test Bank

455) $f(x) = x^4 - 2x^2 + 2$

A) Odd
B) Neither
C) Even

Answer: C

456) $f(x) = -5x^3 + 9x$

A) Even
B) Neither
C) Odd

Answer: C

457) $f(x) = -8x^5 + 4x^3$

A) Odd
B) Neither
C) Even

Answer: A

458) $f(x) = -3x^4 - 8x + 8$

A) Even
B) Neither
C) Odd

Answer: B

459) $f(x) = 2x^3 - 4x^2 + 3$

A) Odd
B) Neither
C) Even

Answer: B

460) $f(x) = 0.25x^2 + |x| + 6$


A) Neither
B) Even
C) Odd

Answer: B

College Algebra 12th edition Lial Test Bank

Describe the transformations and give the equation for the graph.


461)



A) It is the graph of f(x) = |x| translated 3 units to the right and 7 units down. The equation is y = | x + 3 | + 7
B) It is the graph of f(x) = |x| translated 3 units to the right and 7 units down. The equation is y = | x + 3 | − 7
C) It is the graph of f(x) = |x| translated 3 units to the right and 7 units down. The equation is y = | x − 3 | − 7
D) It is the graph of f(x) = |x| translated 3 units to the right and 7 units down. The equation is y = | x − 3 | + 7

Answer: C

462)



A) It is the graph of f(x) = |x| shrunken vertically by a factor of 9 and translated 2 units down. The equation is $y = 9|x| + 2$

B) It is the graph of f(x) = |x| shrunken vertically by a factor of 9 and translated 2 units down. The equation is $y = \frac{1}{9}|x| - 2$


C) It is the graph of f(x) = |x| stretched vertically by a factor of 9 and translated 2 units down. The equation is $y = \frac{1}{9}|x| + 2$

D) It is the graph of f(x) = |x| stretched vertically by a factor of 9 and translated 2 units down. The equation is $y = 9|x| - 2$

Answer: D

College Algebra 12th edition Lial Test Bank

463)



A) It is the graph of $f(x) = |x|$ translated 6 units to the left, stretched vertically by a factor of 2 and translated 4 units down. The equation is $y = 2|x + 6| - 4$


B) It is the graph of $f(x) = |x|$ translated 6 units to the left, shrunken vertically by a factor of $\frac{1}{2}$ and translated 4 units down. The equation is $y = \frac{1}{2}|x - 6| - 4$

C) It is the graph of $f(x) = |x|$ translated 6 units to the left, stretched vertically by a factor of 2 and translated 4 units down. The equation is $y = 2|x - 6| + 4$

D) It is the graph of $f(x) = |x|$ translated 6 units to the left, shrunken vertically by a factor of $\frac{1}{2}$ and translated 4 units down. The equation is $y = \frac{1}{2}|x + 6| - 4$

Answer: D

464)



A) It is the graph of $f(x) = \sqrt{x}$ translated 8 units to the left and translated 5 units up. The equation is $y = \sqrt{x - 8} + 5$

B) It is the graph of $f(x) = \sqrt{x}$ translated 8 units to the left and translated 5 units up. The equation is $y = \sqrt{x - 8} - 5$


C) It is the graph of $f(x) = \sqrt{x}$ translated 8 units to the left and translated 5 units up. The equation is $y = \sqrt{x + 8} + 5$

D) It is the graph of $f(x) = \sqrt{x}$ translated 8 units to the left and translated 5 units up. The equation is $y = \sqrt{x + 8} - 5$

Answer: C

College Algebra 12th edition Lial Test Bank

465)



A) It is the graph of $f(x) = \sqrt{x}$ translated 3 units to the right, reflected across the x–axis and translated 2 units down. The equation is $y = -\sqrt{x + 3} - 2$

B) It is the graph of $f(x) = \sqrt{x}$ translated 3 units to the right, reflected across the y–axis and translated 2 units down. The equation is $y = \sqrt{-x - 3} - 2$


C) It is the graph of $f(x) = \sqrt{x}$ translated 3 units to the right, reflected across the x–axis and translated 2 units down. The equation is $y = \sqrt{-x + 3} - 2$

D) It is the graph of $f(x) = \sqrt{x}$ translated 3 units to the right, reflected across the x–axis and translated 2 units down. The equation is $y = -\sqrt{x - 3} - 2$

Answer: D

College Algebra 12th edition Lial Test Bank

466)



A) It is the graph of $f(x) = \sqrt{x}$ translated 4 units to the right, shrunken vertically by a factor of $\frac{1}{2}$ and translated 3 units up. The equation is $y = \frac{1}{2}\sqrt{x - 4} + 3$

B) It is the graph of $f(x) = \sqrt{x}$ translated 4 units to the right, stretched vertically by a factor of 2 and translated 3 units up. The equation is $y = 2\sqrt{x + 4} + 3$

C) It is the graph of $f(x) = \sqrt{x}$ translated 4 units to the right, shrunken vertically by a factor of $\frac{1}{2}$ and translated 3 units up. The equation is $y = \frac{1}{2}\sqrt{x + 4} + 3$

D) It is the graph of $f(x) = \sqrt{x}$ translated 4 units to the right, stretched vertically by a factor of 2 and translated 3 units up. The equation is $y = 2\sqrt{x - 4} + 3$

Answer: A

Evaluate.

467) Find $(f - g)(-2)$ when $f(x) = 4x^2 - 2$ and $g(x) = x - 3$.

A) 15
B) 19
C) 13
D) −12

Answer: B

468) Find $(f + g)(-3)$ when $f(x) = x + 2$ and $g(x) = x + 4$.

A) −12
B) −4
C) −8
D) 0

Answer: D

College Algebra 12th edition Lial Test Bank

469) Find $\left(\frac{f}{g}\right)(-5)$ when $f(x) = 4x - 2$ and $g(x) = 5x^2 + 14x + 2$.

A) $-\frac{22}{57}$

B) $\frac{5}{18}$

C) $\frac{4}{57}$

D) $\frac{5}{57}$

Answer: A

470) Find $(fg)(2)$ when $f(x) = x - 6$ and $g(x) = -3x^2 + 11x - 7$.

A) −152

B) 24

C) −76

D) −12

Answer: D

For the pair of functions, find the indicated sum, difference, product, or quotient.

471) $f(x) = 9x - 5$, $g(x) = 5x - 7$

Find $(f - g)(x)$.

A) $14x - 12$

B) $4x + 2$

C) $4x - 12$

D) $-4x - 2$

Answer: B

472) $f(x) = 5 - 3x$, $g(x) = -8x + 3$

Find $(f + g)(x)$.

A) $-11x + 8$

B) $-3x$

C) $-8x + 5$

D) $5x + 8$

Answer: A

473) $f(x) = 5 - 5x$, $g(x) = -3x^2 + 5$

Find $(f + g)(x)$.

A) $-8x + 10$

B) $-8x^2 - 5x + 10$

C) $-3x^2 + 5$

D) $-3x^2 - 5x + 10$

Answer: D

College Algebra 12th edition Lial Test Bank

474) $f(x) = 9x^2 - 7x$, $g(x) = x^2 - 5x - 14$

Find $\left(\frac{f}{g}\right)(x)$.

A) $\frac{9x}{x + 1}$

B) $\frac{9x - 7}{-5}$

C) $\frac{9 - x}{14}$

D) $\frac{9x^2 - 7x}{x^2 - 5x - 14}$

Answer: D

475) $f(x) = 8x + 1$, $g(x) = 4x - 2$

Find $(fg)(x)$.

A) $12x^2 - 12x - 1$

B) $32x^2 - 12x - 2$

C) $32x^2 + 2x - 2$

D) $32x^2 - 2$

Answer: B

476) $f(x) = x^2 + 1$, $g(x) = 6x - 5$

Find $(fg)(x)$.

A) $6x^3 - 5x^2 + 6x - 5$

B) $6x^2 + 6x - 5$

C) $6x^3 - 5$

D) $6x^3 + 6x^2 - 5x - 5$

Answer: A

477) $f(x) = \sqrt{3x + 5}$, $g(x) = \sqrt{9x - 16}$

Find $(fg)(x)$.

A) $(3x + 5)(9x - 16)$

B) $(3x + 5)(3x - 4)$

C) $(\sqrt{3x + 5})(\sqrt{9x - 16})$

D) $(3x - 4)(\sqrt{3x + 5})$

Answer: C

College Algebra 12th edition Lial Test Bank

478) $f(x) = \sqrt{6x - 9}$, $g(x) = \frac{1}{x}$

Find $\left(\frac{f}{g}\right)(x)$.

A) $\frac{\sqrt{6x - 9}}{x}$

B) $\frac{x}{\sqrt{6x - 9}}$

C) $x\sqrt{6x - 9}$

D) $\frac{1}{x\sqrt{6x - 9}}$

Answer: C

479) $f(x) = \sqrt{6x + 4}$, $g(x) = \frac{1}{x}$

Find $(f - g)(x)$.

A) $\sqrt{6x + 4} - \frac{1}{x}$

B) $\frac{1}{\sqrt{6x + 4} - x}$

C) $\sqrt{6x + 4 - \frac{1}{x}}$

D) $\frac{1}{x} - \sqrt{6x + 4}$

Answer: A

Find the specified domain.

480) Find the domain of $(f - g)(x)$ when $f(x) = 8x - 2$ and $g(x) = 5x - 4$.

A) $(-8, 2)$

B) $(-\infty, \infty)$

C) $(-2, 8)$

D) $(-8, \infty)$

Answer: B

481) Find the domain of $(fg)(x)$ when $f(x) = \sqrt{7x + 6}$ and $g(x) = \sqrt{5x - 9}$.

A) $\left[\frac{9}{5}, \infty\right)$

B) $[0, \infty)$

C) $\left[-\frac{9}{5}, \infty\right)$

D) $(-\infty, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

482) Find the domain of $(f + g)(x)$ when $f(x) = \sqrt{8x - 2}$ and $g(x) = \frac{1}{x}$

A) $\left[-\frac{1}{4}, \infty\right)$
B) $\left[-\frac{1}{4}, 0\right) \cup (0, \infty)$
C) $\left[\frac{1}{4}, \infty\right)$
D) $(-\infty, 0) \cup (0, \infty)$

Answer: C

483) Find the domain of $\left(\frac{f}{g}\right)(x)$ when $f(x) = \sqrt{3x - 9}$ and $g(x) = \frac{1}{x}$

A) $(-\infty, 0) \cup (0, \infty)$
B) $[-3, \infty)$
C) $[3, \infty)$
D) $[-3, 0) \cup (0, \infty)$

Answer: C

484) Find the domain of $(f + g)(x)$ when $f(x) = 3x + 9$ and $g(x) = \frac{2}{x - 8}$

A) $(-\infty, \infty)$
B) $(-\infty, -8) \cup (-8, \infty)$
C) $(-\infty, 8) \cup (8, \infty)$
D) $(-\infty, -2) \cup (-2, \infty)$

Answer: C

485) Find the domain of $(f - g)(x)$ when $f(x) = \frac{2x}{x - 8}$ and $g(x) = \frac{4}{x + 3}$

A) $(-\infty, -8) \cup (-8, 3) \cup (3, \infty)$
B) $(-\infty, \infty)$
C) $(-\infty, -4) \cup (-4, -2) \cup (-2, \infty)$
D) $(-\infty, -3) \cup (-3, 8) \cup (8, \infty)$

Answer: D

486) Find the domain of $(fg)(x)$ when $f(x) = \frac{2}{x - 6}$ and $g(x) = -7x - 5$

A) $(-\infty, 6) \cup (6, \infty)$
B) $(-\infty, -6) \cup (-6, \infty)$
C) $(-\infty, \infty)$
D) $(-\infty, 5) \cup (5, \infty)$

Answer: A

College Algebra 12th edition Lial Test Bank

487) Find the domain of $\left(\frac{f}{g}\right)(x)$ when $f(x) = 2x - 6$ and $g(x) = 7x - 2$

A) $\left(-\infty, \frac{2}{7}\right) \cup \left(\frac{2}{7}, 3\right) \cup (3, \infty)$

B) $(-\infty, \infty)$

C) $\left(-\infty, \frac{2}{7}\right) \cup \left(\frac{2}{7}, \infty\right)$

D) $(-\infty, 3) \cup (3, \infty)$

Answer: C

488) Find the domain of $\left(\frac{f}{g}\right)(x)$ when $f(x) = 9x - 5$ and $g(x) = \frac{2}{x - 11}$

A) $(-\infty, -11) \cup (-11, \infty)$

B) $\left(-\infty, \frac{5}{9}\right) \cup \left(\frac{5}{9}, 11\right) \cup (11, \infty)$

C) $(-\infty, 11) \cup (11, \infty)$

D) $(-\infty, \infty)$

Answer: C

489) Find the domain of $\left(\frac{f}{g}\right)(x)$ when $f(x) = \frac{5}{x - 3}$ and $g(x) = 11 - x$

A) $(-\infty, -11) \cup (-11, -3) \cup (-3, \infty)$

B) $(-\infty, 11) \cup (11, \infty)$


C) $(-\infty, 3) \cup (3, 11) \cup (11, \infty)$

D) $(-\infty, 3) \cup (3, \infty)$


Answer: C

Solve the problem.

490) The graphs of functions f and g are shown. Use these graphs to find $(f + g)(4)$.



$y = f(x)$



$y = g(x)$

A) 8

B) $\frac{1}{2}$


C) 6

D) −2


Answer: C

College Algebra 12th edition Lial Test Bank

491) The graphs of functions f and g are shown. Use these graphs to find (fg)(1).



y = f(x)




y = g(x)

A) –4
B) –3
C) 2
D) 3

Answer: B


492) Use the graphs to find the value of (f + g)(3).



A) –1
B) 0
C) 1
D) 3

Answer: B

493) Use the graphs to find the value of (f – g)(–1).




A) 0
B) –1
C) 1
D) 3

Answer: B

College Algebra 12th edition Lial Test Bank


494) Use the graphs to find the value of (fg)(1).



A) 3
B) 6
C) 2
D) 4

Answer: B

495) Use the graphs to find the value of $\left(\frac{f}{g}\right)(3)$.



A) −2
B) undefined
C) 1
D) −1

Answer: D

496) Use the tables to find (f + g)(2).

x	2	3	9
f(x)	−6	3	−4

x	2	5	9
g(x)	3	5	6

A) 8
B) −3
C) 2
D) 18

Answer: B

College Algebra 12th edition Lial Test Bank

497) Use the tables to find (fg)(–9).

x	–9	–8	9
f(x)	–8	2	6

x	–9	2	9
g(x)	3	–2	–6

A) –4
B) –36
C) 81
D) –24

Answer: D

Compute and simplify the difference quotient $\frac{f(x+h)-f(x)}{h}$, $h \neq 0$.

498) $f(x) = 4x - 15$

A) $\frac{15}{4}$

B) $-15h$
C) 4
D) 15

Answer: C

499) $f(x) = \frac{13}{x+26}$

A) $-\frac{338}{(x+h+26)(x+26)}$

B) $\frac{13}{(x+h+26)(x+26)}$

C) $-\frac{13}{(x+13)^2}$

D) $-\frac{13}{(x+h+26)(x+26)}$

Answer: D

500) $f(x) = 2x^2 + 7x$

A) $4x + 2h + 7$
B) $4x^2 + 2h + 7x$
C) $6x - 4h + 14$
D) $4x + 7$

Answer: A

College Algebra 12th edition Lial Test Bank

501) $f(x) = \dfrac{x}{8 - x}$

A) $\dfrac{hx}{(8 - x - h)(8 + x)}$

B) $\dfrac{x}{(8 - x + h)(8 - x)}$

C) $-\dfrac{8}{(8 - x + h)(8 - x)}$

D) $\dfrac{8}{(8 - x - h)(8 - x)}$

Answer: D

502) $f(x) = \dfrac{x - 10}{x + 3}$

A) $-\dfrac{13}{x(x + 3)}$

B) $\dfrac{14}{(x + 3)(x - 3)}$

C) $\dfrac{13}{(x + h + 3)(x + 3)}$

D) $\dfrac{13(x + h + 3)}{(x + 3)}$

Answer: C

Find the requested function value.

503) Find $(f \circ g)(3)$ when $f(x) = -8x + 5$ and $g(x) = -3x^2 - 7x + 5$.

A) 195
B) 205
C) 349
D) −945

Answer: C

504) Find $(g \circ f)(-5)$ when $f(x) = -9x - 5$ and $g(x) = 9x^2 - 9x - 1$.

A) −2426
B) −1
C) 4
D) 14,039

Answer: D

505) Find $(g \circ f)(13)$ when $f(x) = \dfrac{x - 3}{2}$ and $g(x) = 3x + 1$.

A) 20
B) 200
C) $\dfrac{37}{2}$
D) 16

Answer: D

College Algebra 12th edition Lial Test Bank

Find the requested value.

506) Using the given tables, find (f∘g) (2)

x	9	5	1	3
f(x)	18	10	2	6

x	4	2	5	3
g(x)	7	3	9	5

A) 3
B) 10
C) 6
D) 2

Answer: C

507) Using the given tables, find (g∘f) (2)

x	2	5	3	6
f(x)	3	4	7	9

x	4	6	2	3
g(x)	7	3	6	5

A) 7
B) 5
C) 2
D) 3

Answer: B

508) Using the given tables, find (f∘f) (7)

x	7	10	8	6
f(x)	8	7	37	39

x	9	7	10	8
g(x)	17	13	19	15

A) 7
B) 15
C) 37
D) 19

Answer: C

509) Using the given tables, find (g∘g)(3)

x	3	6	4	8
f(x)	4	6	13	15

x	5	8	3	4
g(x)	9	5	8	7

A) 7
B) 15
C) 5
D) 13

Answer: C

College Algebra 12th edition Lial Test Bank

For the given functions f and g , find the indicated composition.

510) $f(x) = 7x + 12, \quad g(x) = 3x - 1$

$(f \circ g)(x)$

A) $21x + 5$

B) $21x + 11$

C) $21x + 35$

D) $21x + 19$

Answer: A

511) $f(x) = -4x + 9, \quad g(x) = 5x + 3$

$(g \circ f)(x)$

A) $-20x + 21$

B) $-20x - 42$

C) $20x + 48$

D) $-20x + 48$

Answer: D

512) $f(x) = \dfrac{1}{x - 7}, \quad g(x) = \dfrac{5}{6x}$

$(f \circ g)(x)$

A) $\dfrac{6x}{5 + 42x}$

B) $\dfrac{1x}{5 - 42x}$

C) $\dfrac{5x - 35}{6x}$

D) $\dfrac{6x}{5 - 42x}$

Answer: D

513) $f(x) = \sqrt{x + 4}, \quad g(x) = -\dfrac{5}{x}$

$(g \circ f)(x)$

A) $-\dfrac{5}{\sqrt{x + 4}}$

B) $\dfrac{5}{\sqrt{-x + 4}}$

C) $\sqrt{-\dfrac{5}{x} + 4}$

D) $-\dfrac{1}{\sqrt{5x + 4}}$

Answer: A

College Algebra 12th edition Lial Test Bank

514) $f(x) = \frac{x - 2}{3}$, $g(x) = 3x + 2$

$(g \circ f)(x)$

A) $3x + 4$

B) $x - \frac{2}{3}$

C) x

D) $x + 4$

Answer: C

515) $f(x) = \sqrt{x + 10}$, $g(x) = 8x - 14$

$(f \circ g)(x)$

A) $2\sqrt{2x - 1}$

B) $8\sqrt{x - 4}$

C) $2\sqrt{2x + 1}$

D) $8\sqrt{x + 10} - 14$

Answer: A

516) $f(x) = 4x^2 + 2x + 7$, $g(x) = 2x - 8$

$(g \circ f)(x)$

A) $8x^2 + 4x + 6$

B) $8x^2 + 4x + 22$

C) $4x^2 + 2x - 1$

D) $4x^2 + 4x + 6$

Answer: A

Determine whether $(f \circ g)(x) = x$ and whether $(g \circ f)(x) = x$.

517) $f(x) = \sqrt[5]{x - 6}$, $g(x) = x^5 + 6$

A) No, no

B) Yes, no

C) Yes, yes

D) No, yes

Answer: C

518) $f(x) = x^2 + 3$, $g(x) = \sqrt{x} - 3$

A) No, yes

B) No, no

C) Yes, no

D) Yes, yes

Answer: B

519) $f(x) = \frac{1}{x}$, $g(x) = x$

A) Yes, yes

B) No, yes

C) No, no

D) Yes, no

Answer: C

College Algebra 12th edition Lial Test Bank

520) $f(x) = \sqrt{x + 1}$, $g(x) = x^2$

A) Yes, yes
B) No, yes
C) No, no
D) Yes, no

Answer: C

521) $f(x) = x^3 + 8$, $g(x) = \sqrt[3]{x - 8}$

A) Yes, yes
B) No, yes
C) No, no
D) Yes, no

Answer: A

Consider the function h as defined. Find functions f and g so that $(f \circ g)(x) = h(x)$.

522) $h(x) = \dfrac{1}{x^2 - 6}$

A) $f(x) = \dfrac{1}{6}$, $g(x) = x^2 - 6$

B) $f(x) = \dfrac{1}{x^2}$, $g(x) = x - 6$

C) $f(x) = \dfrac{1}{x}$, $g(x) = x^2 - 6$

D) $f(x) = \dfrac{1}{x^2}$, $g(x) = -\dfrac{1}{6}$

Answer: C

523) $h(x) = |2x + 2|$

A) $f(x) = x$, $g(x) = 2x + 2$
B) $f(x) = |-x|$, $g(x) = 2x - 2$
C) $f(x) = -|x|$, $g(x) = 2x + 2$
D) $f(x) = |x|$, $g(x) = 2x + 2$

Answer: D

524) $h(x) = \dfrac{10}{x^2} + 10$

A) $f(x) = x$, $g(x) = \dfrac{10}{x} + 10$

B) $f(x) = \dfrac{1}{x}$, $g(x) = \dfrac{10}{x} + 10$

C) $f(x) = x + 10$, $g(x) = \dfrac{10}{x^2}$

D) $f(x) = \dfrac{10}{x^2}$, $g(x) = 10$

Answer: C

College Algebra 12th edition Lial Test Bank

525) $h(x) = \dfrac{1}{\sqrt{2x + 4}}$

A) $f(x) = \sqrt{2x + 4},\ g(x) = 1$

B) $f(x) = 1,\ g(x) = \sqrt{2 + 4}$

C) $f(x) = \dfrac{1}{\sqrt{x}},\ g(x) = 2x + 4$

D) $f(x) = \dfrac{1}{x},\ g(x) = 2x + 4$

Answer: C

526) $h(x) = (-6x + 9)^2$

A) $f(x) = x^2,\ g(x) = -6x + 9$


B) $f(x) = (-6x)^2,\ g(x) = 9$

C) $f(x) = -6x + 9,\ g(x) = x^2$

D) $f(x) = -6x^2,\ g(x) = x + 9$

Answer: A

A new chocolate company is estimating how many candy bars per week college students will consume of their line of products. The graph shows the probable number of candy bars students (age 18–22) will consume from year 0 to year 10. B(x) gives the number of candy bars for boys, G(x) gives the number of candy bars for girls, and T(x) gives the total number for both groups. Use the graph to answer the question.



527) Estimate B(4) and G(4) and use your estimates to estimate T(4).

A) 2.0; 3.0; 5.0

B) 2.0; 2.8; 4.8

C) 1.5; 2.5; 4.0

D) 1.8; 2.5; 4.3

Answer: B

528) Estimate B(7) and G(7) and use your estimates to estimate T(7).

A) 2.2; 4.3; 6.5

B) 2.5; 4.0; 6.5

C) 2.3; 4.0; 6.3

D) 3.5; 4.2; 7.7

Answer: A

College Algebra 12th edition Lial Test Bank

529) Use the slopes of the line segments to decide in which period (0–5 or 5–10) the number of candy bars per week increased more rapidly.

A) The number of candy bars increased at the same rate in both periods
B) 5–10
C) 0–5

Answer: A

Solve the problem.

530) The cost of manufacturing clocks is given by $C(x) = 56 + 31x - x^2$. Also, it is known that in t hours the number of clocks that can be produced is given by $x = 12t$, where $1 \le t \le 12$. Express C as a function of t.

A) $C(t) = 56 + 31t + t^2$
B) $C(t) = 56 + 372t - 144t$
C) $C(t) = 56 + 372t - 144t^2$
D) $C(t) = 56 + 31t - 12$

Answer: C

531) The radius r of a circle of known area A is given by $r = \sqrt{A/\pi}$, where $\pi \approx 3.1416$. Find the radius and circumference of a circle with an area of 48.71 sq ft. (Round results to two decimal places.)

A) r = 15.52 ft, C = 97.52 ft
B) r = 3.94 ft, C = 24.76 ft
C) r = 3.94 ft, C = 24.76 sq ft
D) r = 3.94 ft, C = 8.86 ft

Answer: B

532) The volume of water added to a circular drum of radius r is given by $V_W = 25t$, where V_W is volume in cu ft and t is time in sec. Find the depth of water in a drum of radius 6 ft after adding water for 18 sec. (Round result to one decimal place.)

A) 4.0 ft
B) 2.0 ft
C) 8.0 ft
D) 12.6 ft

Answer: A

533) A furniture store buys 45 footstools from a distributor at a cost of $230 each plus an overhead charge of $45 per order. The retail markup is 25% on the total price paid. Find the profit on the sale of one footstool.

A) $57.75
B) $57.25
C) $57.50
D) $5775.00

Answer: A

College Algebra 12th edition Lial Test Bank