Physics of Everyday Phenomena 9th edition Griffith Test Bank

SKU: 9781259894008-TEST-BANK

The Physics of Everyday Phenomena, 9e **(Griffith)**
Chapter 2 Describing Motion

1) An auto, starting from rest, undergoes constant acceleration and covers a distance of 1250 meters. The final speed of the auto is 50 meters/sec. How long does it take the car to cover the 1250 meters?
A) 30 s
B) 50 s
C) 0.05 s
D) 72,000 s

2) A car traveling at constant speed
A) does not turn.
B) travels more distance in a second the longer the car travels.
C) can change direction.
D) cannot be going uphill.

3) An auto moves 10 meters in the first second of travel, 15 more meters in the next second, and 20 more meters during the third second. The acceleration of the auto is
A) 3.33 m/s^2.
B) 9.8 m/s^2.
C) 30 m/s^2.
D) 5 m/s^2.
E) zero m/s^2.

4) A quantity that is a measure of how the velocity of a body changes with time is
A) distance.
B) speed.
C) acceleration.
D) time.

5) The following quantities relate to the rate of change of position. Which pair will always have the same magnitude?
A) Average speed and average velocity
B) Average speed and instantaneous speed
C) Average velocity and instantaneous velocity
D) Instantaneous speed and instantaneous velocity

6) The acceleration of a body cannot be zero at a point where
A) the instantaneous velocity is zero.
B) the instantaneous velocity is positive but decreasing.
C) the average velocity is positive.
D) None of these choices are correct

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

7) A student releases a ball from rest on an inclined plane and measures that it travels a distance of 0.8 m in a time of 4.0 s. The average speed of the ball is
A) 3.2 m/s.
B) 1.0 m/s.
C) 0.2 m/s.
D) 2.0 m/s.

8) A student releases a ball from rest on an inclined plane and measures that it travels a distance of 0.5 m in a time of 2.0 s. The acceleration of the ball is
A) 0.125 m/s^2.
B) 0.25 m/s^2.
C) 0.5 m/s^2.
D) 1.0 m/s^2.

9) A car travels a distance of 100 km. For the first 30 minutes it is driven at a constant speed of 80 km/hr. The motor begins to vibrate and the driver reduces the speed to 40 km/hr for the rest of the trip. The average speed for the entire trip is
A) 60.0 km/hr.
B) 53.3 km/hr.
C) 50.0 km/hr.
D) 47.5 km/hr.
E) 40.0 km/hr.

10) Initially you are driving at 55 mi/hr. If you come to rest in 7.5 s while traveling 450 ft, what is your average speed while stopping? (There are 5280 ft in one mi.)
A) 55 mi/hr
B) 0.016 ft/s
C) 120 ft/s
D) 60 ft/s

11) If your average speed for a 6 hr trip is 60 mi/hr, the distance traveled is
A) 10 mi.
B) 60 mi.
C) 120 mi.
D) 360 mi.

12) You travel 2640 feet in thirty seconds while in a 65 mi/hr zone. (There are 5280 ft in one mi.) Your average speed is
A) larger than the speed limit.
B) exactly the speed limit.
C) less than the speed limit.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

13) In a speedometer test zone on a highway, you drive 4 miles in 5 minutes. During the test, your speedometer reading is 45 mi/hr. Your speedometer reading is
A) lower than your actual speed.
B) equal to your actual speed.
C) higher than your actual speed.

14) Your car can accelerate at 8.0 m/s^2, and there are 1609 m in one mile. So you can go from zero to 60 mi/hr in about
A) 3.35 s.
B) 2.74 s.
C) 1.34 s.
D) 0.37 s.

15) In order to go from rest to 50 m/s in 10 s, a jet must be able to accelerate at
A) 2 m/s^2.
B) 5 m/s^2.
C) 20 m/s^2.
D) 50 m/s^2.

16) If the braking distance for your car at a certain speed is 200 ft and, after reacting to a situation, you have managed to stop your car in 5.0 s, then the magnitude of the acceleration was
A) 16 ft/s^2.
B) 25 ft/s^2.
C) 32 ft/s^2.
D) 50 ft/s^2.

17) A student plots data for the velocity of a body versus the time on a graph. The area under the curve on the graph may be identified as
A) acceleration.
B) average velocity.
C) average speed.
D) distance.

18) Suppose a graph of distance traveled by a body versus time is constructed. The slope of the graph at any point may be identified with
A) instantaneous acceleration.
B) instantaneous velocity.
C) average acceleration.
D) average speed.

19) A policeman walks on his beat back and forth. His average speed is determined from
A) his velocity divided by the time.
B) time divided by how far he ends up from the starting point.
C) his total distance covered divided by the time.
D) time divided by his total distance covered.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

20) A car is driven between two nearby towns at an average speed of 50 miles/hour. The magnitude of the average velocity of the car
A) will always be the same as the average speed.
B) will always be less than the average speed.
C) will be the same as or greater than the average speed.
D) will be the same as or less than the average speed.
E) will always be greater than the average speed.

21) A car starts from rest and reaches 20 m/s in 5 seconds. The average acceleration of the car is
A) zero m/s^2.
B) 1.0 m/s^2.
C) 2.0 m/s^2.
D) 4.0 m/s^2.
E) 10.0 m/s^2.

22) Which of the following is not an appropriate unit for measuring acceleration?
A) miles/hr/s
B) ft/s^2
C) m/s
D) km/min/s
E) m/min^2

23) A car rolls down an incline starting from rest. A graph of position versus time is made for this motion. One can get the
A) distance traveled from the slope of the graph.
B) instantaneous velocity from the slope of the graph.
C) acceleration from the slope of the graph.
D) velocity from the area under the graph.
E) acceleration from the area under the graph.

24) A car is traveling at the velocity of 20 m/s on a flat road when it reaches the bottom of a hill. It coasts up the hill, coming to rest in 8 seconds. The average acceleration of the car while on the hill is
A) 10 m/s^2.
B) 2.5 m/s^2.
C) 0 m/s^2.
D) -2.5 m/s^2.
E) -10 m/s^2.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

25) Which of the following quantities relating to motion is not a vector?
A) Speed
B) Velocity
C) Acceleration
D) All of these choices are correct

26) Two velocity vectors are added: one of magnitude 2.0 m/s and one of magnitude 4.0 m/s. Not knowing the respective directions, we can say that the magnitude of the sum of the vectors will be
A) 6.0 m/s.
B) between 6.0 m/s and 2.0 m/s.
C) between 6.0 m/s and 4.0 m/s.
D) less than 2.0 m/s.
E) 2.0 m/s.

27) The velocity of a body is graphed as a function of time. The slope of the graph at any point may be identified with
A) instantaneous velocity.
B) average velocity.
C) instantaneous speed.
D) instantaneous acceleration.
E) average acceleration.

28) A quantity that is a measure of how the distance traveled changes with time is
A) speed.
B) force.
C) acceleration.
D) momentum.
E) velocity.

29) A body travels at an initial speed of 2.5 m/s. Given a constant acceleration of 0.2 m/s^2, what is the speed of the body at time 25 seconds later?
A) 3.4 m/s.
B) 3.6 m/s.
C) 5.5 m/s.
D) 6.0 m/s.
E) 7.5 m/s.

30) A car is decelerating at the rate of 2 km/s^2. If its initial speed is 66 km/s, how long will it take the car to come to a complete stop?
A) 3.3 s.
B) 132 s.
C) 33 s.
D) 330 s.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.


Physics of Everyday Phenomena 9th edition Griffith Test Bank

31) For the first hour a car is driven at a constant speed of 90 km/hr. The motor begins to vibrate and the driver reduces the speed to 45 km/hr for another 2 hours. The average speed for the entire trip is
A) 90.0 km/hr.
B) 25.5 km/hr.
C) 60.0 km/hr.
D) 67.5 km/hr.
E) 45.0 km/hr.

32) A car moving initially at 30 m/s comes gradually to a stop in 900 m. What was the acceleration of the car?
A) -0.5 m/s^2
B) -5 m/s^2
C) -10 m/s^2
D) -20 m/s^2

33) An object moving at 30 m/s has an acceleration of -2.0 m/s/hr. Its speed
A) increases very quickly.
B) increases very slowly.
C) decreases very slowly.
D) decreases very quickly.


34) A sprinter moving at 10 m/s slows down at a rate of 1.4 m/s^2. How fast is the runner moving after 4 seconds?
A) 0 m/s
B) 4.4 m/s
C) 5.8 m/s
D) 15.6 m/s



35) An object's distance traveled as a function of time is shown in the graph. The graph shows
A) an object experiencing an acceleration.
B) an object with increasing speed.
C) an object turning in a circle.
D) an object moving forward.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank




36) Refer to the graph. The object moves forward
A) in region A.
B) in region B.
C) in regions A and C.
D) The object always moves forward
E) The object never moves forward

37) Refer to the graph. The acceleration of the object is equal to zero
A) in region A.
B) in region B.
C) in region C.
D) in regions A and C.
E) The acceleration is never equal to zero

38) Refer to the graph. The magnitude of the acceleration of the object is largest
A) in region A.
B) in region B.
C) in region C.
D) The object does not accelerate

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank




39) Refer to the graph. The velocity of this object at the start of the motion is
A) positive.
B) zero (it is not moving).
C) negative.
D) It is not possible to tell from the graph

40) Refer to the graph. The speed of the object is largest
A) in region A.
B) in region B.
C) in region C.
D) in region D.
E) in region E.

41) Refer to the graph. For the entire motion, the average velocity is
A) positive.
B) zero (it is not moving).
C) negative.
D) It is not possible to tell from the graph

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank




42) Refer to diagram of billiard balls F, K, M, and T. Each arrow represents the velocity of the ball. If billiard ball M is traveling straight upward at 2.5 m/sec, then
A) billiard ball M must be faster than T.
B) billiard ball F is the slowest of the four.
C) billiard ball K has the same velocity as M.
D) nothing about their speeds can be said, because they are all moving in different directions.

43) Refer to the speedometer in Figure 2.3. The speedometer reading 75 mph is
A) approximately 2 kilometers per minute.
B) exactly 1 mile per minute.
C) 200 meters per second.
D) the only speed at which mph and km/h are equal.

44) A car driver takes Turn 1 at Daytona International Speedway at a steady 120 mph all the way through the turn. The radius of this turn is 1000 feet. Which statement is true?
A) Its velocity is constant because its speed is constant
B) Its speed is constant so its acceleration is zero
C) Change of direction at constant speed means a change in velocity
D) Its velocity changes only if its speed decreases

Refer to the diagram of Racetrack X.



45) This special racetrack is all curve and no straightaway. If a driver takes her car around this track counterclockwise and at constant speed, then greater acceleration will occur at any place the turning radius is
A) larger.
B) smaller.
C) inward.
D) outward.

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

46) Refer to the diagram of Racetrack X. It is _____ for a racer to have uniform acceleration _____ on this track.
A) impossible; anywhere
B) impossible; at some places
C) possible; everywhere
D) guaranteed; at some places

47) Suppose a body sliding up a ramp is decelerating at a constant rate. Its speed will _____ by the same amount each second.

48) A car starts from rest and after 10 seconds is traveling at 30 m/s. Assuming that it continues to accelerate at the same rate it will take another _____ seconds to reach 60 m/s.

49) A car accelerates uniformly. It starts from rest and reaches 36 m/s after 6.0 seconds. During the 6.0 seconds it has traveled _____ m.

50) The tip of the second hand of a clock moves in a circle of 20 cm circumference. In one minute the hand makes a complete revolution. Its average velocity over that time is _____ cm/s.

51) A speed of 150 km/hr is equivalent to _____ mph. (There are 1.609 km in a mile.)

52) From a graph of speed versus time, like Figure 2.15, for a body sliding down a ramp, one can get the _____ from the slope of the curve.

53) If you are traveling 80 mph, how many hours does it take you to go 80 miles?

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

The Physics of Everyday Phenomena, 9e **(Griffith)**
Chapter 2 Describing Motion

1) An auto, starting from rest, undergoes constant acceleration and covers a distance of 1250 meters. The final speed of the auto is 50 meters/sec. How long does it take the car to cover the 1250 meters?
A) 30 s
B) 50 s
C) 0.05 s
D) 72,000 s

Answer: B
Difficulty: 3 Hard
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

2) A car traveling at constant speed
A) does not turn.
B) travels more distance in a second the longer the car travels.
C) can change direction.
D) cannot be going uphill.

Answer: C
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

3) An auto moves 10 meters in the first second of travel, 15 more meters in the next second, and 20 more meters during the third second. The acceleration of the auto is
A) 3.33 m/s^2.
B) 9.8 m/s^2.
C) 30 m/s^2.
D) 5 m/s^2.
E) zero m/s^2.

Answer: D
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

4) A quantity that is a measure of how the velocity of a body changes with time is
A) distance.
B) speed.
C) acceleration.
D) time.

Answer: C
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

5) The following quantities relate to the rate of change of position. Which pair will always have the same magnitude?
A) Average speed and average velocity
B) Average speed and instantaneous speed
C) Average velocity and instantaneous velocity
D) Instantaneous speed and instantaneous velocity

Answer: D
Difficulty: 2 Medium
Topic: Average and Instantaneous Speed; Velocity
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

6) The acceleration of a body cannot be zero at a point where
A) the instantaneous velocity is zero.
B) the instantaneous velocity is positive but decreasing.
C) the average velocity is positive.
D) None of these choices are correct

Answer: B
Difficulty: 3 Hard
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

7) A student releases a ball from rest on an inclined plane and measures that it travels a distance of 0.8 m in a time of 4.0 s. The average speed of the ball is
A) 3.2 m/s.
B) 1.0 m/s.
C) 0.2 m/s.
D) 2.0 m/s.

Answer: C
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

8) A student releases a ball from rest on an inclined plane and measures that it travels a distance of 0.5 m in a time of 2.0 s. The acceleration of the ball is
A) 0.125 m/s^2.
B) 0.25 m/s^2.
C) 0.5 m/s^2.
D) 1.0 m/s^2.

Answer: B
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed; Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

9) A car travels a distance of 100 km. For the first 30 minutes it is driven at a constant speed of 80 km/hr. The motor begins to vibrate and the driver reduces the speed to 40 km/hr for the rest of the trip. The average speed for the entire trip is
A) 60.0 km/hr.
B) 53.3 km/hr.
C) 50.0 km/hr.
D) 47.5 km/hr.
E) 40.0 km/hr.

Answer: C
Difficulty: 3 Hard
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

10) Initially you are driving at 55 mi/hr. If you come to rest in 7.5 s while traveling 450 ft, what is your average speed while stopping? (There are 5280 ft in one mi.)
A) 55 mi/hr
B) 0.016 ft/s
C) 120 ft/s
D) 60 ft/s

Answer: D
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

11) If your average speed for a 6 hr trip is 60 mi/hr, the distance traveled is
A) 10 mi.
B) 60 mi.
C) 120 mi.
D) 360 mi.

Answer: D
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

12) You travel 2640 feet in thirty seconds while in a 65 mi/hr zone. (There are 5280 ft in one mi.) Your average speed is
A) larger than the speed limit.
B) exactly the speed limit.
C) less than the speed limit.

Answer: C
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

13) In a speedometer test zone on a highway, you drive 4 miles in 5 minutes. During the test, your speedometer reading is 45 mi/hr. Your speedometer reading is
A) lower than your actual speed.
B) equal to your actual speed.
C) higher than your actual speed.

Answer: A
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

14) Your car can accelerate at 8.0 m/s^2, and there are 1609 m in one mile. So you can go from zero to 60 mi/hr in about
A) 3.35 s.
B) 2.74 s.
C) 1.34 s.
D) 0.37 s.

Answer: A
Difficulty: 2 Medium
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

15) In order to go from rest to 50 m/s in 10 s, a jet must be able to accelerate at
A) 2 m/s^2.
B) 5 m/s^2.
C) 20 m/s^2.
D) 50 m/s^2.

Answer: B
Difficulty: 1 Easy
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

16) If the braking distance for your car at a certain speed is 200 ft and, after reacting to a situation, you have managed to stop your car in 5.0 s, then the magnitude of the acceleration was
A) 16 ft/s^2.
B) 25 ft/s^2.
C) 32 ft/s^2.
D) 50 ft/s^2.

Answer: A
Difficulty: 3 Hard
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

17) A student plots data for the velocity of a body versus the time on a graph. The area under the curve on the graph may be identified as
A) acceleration.
B) average velocity.
C) average speed.
D) distance.

Answer: D
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

18) Suppose a graph of distance traveled by a body versus time is constructed. The slope of the graph at any point may be identified with
A) instantaneous acceleration.
B) instantaneous velocity.
C) average acceleration.
D) average speed.

Answer: B
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

19) A policeman walks on his beat back and forth. His average speed is determined from
A) his velocity divided by the time.
B) time divided by how far he ends up from the starting point.
C) his total distance covered divided by the time.
D) time divided by his total distance covered.

Answer: C
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

20) A car is driven between two nearby towns at an average speed of 50 miles/hour. The magnitude of the average velocity of the car
A) will always be the same as the average speed.
B) will always be less than the average speed.
C) will be the same as or greater than the average speed.
D) will be the same as or less than the average speed.
E) will always be greater than the average speed.

Answer: D
Difficulty: 2 Medium
Topic: Velocity
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

21) A car starts from rest and reaches 20 m/s in 5 seconds. The average acceleration of the car is
A) zero m/s^2.
B) 1.0 m/s^2.
C) 2.0 m/s^2.
D) 4.0 m/s^2.
E) 10.0 m/s^2.

Answer: D
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

22) Which of the following is not an appropriate unit for measuring acceleration?
A) miles/hr/s
B) ft/s^2
C) m/s
D) km/min/s
E) m/min^2

Answer: C
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

23) A car rolls down an incline starting from rest. A graph of position versus time is made for this motion. One can get the
A) distance traveled from the slope of the graph.
B) instantaneous velocity from the slope of the graph.
C) acceleration from the slope of the graph.
D) velocity from the area under the graph.
E) acceleration from the area under the graph.

Answer: B
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

24) A car is traveling at the velocity of 20 m/s on a flat road when it reaches the bottom of a hill. It coasts up the hill, coming to rest in 8 seconds. The average acceleration of the car while on the hill is
A) 10 m/s^2.
B) 2.5 m/s^2.
C) 0 m/s^2.
D) -2.5 m/s^2.
E) -10 m/s^2.

Answer: D
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

25) Which of the following quantities relating to motion is not a vector?
A) Speed
B) Velocity
C) Acceleration
D) All of these choices are correct

Answer: A
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

26) Two velocity vectors are added: one of magnitude 2.0 m/s and one of magnitude 4.0 m/s. Not knowing the respective directions, we can say that the magnitude of the sum of the vectors will be
A) 6.0 m/s.
B) between 6.0 m/s and 2.0 m/s.
C) between 6.0 m/s and 4.0 m/s.
D) less than 2.0 m/s.
E) 2.0 m/s.

Answer: B
Difficulty: 1 Easy
Topic: Velocity
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

27) The velocity of a body is graphed as a function of time. The slope of the graph at any point may be identified with
A) instantaneous velocity.
B) average velocity.
C) instantaneous speed.
D) instantaneous acceleration.
E) average acceleration.

Answer: D
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Definition
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

28) A quantity that is a measure of how the distance traveled changes with time is
A) speed.
B) force.
C) acceleration.
D) momentum.
E) velocity.

Answer: A
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

29) A body travels at an initial speed of 2.5 m/s. Given a constant acceleration of 0.2 m/s^2, what is the speed of the body at time 25 seconds later?
A) 3.4 m/s.
B) 3.6 m/s.
C) 5.5 m/s.
D) 6.0 m/s.
E) 7.5 m/s.

Answer: E
Difficulty: 1 Easy
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

30) A car is decelerating at the rate of 2 km/s^2. If its initial speed is 66 km/s, how long will it take the car to come to a complete stop?
A) 3.3 s.
B) 132 s.
C) 33 s.
D) 330 s.

Answer: C
Difficulty: 1 Easy
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

31) For the first hour a car is driven at a constant speed of 90 km/hr. The motor begins to vibrate and the driver reduces the speed to 45 km/hr for another 2 hours. The average speed for the entire trip is
A) 90.0 km/hr.
B) 25.5 km/hr.
C) 60.0 km/hr.
D) 67.5 km/hr.
E) 45.0 km/hr.

Answer: C
Difficulty: 2 Medium
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

32) A car moving initially at 30 m/s comes gradually to a stop in 900 m. What was the acceleration of the car?
A) -0.5 m/s^2
B) -5 m/s^2
C) -10 m/s^2
D) -20 m/s^2

Answer: A
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

33) An object moving at 30 m/s has an acceleration of -2.0 m/s/hr. Its speed
A) increases very quickly.
B) increases very slowly.
C) decreases very slowly.
D) decreases very quickly.


Answer: C
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

34) A sprinter moving at 10 m/s slows down at a rate of 1.4 m/s^2. How fast is the runner moving after 4 seconds?
A) 0 m/s
B) 4.4 m/s
C) 5.8 m/s
D) 15.6 m/s

Answer: B
Difficulty: 1 Easy
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation




35) An object's distance traveled as a function of time is shown in the graph. The graph shows
A) an object experiencing an acceleration.
B) an object with increasing speed.
C) an object turning in a circle.
D) an object moving forward.

Answer: D
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank



36) Refer to the graph. The object moves forward
A) in region A.
B) in region B.
C) in regions A and C.
D) The object always moves forward
E) The object never moves forward

Answer: A
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

37) Refer to the graph. The acceleration of the object is equal to zero
A) in region A.
B) in region B.
C) in region C.
D) in regions A and C.
E) The acceleration is never equal to zero


Answer: E
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

38) Refer to the graph. The magnitude of the acceleration of the object is largest
A) in region A.
B) in region B.
C) in region C.
D) The object does not accelerate

Answer: B
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical



39) Refer to the graph. The velocity of this object at the start of the motion is
A) positive.
B) zero (it is not moving).
C) negative.
D) It is not possible to tell from the graph

Answer: B
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

40) Refer to the graph. The speed of the object is largest
A) in region A.
B) in region B.
C) in region C.
D) in region D.
E) in region E.


Answer: D
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

41) Refer to the graph. For the entire motion, the average velocity is
A) positive.
B) zero (it is not moving).
C) negative.
D) It is not possible to tell from the graph

Answer: C
Difficulty: 2 Medium
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank



42) Refer to diagram of billiard balls F, K, M, and T. Each arrow represents the velocity of the ball. If billiard ball M is traveling straight upward at 2.5 m/sec, then
A) billiard ball M must be faster than T.
B) billiard ball F is the slowest of the four.
C) billiard ball K has the same velocity as M.
D) nothing about their speeds can be said, because they are all moving in different directions.

Answer: A
Difficulty: 1 Easy
Topic: Velocity
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

43) Refer to the speedometer in Figure 2.3. The speedometer reading 75 mph is
A) approximately 2 kilometers per minute.
B) exactly 1 mile per minute.
C) 200 meters per second.
D) the only speed at which mph and km/h are equal.

Answer: A
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Graphical
Accessibility: Keyboard Navigation


Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

44) A car driver takes Turn 1 at Daytona International Speedway at a steady 120 mph all the way through the turn. The radius of this turn is 1000 feet. Which statement is true?
A) Its velocity is constant because its speed is constant
B) Its speed is constant so its acceleration is zero
C) Change of direction at constant speed means a change in velocity
D) Its velocity changes only if its speed decreases

Answer: C
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

Refer to the diagram of Racetrack X.



45) This special racetrack is all curve and no straightaway. If a driver takes her car around this track counterclockwise and at constant speed, then greater acceleration will occur at any place the turning radius is
A) larger.
B) smaller.
C) inward.
D) outward.

Answer: B
Difficulty: 1 Easy
Topic: Acceleration
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

46) Refer to the diagram of Racetrack X. It is _____ for a racer to have uniform acceleration _____ on this track.
A) impossible; anywhere
B) impossible; at some places
C) possible; everywhere
D) guaranteed; at some places

Answer: A
Difficulty: 2 Medium
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Conceptual; Graphical

47) Suppose a body sliding up a ramp is decelerating at a constant rate. Its speed will _____ by the same amount each second.

Answer: decrease
shrink
be decreasing
Difficulty: 1 Easy
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

48) A car starts from rest and after 10 seconds is traveling at 30 m/s. Assuming that it continues to accelerate at the same rate it will take another _____ seconds to reach 60 m/s.

Answer: 10
ten
10.0
Difficulty: 2 Medium
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

49) A car accelerates uniformly. It starts from rest and reaches 36 m/s after 6.0 seconds. During the 6.0 seconds it has traveled _____ m.

Answer: 108
108.0
110
Difficulty: 3 Hard
Topic: Uniform Acceleration
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

50) The tip of the second hand of a clock moves in a circle of 20 cm circumference. In one minute the hand makes a complete revolution. Its average velocity over that time is _____ cm/s.

Answer: 0
Difficulty: 2 Medium
Topic: Velocity
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

51) A speed of 150 km/hr is equivalent to _____ mph. (There are 1.609 km in a mile.)

Answer: 93
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

52) From a graph of speed versus time, like Figure 2.15, for a body sliding down a ramp, one can get the _____ from the slope of the curve.

Answer: instantaneous acceleration
acceleration
Difficulty: 1 Easy
Topic: Graphing Motion
Chapter: 02 Describing Motion
Type: Conceptual
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank

53) If you are traveling 80 mph, how many hours does it take you to go 80 miles?

Answer: 1
1.0
one
Difficulty: 1 Easy
Topic: Average and Instantaneous Speed
Chapter: 02 Describing Motion
Type: Numerical
Accessibility: Keyboard Navigation

Copyright © 2019 McGraw-Hill Education. All rights reserved.
No reproduction or distribution without the prior written consent of McGraw-Hill Education.

Physics of Everyday Phenomena 9th edition Griffith Test Bank