Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

SKU: 9781264865581-SOLUTIONS

TBEXAM.COM

2 Review and Applications of Algebra

Exercise 2.1

a. $(-p) + (-3p) + (4p) = -p - 3p + 4p = \underline{0}$

b. $5s - 2t - 2s - 4t = 5s - 2s - 2t - 4t = \underline{3s - 6t}$

c. $4x^2y - 3x^2y + (-5x^2y) = 4x^2y - 3x^2y - 5x^2y = \underline{-4x^2y}$

d. $(5s - 2t) - (2s - 4t) = 5s - 2t - 2s + 4t = \underline{3s + 2t}$

e. $4x^2y + (-3x^2y) - (-5x^2y) = 4x^2y - 3x^2y + 5x^2y = \underline{6x^2y}$

f. $1 - (7e^2 - 5 + 3e - e^3) = 1 - 7e^2 + 5 - 3e + e^3 = \underline{e^3 - 7e^2 - 3e + 6}$

g. $(6x^2 - 3xy + 4y^2) - (8y^2 - 10xy - x^2) = 6x^2 - 3xy + 4y^2 - 8y^2 + 10xy + x^2$
$= \underline{7x^2 + 7xy - 4y^2}$

h. $(7m^3 - m - 6m^2 + 10) - (5m^3 - 9 + 3m - 2m^2)$
$= 7m^3 - m - 6m^2 + 10 - 5m^3 + 9 - 3m + 2m^2$
$= \underline{2m^3 - 4m^2 - 4m + 19}$

i. $2(7x - 3y) - 3(2x - 3y) = 14x - 6y - 6x + 9y = \underline{8x + 3y}$

j. $4(a^2 - 3a - 4) - 2(5a^2 - a - 6) = 4a^2 - 12a - 16 - 10a^2 + 2a + 12$
$= \underline{-6a^2 - 10a - 4}$

TBEXAM.COM

k. $15x - [4 - 5x - 6] = 15x - 4 + 5x + 6 = \underline{20x + 2}$

l. $6a - [3a - 2b - a] = 6a - 3a + 2b + a = \underline{4a + 2b}$

m. $15x - \left[4 - 2(5x - 6)\right] = 15x - 4 + 10x - 12 = \underline{25x - 16}$

n. $6a - \left[3a - 2(2b - a)\right] = 6a - 3a + 4b - 2a = \underline{a + 4b}$

o. $4a(3ab - 5a + 6b) = \underline{12a^2b - 20a^2 + 24ab}$

p. $9k(4 - 8k + 7k^2) = \underline{36k - 72k^2 + 63k^3}$

q. $-5xy(2x^2 - xy - 3y^2) = \underline{-10x^3y + 5x^2y^2 + 15xy^3}$

r. $-(p^2 - 4pq - 5p)\left(\frac{2q}{p}\right) = \underline{-2pq + 8q^2 + 10q}$

s. $(4r - 3t)(2t + 5r) = 8rt + 20r^2 - 6t^2 - 15rt = \underline{20r^2 - 7rt - 6t^2}$

t. $(3p^2 - 5p)(-4p + 2) = -12p^3 + 6p^2 + 20p^2 - 10p = \underline{-12p^3 + 26p^2 - 10p}$

u. $(4r - 3t) - (2t + 5r) = 4r - 3t - 2t - 5r = \underline{-r - 5t}$

v. $(3p^2 - 5p) + (-4p + 2) = 3p^2 - 5p - 4p + 2 = \underline{3p^2 - 9p + 2}$

w. $3(a - 2)(4a + 1) - 5(2a + 3)(a - 7) = 3(4a^2 + a - 8a - 2) - 5(2a^2 - 14a + 3a - 21)$
$= 12a^2 + 3a - 24a - 6 - 10a^2 + 70a - 15a + 105$
$= \underline{2a^2 + 34a + 99}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

x. $5(2x - y)(y + 3x) - 6x(x - 5y) = 5(2xy + 6x^2 - y^2 - 3xy) - 6x^2 + 30xy$
$= 10xy + 30x^2 - 5y^2 - 15xy - 6x^2 + 30xy$
$= \underline{24x^2 + 25xy - 5y^2}$

y. $\dfrac{18x^2}{3x} = \underline{6x}$

z. $\dfrac{6a^2b}{-2ab^2} = \underline{\underline{-3\dfrac{a}{b}}}$

aa. $\dfrac{x^2y - xy^2}{xy} = \underline{x - y}$

bb. $\dfrac{-4x + 10x^2 - 6x^3}{-0.5x} = \underline{8 - 20x + 12x^2}$

cc. $\dfrac{12x^3 - 24x^2 + 36x}{48x} = \underline{\underline{\dfrac{x^2 - 2x + 3}{4}}}$

dd. $\dfrac{32a^2b - 8ab + 14ab^2}{2ab} = \underline{16a - 4 + 7b}$

ee. $\dfrac{4a^2b^3 - 6a^3b^2}{2ab^2} = \underline{2ab - 3a^2}$

ff. $\dfrac{120(1+i)^2 + 180(1+i)^3}{360(1+i)} = \underline{\underline{\dfrac{2(1+i) + 3(1+i)^2}{6}}}$

TBEXAM.COM

gg. $\dfrac{4a^2b^3 \quad 6ab^2 + 2ab^3}{2ab^3} = \underline{\underline{\dfrac{2ab \quad 3+b}{b}}}$

hh. $\dfrac{12(1+i) + 18(1+i)^2}{36(1+i)^2} = \underline{\underline{\dfrac{2 + 3(1+i)}{6(1+i)}}}$

1. $3d^2 - 4d + \$15 = 3(\$2.50)^2 - 4(\$2.50) + \$15$
$= \$18.75 - \$10 + \$15$
$= \underline{\$23.75}$

2. $15g - 9h + \$3 = 15(\$14) - 9(\$15) + \$3 = \underline{\$78}$

3. $7x(4y - \$8) = 7(\$3.20)(4 \times \$1.50 - \$8) = \$22.4(\$6 - \$8) = \underline{-\$44.80}$

4. $I \div Pr = \dfrac{\$13.75}{\$500 \times 0.11} = \underline{0.25}$

5. $\dfrac{I}{rt} = \dfrac{\$23.21}{0.095 \times \frac{283}{365}} = \dfrac{\$23.21}{0.0736575} = \underline{\$315.10}$

6. $\dfrac{N}{1-d} = \dfrac{\$89.10}{1-0.10} = \underline{\$99.00}$

7. $L(1 - d_1)(1 - d_2)(1 - d_3) = \$490(1 - 0.125)(1 - 0.15)(1 - 0.05) = \underline{\$346.22}$

8. $P(1 + rt) = \$770\left(1 + 0.013 \times \dfrac{223}{365}\right) = \$770(1.0079425) = \underline{\$776.12}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

9. $\dfrac{S}{1+rt} = \dfrac{\$2500}{1+0.085\times\frac{123}{365}} = \dfrac{\$2500}{1.028644} = \underline{\$2430.38}$

10. $\dfrac{S}{(1+i)^n} = \dfrac{\$850}{(1+0.0075)^6} = \dfrac{\$850}{1.045852} = \underline{\$812.73}$

11. $P(1+i)^n = \$1280(1+0.025)^3 = \underline{\$1378.42}$

12. $\dfrac{x}{2} - x^2 + \dfrac{4}{5} - 0.2x^2 - \dfrac{4}{5}x + \dfrac{1}{2} = 0.5x - x^2 + 0.8 - 0.2x^2 - 0.8x + 0.5$
$= \underline{-1.2x^2 - 0.3x + 1.3}$

13. $\dfrac{2x+9}{4} - 1.2(x-1) = 0.5x + 2.25 - 1.2x + 1.2 = \underline{-0.7x + 3.45}$

14. $\dfrac{2x}{1.045} - \dfrac{2.016x}{3} + \dfrac{x}{2} = 1.91388x - 0.6720x + 0.5x = \underline{1.7419x}$

15. $\dfrac{8x}{0.5} + \dfrac{5.5x}{11} + 0.5(4.6x - 17) = 16x + 0.5x + 2.3x - 8.5 = \underline{18.8x - 8.5}$

16. $y\left(1 - 0.125\times\dfrac{213}{365}\right) + \dfrac{2y}{1+0.125\times\frac{88}{365}} = 0.927055y + 1.94149y = \underline{2.8685y}$

TBEXAM.COM

17. $\dfrac{P}{1+0.095\times\frac{5}{12}} + 2P\left(1+0.095\times\dfrac{171}{365}\right) = 0.961924P + 2.08901P = \underline{3.0509P}$

18. $\dfrac{h}{(1+0.055)^2} - 3h(1+0.055)^3 = 0.898452h - 3.52272h = \underline{-2.6243h}$

19. $k(1+0.04)^2 + \dfrac{2k}{(1+0.04)^2} = 1.08160k + 1.84911k = \underline{2.9307k}$

20. $(1+i)^m - 1 = (1+0.0225)^4 - 1 = \underline{0.093083}$

21. $R\left[\dfrac{(1+i)^n - 1}{i}\right] = \$550\left(\dfrac{1.085^3 - 1}{0.085}\right) = \$550\left(\dfrac{0.2772891}{0.085}\right) = \underline{\$1794.22}$

22. $R\left[\dfrac{(1+i)^n - 1}{i}\right](1+i) = \$910\left(\dfrac{1.1038129^4 - 1}{0.1038129}\right)(1.1038129)$
$= \$910\left(\dfrac{0.4845057}{0.1038129}\right)(1.1038129)$
$= \underline{\$4687.97}$

23. $\dfrac{R}{i}\left[1 - \dfrac{1}{(1+i)^n}\right] = \dfrac{\$630}{0.115}\left(1 - \dfrac{1}{1.115^2}\right) = \underline{\$1071.77}$

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

24. $P(1 + rt_1) + \dfrac{S}{1+rt_2} = \$470\left(1+0.075\times\dfrac{104}{365}\right)+\dfrac{\$390}{1+0.075\times\frac{73}{365}}$

$= \$470(1.021370)+\dfrac{\$390}{1.01500}$

$= \$480.044 + \$384.236$

$= \underline{\$864.28}$

Exercise 2.2

a. $a^2 \times a^3 = \underline{a^5}$

b. $(x^6)(x^{-4}) = \underline{x^2}$

c. $b^{10} \div b^6 = b^{10-6} = \underline{b^4}$

d. $h^7 \div h^{-4} = h^{7-(-4)} = \underline{h^{11}}$

e. $(1 + i)^4 \times (1 + i)^9 = \underline{(1 + i)^{13}}$

f. $(1 + i) \times (1 + i)^n = \underline{(1 + i)^{n+1}}$

g. $(x^4)^7 = x^{4\times7} = \underline{x^{28}}$

h. $(y^3)^3 = \underline{y^9}$

i. $\left(t^6\right)^{\frac{1}{3}} = \underline{t^2}$

TBEXAM.COM

j. $(n^{0.5})^8 = \underline{n^4}$

k. $\dfrac{\left(x^5\right)\left(x^6\right)}{x^9} = x^{5+6-9} = \underline{x^2}$

l. $\dfrac{\left(x^5\right)^6}{x^9} = x^{5\times6-9} = \underline{x^{21}}$

m. $\left[2(1+i)\right]^2 = \underline{4(1+i)^2}$

n. $\left(\dfrac{1+i}{3i}\right)^3 = \underline{\dfrac{(1+i)^3}{27i^3}}$

o. $\dfrac{4r^5t^6}{(2r^2t)^3} = \dfrac{4r^5t^6}{8r^6t^3} = \dfrac{r^{5-6}t^{6-3}}{2} = \dfrac{r^{-1}t^3}{2} = \underline{\dfrac{t^3}{2r}}$

p. $\dfrac{\left(-r^3\right)(2r)^4}{\left(2r^{-2}\right)^2} = \dfrac{-r^3\left(16r^4\right)}{4r^{-4}} = -4r^{3+4-(-4)} = \underline{-4r^{11}}$

1. $8^{4/3} = \left(8^{1/3}\right)^4 = 2^4 = \underline{16.0000}$

2. $-27^{2/3} = -\left(27^{1/3}\right)^2 = \underline{-9.00000}$

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

3. $7^{3/2} = 7^{1.5} = \underline{\underline{18.5203}}$

4. $5^{-\frac{3}{4}} = 5^{-0.75} = \underline{\underline{0.299070}}$

5. $(0.001)^{-2}$ = 1,000,000

6. $0.893^{-1/2} = 0.893^{-0.5} = \underline{\underline{1.05822}}$

7. $(1.0085)^5(1.0085)^3 = 1.0085^8$ = 1.07006

8. $(1.005)^3(1.005)^{-6} = 1.005^{-3}$ = 0.985149

9. $\sqrt[3]{1.03} = 1.03^{0.\overline{3}} = \underline{\underline{1.00990}}$

10. $\sqrt[6]{1.05} = 1.05^{0.1\overline{6}}$ = 1.00816

11. $\left(4^4\right)\left(3^{-3}\right)\left(-\frac{3}{4}\right)^3 = \frac{4^4}{3^3}\left(-\frac{3^3}{4^3}\right)$ = - 4.00000

12. $\left[\left(-\frac{3}{4}\right)^2\right]^{-2} = \left(-\frac{3}{4}\right)^{-4} = \left(-\frac{4}{3}\right)^4 = \frac{256}{81} = \underline{\underline{3.16049}}$

13. $\left(\frac{2}{3}\right)^3\left(-\frac{3}{2}\right)^2\left(-\frac{3}{2}\right)^{-3} = \left(\frac{2}{3}\right)^3\left(\frac{3}{2}\right)^2\left(-\frac{2}{3}\right)^3 = \frac{2}{3}\left(-\frac{2}{3}\right)^3 = -\frac{16}{81} = \underline{\underline{-0.197531}}$

14. $\frac{2}{3}\div\ ^3\ \ \frac{3}{2}\div\ ^2 = \frac{\left(\frac{2}{3}\right)^3}{\left(\frac{2}{3}\right)^2} = \frac{2}{3} = \underline{\underline{0.666667}}$ TBEXAM.COM

15. $\frac{1.03^{16} - 1}{0.03} = \underline{\underline{20.1569}}$

16. $\frac{\left(1.00\overline{83}\right)^{30} - 1}{0.00\overline{83}} = \frac{0.2826960}{0.008333333} = \underline{\underline{33.9235}}$

17. $\frac{1 - 1.0225^{-20}}{0.0225} = \frac{0.3591835}{0.0225} = \underline{\underline{15.9637}}$

18. $\frac{1 - \left(1.00\overline{6}\right)^{-32}}{0.00\overline{6}} = \frac{0.1915410}{0.00\overline{6}} = \underline{\underline{28.7312}}$

19. $(1 + 0.0275)^{1/3}$ = 1.00908

20. $(1 + 0.055)^{1/6} - 1$ = 0.00896339

Exercise 2.3

$2a - 9 = a + 1$

$2a - a = 1 + 9$

$a = \underline{\underline{10}}$

a. $5 + 3x = 20$

$3x = 20 - 5$

$3x = 15$

$x = \underline{\underline{5}}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

b. $6(y - 4) = 0$
$6y - 24 = 0$
$6y = 24$
$y = \underline{4}$

c. $\frac{b}{3} - 1 = 5$
$\frac{b}{3} = 6$
$b = \underline{18}$

d. $-7x - 10 = 11$
$-7x = 21$
$x = \underline{-3}$

e. $4 = \frac{10-m}{3}$
$12 = 10 - m$
$m = 10 - 12$
$m = \underline{-2}$

f. $12 - 3x - 8 = -10x - 10$
$4 - 3x = -10x - 10$
$-3x + 10x = -10 - 4$
$7x = -14$
$x = \underline{-2}$

g. $2(4x - 5) = x - 3$
$8x - 10 = x - 3$
$8x - x = -3 + 10$
$7x = 7$
$x = \underline{1}$

TBEXAM.COM

h. $\frac{x+2}{x-1} = 4$
$x + 2 = 4(x - 1)$
$x + 2 = 4x - 4$
$x - 4x = -4 - 2$
$-3x = -6$
$x = \underline{2}$

i. $\frac{15p}{2} = 7p + 4$
$15p = 2(7p + 4)$
$15p = 14p + 8$
$15p - 14p = 8$
$p = \underline{8}$

1. $10a + 10 = 12 + 9a$
$10a - 9a = 12 - 10$
$a = \underline{2}$

2. $29 - 4y = 2y - 7$
$36 = 6y$
$y = \underline{6}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

3. $0.5(x - 3) = 20$
$x - 3 = 40$
$x = \underline{\underline{43}}$

4. $\frac{1}{3}(x - 2) = 4$
$x - 2 = 12$
$x = \underline{\underline{14}}$

5. $y = 192 + 0.04y$
$y - 0.04y = 192$
$y = \frac{192}{0.96} = \underline{\underline{200}}$

6. $x - 0.025x = 341.25$
$0.975x = 341.25$
$x = \frac{341.25}{0.975} = \underline{\underline{350}}$

7. $12x - 4(2x - 1) = 6(x + 1) - 3$
$12x - 8x + 4 = 6x + 6 - 3$
$-2x = -1$
$x = \underline{\underline{0.5}}$

8. $3y - 4 = 3(y + 6) - 2(y + 3)$
$3y - 4 = 3y + 18 - 2y - 6$
$2y = 16$
$y = \underline{\underline{8}}$

TBEXAM.COM

9. $8 - 0.5(x + 3) = 0.25(x - 1)$
$8 - 0.5x - 1.5 = 0.25x - 0.25$
$-0.75x = -6.75$
$x = \underline{\underline{9}}$

10. $5(2 - c) = 10(2c - 4) - 6(3c + 1)$
$10 - 5c = 20c - 40 - 18c - 6$
$-7c = -56$
$c = \underline{\underline{8}}$

11. $3.1t + 145 = 10 + 7.6t$
$-4.5t = -135$
$t = \underline{\underline{30}}$

12. $1.25y - 20.5 = 0.5y - 11.5$
$0.75y = 9$
$y = \underline{\underline{12}}$

13. $\frac{x+2}{5} = x + 0.8$
$x + 2 = 5(x + 0.8)$
$x + 2 = 5x + 4$
$x - 5x = 4 - 2$
$-4x = 2$
$x = \underline{\underline{-0.5}}$

TBEXAM.COM

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

14. $\frac{3.5}{x-1} = 2.5$

3.5 = 2.5(x – 1)
3.5 = 2.5x – 2.5
-2.5x = -2.5 – 3.5
-2.5x = -6
x = 2.4

15. $\frac{10a}{2.2} + (2.2)^2 = 6 + a(2.2)^3$

$4.\overline{54}a + 4.84 = 6 + 10.648a$
$4.\overline{54}a$ - 10.648a = 6 – 4.84
-6.1025a = 1.16
a = -0.19

16. 21 - $\frac{b}{1.45}$ = 5.5b – 9
21 – 0.6897b = 5.5b – 9
-0.6897b-5.5b = -9 – 21
-6.1897b = -30
b = 4.85

17. $(1.065)^2x - \frac{x}{1.065}$ = $35
1.134225x – 0.938967x = $35
0.195258x = $35
x = $179.25

TBEXAM.COM

18. $12x – 4x(1.06)^4$ = $1800
12x – 5.04991x = $1800
6.95009x = $1800
x = $258.99

19. $\frac{x}{1.1^2} + 2x(1.1)^3 = \$1000$
0.8264463x + 2.662x = $1000
3.488446x = $1000
x = $286.66

20. $\frac{3x}{1.025^6} + x(1.025)^8 = \$2641.35$
2.586891x + 1.218403x = $2641.35
x = $694.13

21. $\frac{2x}{1.03^7} + x + x(1.03)^{10} = \$1000 + \frac{\$2000}{1.03^4}$
1.626183x + x + 1.343916x = $1000 + $1776.974
3.970099x = $2776.974
x = $699.47

T B E X A M . C O M

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

22. $x(1.05)^3 + \$1000 + \frac{x}{1.05^7} = \frac{\$5000}{1.05^2}$

$1.157625x + 0.7106813x = \$4535.147 - \$1000$

$x = \underline{\$1892.17}$

23. $x\left(1 + 0.095 \times \frac{84}{365}\right) + \frac{2x}{1 + 0.095 \times \frac{108}{365}} = \$1160.20$

$1.021863x + 1.945318x = \$1160.20$

$2.967181x = \$1160.20$

$x = \underline{\$391.01}$

24. $\frac{x}{1 + 0.115 \times \frac{78}{365}} + 3x\left(1 + 0.115 \times \frac{121}{365}\right) = \$1000\left(1 + 0.115 \times \frac{43}{365}\right)$

$0.9760141x + 3.114370x = \$1013.548$

$x = \underline{\$247.79}$

Exercise 2.4

1. $I = Prt$

$\$6.25 = P(0.05)0.25$

$\$6.25 = 0.0125P$

$P = \frac{\$6.25}{0.0125} = \underline{\$500.00}$

2. $PV = \frac{PMT}{i}$

TBEXAM.COM

$\$150{,}000 = \frac{\$900}{i}$

$\$150{,}000i = \$900$

$i = \frac{\$900}{\$150{,}000} = \underline{0.006}$

3. $S = P(1 + rt)$

$\$3626 = P(1 + 0.004 \times 9)$

$\$3626 = 1.036P$

$P = \frac{\$3626}{1.036} = \underline{\$3500.00}$

4. $N = L(1 - d)$

$\$891 = L(1 - 0.10)$

$\$891 = 0.90L$

$L = \frac{\$891}{0.90} = \underline{\$990.00}$

5. $N = L(1 - d)$

$\$410.85 = \$498(1 - \mathrm{d})$

$\frac{\$410.85}{\$498} = 1 - d$

$0.825 = 1 - d$

$d = 1 - 0.825 = \underline{0.175}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

6. $S = P(1 + rt)$

$\$5100 = \$5000(1 + 0.0025t)$

$\$5100 = \$5000 + \$12.5t$

$\$5100 - \$5000 = \$12.5t$

$$t = \frac{\$100}{\$12.5} = \underline{8}$$

7. $NI = (CM)X - FC$

$\$15{,}000 = CM(5000) - \$60{,}000$

$\$15{,}000 + \$60{,}000 = 5000CM$

$$CM = \frac{\$75{,}000}{5000} = \underline{\$15.00}$$

8. $NI = (CM)X - FC$

$-\$542.50 = (\$13.50)X - \$18{,}970$

$\$18{,}970 - \$542.50 = (\$13.50)X$

$$X = \frac{\$18{,}427.50}{\$13.50} = \underline{1365}$$

9. $N = L(1-d_1)(1-d_2)(1-d_3)$

$\$1468.80 = L(1 - 0.20)(1 - 0.15)(1 - 0.10)$

$\$1468.80 = L(0.80)(0.85)(0.90)$

$$L = \frac{\$1468.80}{0.6120} = \underline{\$2400.00}$$

10. $N = L(1-d_1)(1-d_2)(1-d_3)$

TBEXAM.COM

$\$70.29 = \$99.99(1 - 0.20)(1 - d_2)(1 - 0.05)$

$\$70.29 = \$75.9924(1 - d_2)$

$$\frac{\$70.29}{\$75.9924} = (1 - d_2)$$

$d_2 = 1 - 0.92496 = \underline{0.0750}$

11. $FV = PV(1+i_1)(1+i_2)(1+i_3)$

$\$1094.83 = \$1000(1 + i_1)(1 + 0.03)(1 + 0.035)$

$\$1094.83 = \$1066.05(1 + i_1)$

$$\frac{\$1094.83}{\$1066.05} = 1 + i_1$$

$i_1 = 1.02700 - 1 = \underline{0.0270}$

12. $FV = PMT\left[\frac{(1+i)^n - 1}{i}\right]$

$$\$1508.54 = PMT\left[\frac{(1+0.05)^4 - 1}{0.05}\right]$$

$$\$1508.54 = PMT\left(\frac{1.21550625 - 1}{0.05}\right)$$

$\$1508.54 = PMT(4.310125)$

$$PMT = \frac{\$1508.54}{4.310125} = \underline{\$350.00}$$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

13. $PV = PMT\left[\dfrac{1-(1+i)^{-n}}{i}\right]$

$\$6595.20 = PMT\left[\dfrac{1-(1+0.06)^{-20}}{0.06}\right]$

$\$6595.20 = PMT\left[\dfrac{1-0.31180473}{0.06}\right]$

$\$6595.20 = PMT(11.46992117)$

$PMT = \dfrac{\$6595.20}{11.46992117} = \underline{\$575.00}$

14. $I = Prt$

$\dfrac{I}{Pr} = \dfrac{Prt}{Pr}$

$t = \dfrac{I}{Pr}$

15. $PV = \dfrac{PMT}{i}$

$i(PV) = PMT$

$i = \dfrac{PMT}{PV}$

16. $N = L(1-d)$

$\dfrac{N}{L} = 1-d$

$d = 1-\dfrac{N}{L}$

17. $NI = (CM)X - FC$

$NI + FC = (CM)X$

$CM = \dfrac{NI + FC}{X}$

18. $NI = (CM)X - FC$

$NI + FC = (CM)X$

$X = \dfrac{NI + FC}{CM}$

19. $S = P(1 + rt)$

$S = P + Prt$

$S - P = Prt$

$r = (S-P)/Pt$

20. $S = P(1 + rt)$

$S = P + Prt$

$S - P = Prt$

$t = (S-P)/Pr$

21. $N = L(1-d_1)(1-d_2)(1-d_3)$

$\dfrac{N}{L(1-d_2)(1-d_3)} = (1-d_1)$

$d_1 = 1-\dfrac{N}{L(1-d_2)(1-d_3)}$

22. $N = L(1-d_1)(1-d_2)(1-d_3)$

$\dfrac{N}{L(1-d_1)(1-d_2)} = (1-d_3)$

$d_3 = 1-\dfrac{N}{L(1-d_1)(1-d_2)}$

23. $FV = PV(1+i)^n$

$\dfrac{FV}{(1+i)^n} = PV$

$PV = FV(1+i)^{-n}$

TBEXAM.COM

TBEXAM.COM

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

24. $FV = PV(1+i)^n$

$\$9321.91 = \$2000(1 + i)^{20}$

$\left(\frac{\$9321.91}{\$2000}\right)^{1/20} = 1 + i$

$1.0800 = 1 + i$

$i = 1.08000 - 1 = \underline{0.08}$

25. $PV = FV(1+i)^{-n}$

$\$5167.20 = \$10{,}000(1 + i)^{-15}$

$\frac{\$5167.20}{\$10{,}000} = \frac{1}{(1+i)^{15}}$

$(1+i)^{15} = \frac{\$10{,}000}{\$5167.20}$

$1 + i = (1.935284)^{1/15} = 1.0450$

$i = \underline{0.045}$

<u>26.</u> $FV = PV(1+i)^n$

$\left(\frac{FV}{PV}\right)^{1/n} = (1+i)$

$i = \left(\frac{FV}{PV}\right)^{1/n} - 1$

TBEXAM.COM

TBEXAM.COM

Exercise 2.5

a. Step 2: Students on 4 buses = 177 less 9 in cars
Let number of students per bus be x.
Step 3: 4 buses x students per bus = students on buses less students in cars
Step 4: 4x = 177 – 9
Step 5: 4x = 168
x = 42
Each bus holds <u>42 students</u>.

b. Step 2: Cost of binder = \$9.50, Purchased 4 pencils
Let the cost of one pencil be p.
Step 3: Cost of order = cost of binder + cost of 4 pencils
Step 4: \$12.50 = \$9.50 + 4p
Step 5: 4p = \$12.50 - \$9.50
4p = \$3.00
p = \$0.75
Each pencil cost <u>\$0.75.</u>

c. Step 2: Weekly earnings = \$600 plus 2% commission on sales, Weekly salary = \$400
Let s represent weekly sales.
Step 3: Weekly earnings = weekly salary + 2% commission on sales
Step 4: \$600 = \$400 + 0.02s

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

Step 5: $0.02s = \$600 - \$400$
$0.02s = \$200$
$s = \$10{,}000$
The salesperson's weekly sales were $10,000.

d. Step 2: Samuel's winnings = $600 after sharing $200 with each sibling.
Let s be the number of siblings.
Step 3: Total winnings = Samuel's winnings + siblings winnings
Step 4: $\$2000 = \$600 + \$200s$
Step 5: $\$200s = \$2000 - \$600$
$\$200s = \$1400$
$s = 7$
Samuel has 7 brothers and sisters.

e. Step 2: Money in pocket = $170 after ½ used to pay bill plus an extra $50.
Let c be the amount of her pay cheque.
Step 3: Money in pocket = ½ pay cheque + extra money earned
Step 4: $\$170 = 0.5c + \$50$
$0.5c = \$170 - \$50$
$0.5c = \$120$
$c = \$240$
Josie's weekly pay cheque is $240.

1. Step 2: Hits last month = 2655 after the $\frac{2}{7}$ increase.
TBEXAM.COM
Let the number of hits 1 year ago be n.
Step 3: Hits last month = Hits 1 year ago + $\frac{2}{7}$ (Hits 1 year ago)
Step 4: $2655 = n + \frac{2}{7}n$
Step 5: $2655 = \frac{9}{7}n$
Multiply both sides by $\frac{7}{9}$.
$n = 2655 \times \frac{7}{9} = 2065$
The Web site had 2065 hits in the same month 1 year ago.

2. Step 2: Retail price = $712; Markup = 60% of wholesale cost.
Let the wholesale cost be C.
Step 3: Retail price = Cost + 0.60(Cost)
Step 4: $\$712 = C + 0.6C$
Step 5: $\$712 = 1.6C$
$C = \frac{\$712}{1.6} = \$445.00$. The wholesale cost is $445.00.

3. Step 2: Tag price = $39.55 (including 13% HST). Let the plant's pretax price be P.
Step 3: Tag price = Pre-tax price + HST
Step 4: $\$39.55 = P + 0.13P$
Step 5: $\$39.55 = 1.13P$
$P = \frac{\$39.55}{1.13} = \$35.00$
The amount of HST is $39.55 – $35.00 = $4.55

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

4. Step 2: Commission rate = 2.5% on the first \$5000 and 1.5% on the remainder
Commission amount = \$227. Let the transaction amount be x.

Step 3: Commission amount = 0.025(\$5000) + 0.015(Remainder)

Step 4: \$227 = \$125.00 + 0.015(x – \$5000)

Step 5: \$102 = 0.015x – \$75.00
\$102 + \$75 = 0.015x

$$x = \frac{\$177}{0.015} = \underline{\$11{,}800.00}$$

The amount of the transaction was \$11,800.00.

5. Step 2: Let the basic price be P. First 20 meals at P.
Next 20 meals at P – \$2. Additional meals at P – \$3.

Step 3: Total price for 73 meals = \$1686

Step 4: 20P + 20(P – \$2) + (73 – 40)(P – \$3) = \$1686

Step 5: 20P + 20P – \$40 + 33P – \$99 = \$1686
73P = \$1686 + \$99 + \$40

$$P = \frac{\$1825}{73} = \underline{\$25.00}$$

The basic price per meal is \$25.00.

6. Step 2: Rental Plan 1: \$295 per week + \$0.15 × (Distance in excess of 1000 km)
Rental Plan 2: \$389 per week
Let d represent the distance at which the costs of both plans are equal.

Step 3: Cost of Plan 1 = Cost of Plan 2

TBEXAM.COM

Step 4: \$295 + \$0.15(d – 1000) = \$389

Step 5: \$295 + \$0.15d – \$150 = \$389
\$0.15d = \$244
d = <u>1627 km</u>

The unlimited driving plan will be cheaper if you drive more than 1626.7 km in the one-week interval.

7. Step 2: Tax rate = 38%; Overtime hourly rate = 1.5(\$23.50) = \$35.25
Cost of canoe = \$2750
Let h represent the hours of overtime Alicia must work.

Step 3: Gross overtime earnings – Income tax = Cost of the canoe

Step 4: \$35.25h – 0.38(\$35.25h) = \$2750

Step 5: \$21.855h = \$2750
h = 125.83 hours

Rounded to the nearest quarter hour, Alicia must work 125¾ hours of overtime to earn enough money to buy the canoe.

8. Step 2: Number of two-bedroom homes = 0.4(Number of three-bedroom homes)
Number of two-bedroom homes = 2(Number of four-bedroom homes)
Total number of homes = 96
Let h represent the number of two-bedroom homes

Step 3: # 2-bedroom homes + # 3-bedroom homes + # 4-bedroom homes = 96

Step 4: $$h + \frac{h}{0.4} + \frac{h}{2} = 96$$

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

Step 5: $h + 2.5h + 0.5h = 96$
$4h = 96$
$h = 24$
There should be 24 two-bedroom homes, 2.5(24) = 60 three-bedroom homes, and 0.5(24) = 12 four-bedroom homes.

9. Step 2: Cost of radio advertising = 0.5(Cost of newspaper advertising)
Cost of TV advertising = 0.6(Cost of radio advertising)
Total advertising budget = \$160,000
Let r represent the amount allocated to radio advertising
Step 3: Radio advertising + TV advertising + Newspaper advertising = \$160,000
Step 4: $r + 0.6r + \frac{r}{0.5} = \$160{,}000$
Step 5: $3.6r = \$160{,}000$
$r = \$44{,}444.44$
Rounded to the nearest dollar, the advertising budget allocations should be:
\$44,444 to radio advertising,
0.6(\$44,444.44) = \$26,667 to TV advertising, and
2(\$44,444.44) = \$88,889 to newspaper advertising.

10. Step 2: By-laws require: 5 parking spaces per 100 square meters,
4% of spaces for physically handicapped
In remaining 96%, # regular spaces = 1.4(# small car spaces)
Total area = 27,500 square meters
Let s represent the number of small car spaces.
Step 3: Total # spaces = # spaces for handicapped + # regular spaces + # small spaces
TBEXAM.COM
Step 4: $\frac{27{,}500}{100} \times 5 = 0.04 \times \frac{27{,}500}{100} \times 5 + s + 1.4s$
Step 5: $1375 = 55 + 2.4s$
$s = 550$
The shopping centre must have 55 parking spaces for the physically handicapped, 550 small-car spaces, and 770 regular parking spaces.

11. Step 2: Overall portfolio's rate return = 1.1%, equity fund's rate of return = –3.3%, bond fund's rate of return = 7.7%.
Let e represent the fraction of the portfolio initially invested in the equity fund.
Step 3: Overall rate of return = Weighted average rate of return
= (Equity fraction)(Equity return) + (Bond fraction)(Bond return)
Step 4: $1.1\% = e(-3.3\%) + (1 - e)(7.7\%)$
Step 5: $1.1\% = -3.3\%e + 7.7\% - 7.7\%e$
$-6.6\% = -11.0\%e$
$e = 0.600$
Therefore, 60.0% of Erin's original portfolio was invested in the equity fund.

12. Step 2: Pile A steel is 5.25% nickel; pile B steel is 2.84% nickel.
We want a 32.5-tonne mixture from A and B averaging 4.15% nickel.
Let A represent the tonnes of steel required from pile A.
Step 3: Wt. of nickel in 32.5 tonnes of mixture
= Wt. of nickel in steel from pile A + Wt. of nickel in steel from pile B
= (% nickel in pile A)(Amount from A) + (% nickel in pile B)(Amount from B)
Step 4: $0.0415(32.5) = 0.0525A + 0.0284(32.5 - A)$

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

Step 5: $1.34875 = 0.0525A + 0.9230 - 0.0284A$
$0.42575 = 0.0241A$
$A = 17.67$ tonnes
$B = 32.5 - 17.67 = 14.83$ tonnes
The recycling company should mix 17.67 tonnes from pile A with 14.83 tonnes from pile B.

13. Step 2: Total options = 100,000
# of options to an executive = 2000 + # of options to a scientist or engineer
# of options to a scientist or engineer = 1.5(# of options to a technician)
There are 3 executives, 8 scientists and engineers, and 14 technicians.
Let t represent the number of options to each technician.
Step 3: Total options = Total options to scientists and engineers
+ Total options to technicians + Total options to executives
Step 4: $100{,}000 = 8(1.5t) + 14t + 3(2000 + 1.5t)$
Step 5: $= 12t + 14t + 6000 + 4.5t$
$94{,}000 = 30.5t$
$t = 3082$ options
Rounded to the nearest whole numbers, each technician will receive 3082 options, each scientist and engineer will receive 1.5(3082) = 4623 options, and each executive will receive 2000 + 4623 = 6623 options.

14. Step 2: Plan X: 6.5 cents/minute (in business hours) and 4.5 cents/minute (at other times)
Plan Y: 5.3 cents/minute any time
Let b represent the fraction of business-hour usage at which costs are equal.
Step 3: Cost of Plan X = Cost of plan Y
Step 4: Pick any amount of usage in a month—say 1000 minutes.
$b(1000)\$0.065 + (1 - b)(1000)\$0.045 = 1000(\$0.053)$
Step 5: $\$65b + \$45 - \$45b = \$53$
$\$20b = \$8$
$b = 0.40$
If business-hour usage exceeds 40% of overall usage, plan Y will be cheaper.

15. Step 2: Raisins cost \$3.75 per kg; peanuts cost \$2.89 per kg.
Cost per kg of ingredients in 50 kg of "trail mix" is to be \$3.20.
Let p represent the weight of peanuts in the mixture.
Step 3: Cost of 50 kg of trail mix = Cost of p kg peanuts + Cost of $(50 - p)$ kg of raisins
Step 4: $50(\$3.20) = p(\$2.89) + (50 - p)(\$3.75)$
Step 5: $\$160.00 = \$2.89p + \$187.50 - \$3.75p$
$-\$27.50 = -\$0.86p$
$p = 31.98$ kg peanuts
$(50 - p) = 50 - 31.98 = 18.0$ kg raisins
32.0 kg of peanuts should be mixed with 18.0 kg of raisins.

16. Step 2: Total bill = \$3310. Total hours = 41.
Hourly rate = \$120 for CGA
= \$50 for technician.
Let x represent the CGA's hours.
Step 3: Total bill = (CGA hours x CGA rate) + (Technician hours x Technician rate)
Step 4: $\$3310 = x(\$120) + (41 - x)\$50$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

Step 5: $3310 = 120x$ + $2050 – 50x$
1260 = 70x
x = 18
The CGA worked 18 hours and the technician worked 41 – 18 = 23 hours.

17. Step 2: Total investment = $32,760
Sue's investment = 1.2(Joan's investment)
Joan's investment = 1.2(Stella's investment)
Let L represent Stella's investment.

Step 3: Sue's investment + Joan's investment + Stella's investment = Total investment

Step 4: Joan's investment = 1.2L
Sue's investment = 1.2(1.2L) = 1.44L
1.44L + 1.2L + L = $32,760

Step 5: 3.64L = $32,760

$$L = \frac{\$32{,}760}{3.64} = \$9000$$

Stella will invest $9000, Joan will invest 1.2($9000) = $10,800, and
Sue will invest 1.2($10,800) = $12,960

18. Step 2: Sven receives 30% less than George (or 70% of George's share).
Robert receives 25% more than George (or 1.25 times George's share).
Net income = $88,880
Let G represent George's share.

Step 3: George's share + Robert's share + Sven's share = Net income

Step 4: G + 1.25G + 0.7G = $88,880

TBEXAM.COM

Step 5: 2.95G = $88,880
G = $30,128.81
George's share is $30,128.81, Robert's share is 1.25($30,128.81) = $37,661.02,
and Sven's share is 0.7($30,128.81) = $21,090.17.

19. Step 2: Time to make X is 20 minutes.
Time to make Y is 30 minutes.
Total time is 47 hours. Total units = 120. Let Y represent the number of units of Y.

Step 3: Total time = (Number of X) × (Time for X) + (Number of Y) × (Time for Y)

Step 4: 47 × 60 = (120 – Y)20 + Y(30)

Step 5: 2820 = 2400 – 20Y + 30Y
420 = 10Y
Y = 42
Forty-two units of product Y were manufactured.

20. Step 2: Price of blue ticket = $19.00. Price of red ticket = $25.50.
Total tickets = 4460. Total revenue = $93,450.
Let the number of tickets in the red section be R.

Step 3: Total revenue = (Number of red × Price of red) + (Number of blue × Price of blue)

Step 4: $93,450 = R($25.50) + (4460 – R)$19.00

Step 5: 93,450 = 25.5R + 84,740 – 19R
6.5R = 8710
R = 1340

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

1340 seats were sold in the red section and 4460 – 1340 = 3120 seats were sold in the blue section.

21. Step 2: Each of 4 children receive 0.5(Wife's share).

Each of 13 grandchildren receive $0.\overline{3}$ (Child's share).
Total distribution = \$759,000. Let w represent the wife's share.

Step 3: Total amount = Wife's share + 4(Child's share) + 13(Grandchild's share)

Step 4: $\$759{,}000 = w + 4(0.5w) + 13\left(0.\overline{3}\right)(0.5w)$

Step 5: $\$759{,}000 = w + 2w + 2.1\overline{6}w$

$= 5.1\overline{6}w$

$w = \$146{,}903.23$

Each child will receive $0.5(\$146{,}903.23) = \$73{,}451.62$
and each grandchild will receive $0.\overline{3}(\$73{,}451.62) = \$24{,}483.87$.

22. Step 2: Stage B workers = 1.6(Stage A workers)
Stage C workers = 0.75(Stage B workers)
Total workers = 114. Let A represent the number of Stage A workers.

Step 3: Total workers = A workers + B workers + C workers

Step 4: $114 = A + 1.6A + 0.75(1.6A)$

Step 5: $114 = 3.8A$

$A = 30$

30 workers should be allocated to Stage A, 1.6(30) = 48 workers to Stage B, and 114 – 30 – 48 = 36 workers to Stage C.

23. Step 2: Hillside charge = 2(Barnett charge) – \$1000
Westside charge = Hillside charge + \$2000
Total charges = \$27,600. Let B represent the Barnett charge.

Step 3: Total charges = Barnett charge + Hillside charge + Westside charge

Step 4: $\$27{,}600 = B + 2B - \$1000 + 2B - \$1000 + \$2000$

Step 5: $\$27{,}600 = 5B$

$B = \$5520$

Hence, the Westside charge is $2(\$5520) - \$1000 + \$2000 = \$12{,}040$

24. Step 2: There are 3 managers and 26 production workers. Total distribution = \$100,000.
Manager's share = 1.2 (Production worker's share).
Let p represent a production worker's share.

Step 3: 3(Manager's share) + 26(Production worker's share) = \$100,000

Step 4: $3(1.2p) + 26p = \$100{,}000$
Step 5: $29.6p = \$100{,}000$

$p = \$3378.38$

Each production worker will receive \$3378.38 and each manager will receive $1.2(\$3378.38) = \$4054.06$.

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

Review Problems

1. $4(3a + 2b) - 5a(2 - b) = 12a + 8b - 10a + 5ab$
$= \underline{2a + 5ab + 8b}$

2. $4(3a + 2b)(2b - a) - (2a - b)(a + 3b) = 4(6ab - 3a^2 + 4b^2 - 2ab) - (2a^2 + 6ab - ab - 3b^2)$
$= 4(-3a^2 + 4ab + 4b^2) - (2a^2 + 5ab - 3b^2)$
$= -12a^2 + 16ab + 16b^2 - 2a^2 - 5ab + 3b^2$
$= \underline{-14a^2 + 11ab + 19b^2}$

3. *a.* $\dfrac{9y-7}{3} - 2.3(y-2) = 3y - 2.\overline{3} - 2.3y + 4.6 = \underline{0.7y + 2.2\overline{6}}$

b. $P\left(1 + 0.095 \times \dfrac{135}{365}\right) + \dfrac{2P}{1 + 0.095 \times \frac{75}{365}} = 1.035137P + 1.961706P = \underline{2.996843P}$

4. *a.* $6(4y - 3)(2 - 3y) - 3(5 - y)(1 + 4y) = 6(8y - 12y^2 - 6 + 9y) - 3(5 + 20y - y - 4y^2)$
$= 6(-12y^2 + 17y - 6) - 3(-4y^2 + 19y + 5)$
$= -72y^2 + 102y - 36 + 12y^2 - 57y - 15$
$= \underline{-60y^2 + 45y - 51}$

b. $\dfrac{5b-4}{4} - \dfrac{25-b}{1.25} + \dfrac{7}{8}b = 1.25b - 1 - 20 + 0.8b + 0.875b = \underline{2.925b - 21}$

c. $\dfrac{x}{1 + 0.085 \times \frac{63}{365}} + 2x\left(1 + 0.085 \times \dfrac{151}{365}\right) = 0.985541x + 2.070329x = \underline{3.05587x}$

d. $\dfrac{96nm^2 \quad 72n^2m^2}{48n^2m} = \dfrac{4m \quad 3nm}{2n}$

TBEXAM.COM

5. $P(1 + i)^n + \dfrac{S}{1 + rt} = \$2500(1.1025)^2 + \dfrac{\$1500}{1 + 0.09 \times \frac{93}{365}} = \$3038.766 + \$1466.374 = \underline{\$4505.14}$

6. *a.* $L(1 - d_1)(1 - d_2)(1 - d_3) = \$340(1 - 0.15)(1 - 0.08)(1 - 0.05) = \underline{\$252.59}$

b. $\dfrac{R}{i}\left[1 - \dfrac{1}{(1+i)^n}\right] = \dfrac{\$575}{0.085}\left[1 - \dfrac{1}{(1 + 0.085)^3}\right] = \$6764.706(1 - 0.7829081) = \underline{\$1468.56}$

7. *a.* $\dfrac{(-3x^2)^3(2x^{-2})}{6x^5} = \dfrac{(-27x^6)(2x^{-2})}{6x^5} = \underline{-\dfrac{9}{x}}$

b. $\dfrac{(-2a^3)^{-2}(4b^4)^{3/2}}{(-2b^3)(0.5a)^3} = \dfrac{\left(\frac{1}{4a^6}\right)(8b^6)}{(-2b^3)(0.125a^3)} = \dfrac{0.25a^{-6}(8b^6)}{-0.25b^3a^3} = \dfrac{2a^{-6}b^6}{-0.25b^3a^3} = -\dfrac{8b^{(6-3)}}{a^{(3+6)}} = \underline{-\dfrac{8b^3}{a^9}}$

8. $\left(-\dfrac{2x^2}{3}\right)^{-2}\left(\dfrac{5^2}{6x^3}\right)\left(-\dfrac{15}{x^5}\right)^{-1} = \left(-\dfrac{3}{2x^2}\right)^2\left(\dfrac{25}{6x^3}\right)\left(-\dfrac{x^5}{15}\right) = \left(\dfrac{9}{4x^4}\right)\left(\dfrac{25}{6x^3}\right)\left(-\dfrac{x^5}{15}\right) = -\dfrac{225x^5}{360x^7} = \underline{-\dfrac{5}{8x^2}}$

9. *a.* $(1.0075)^{24} = \underline{1.19641}$

b. $(1.05)^{1/6} - 1 = \underline{0.00816485}$

c. $\dfrac{(1 + 0.0075)^{36} - 1}{0.0075} = \underline{41.1527}$

TBEXAM.COM - THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

d. $\dfrac{1-(1+0.045)^{-12}}{0.045} = \underline{\underline{9.11858}}$

10. *a.* $\dfrac{(1.006\overline{)}^{240}-1}{0.006\overline{)}} = \dfrac{4.926802-1}{0.006\overline{)}} = \underline{\underline{589.020}}$

b. $(1+0.025)^{1/3}-1 = \underline{\underline{0.00826484}}$

11. *a.* $$\frac{2x}{1+0.13\times\frac{92}{365}} + x\left(1+0.13\times\frac{59}{365}\right) = \$831$$

$$1.936545x + 1.021014x = \$831$$
$$2.957559x = \$831$$
$$x = \underline{\underline{\$280.97}}$$

b. $$3x(1.03^5) + \frac{x}{1.03^3} + x = \frac{\$2500}{1.03^2}$$

$$3.47782x + 0.915142x + x = \$2356.49$$
$$x = \underline{\underline{\$436.96}}$$

12. *a.* $$\frac{x}{1.08^3} + \frac{x}{2}(1.08)^4 = \$850$$

$$0.793832x + 0.680244x = \$850$$
$$x = \underline{\underline{\$576.63}}$$

Check: $\frac{\$576.63}{1.08^3} + \frac{\$576.63}{2}(1.08)^4 = \$457.747 + \$392.249 = \$850.00$

b. $$2x\left(1+0.085\times\frac{77}{365}\right) + \frac{x}{1+0.085\times\frac{132}{365}} = \$1565.70$$

$$2.03586x + 0.970177x = \$1565.70$$
$$x = \underline{\underline{\$520.85}}$$

Check:

$2(\$520.85)\left(1+0.085\times\frac{77}{365}\right) + \frac{\$520.85}{1+0.085\times\frac{132}{365}} = \$1060.379 + \$505.317 = \$1565.70$

13. $N = L(1-d_1)(1-d_2)(1-d_3)$

$\$324.30 = \$498(1 - 0.20)(1 - d_2)(1 - 0.075)$

$\$324.30 = \$368.52(1 - d_2)$

$$\frac{\$324.30}{\$368.52} = (1 - d_2)$$

$d_2 = 1 - 0.8800 = \underline{\underline{0.120}} = \underline{\underline{12.0\%}}$

14. $V_f = V_i(1 + c_1)(1 + c_2)(1 + c_3)$

$\$586.64 = \$500(1 + 0.17)(1 + c_2)(1 + 0.09)$

$\$586.64 = \$637.65(1 + c_2)$

$$1 + c_2 = \frac{\$586.64}{\$637.65}$$

$c_2 = 0.9200 - 1 = \underline{\underline{-0.0800 = -8.00\%}}$

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

15. $FV = PV(1 + i_1)(1 + i_2)$

$$\frac{FV}{PV(1+i_2)} = (1 + i_1)$$

$$i_1 = \frac{FV}{PV(1+i_2)} - 1$$

16. $NI = (CM)X - FC$

$$NI + FC = (CM)X$$

$$CM = \frac{NI+FC}{X}$$

17. Given: Mint = \$0.202/gram; Camomile = \$0.158/gram; Blend = \$0.179/gram; Total Weight of Blend = 2kg

Let M represent grams of Mint tea used in the blend

Total cost of Mint tea + Total cost of Camomile tea = Price for 2kg of the blend

$\$0.202M + \$0.158(2000 - M) = \$0.179 \times 2000$

$\$0.202M + \$316 - \$0.158M = \$358$

$\$0.044M = \$42$

$M = 954.55$ grams

Norman's tea blend should contain 954.55 grams of Mint tea

18. Given: Ken's share = 0.80(Hugh's share) + \$15,000; Total distribution = \$98,430

Let H represent Hugh's share. Then

Hugh's share + Ken's share = Total distribution

$H + 0.8H + \$15{,}000 = \$98{,}430$

$1.8H = \$83{,}430$

$H = \$46{,}350$

Hugh should receive \$46,350 and Ken should receive \$98,430 – \$46,350 = \$52,080.

19. Given: Grace's share = 1.2(Kajsa's share); Mary Anne's share = $\frac{5}{8}$ (Grace's share)

Total allocated = \$36,000

Let K represent Kajsa's share.

(Kajsa's share) + (Grace's share) + (Mary Anne's share) = \$36,000

$K + 1.2K + \frac{5}{8}(1.2K) = \$36{,}000$

$2.95\,K = \$36{,}000$

$K = \$12{,}203.39$

Kajsa's should receive \$12,203.39. Grace should receive $1.2K = \$14{,}644.07$.

Mary Anne should receive $\frac{5}{8}$ (\$14,644.07) = \$9152.54.

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual

TBEXAM.COM

20. Given: Class A shares = $9 per share; Class B shares = $5 per share; Class C shares = $2 per share; Total value for 20,000 shares = $142,500.

Let x represent number of Class C shares

Value Class A shares + Value Class B shares + Value Class C shares = $142,500

$9(5x) + $5(20,000 – 6x) + $2x = $142,500

$45x + $100,000 - $30x + $2x = $142,500

$17x = $42,500

x = 2500

They issued 2500 Class C shares, 5 x 2500 = 12,500 Class A shares and

20,000 – 2500 – 12,500 = 5000 Class B shares

21. Given: Beef = $17.05 per kg; Pork = $12.10 per kg, Total kg sold = 150.

Total sales = $2022.90

Let x represent number of kg of beef sold.

$17.05x + $12.10(150 – x) = $2022.90

$17.05x + $1815 - $12.10x = $2022.90

$4.95 x = $207.90

x = 42

They sold 42 kg of beef sausage and 150 – 42 = 108 kg of pork sausage

TBEXAM.COM

TBEXAM.COM

TBEXAM.COM – THE WORLD'S LARGEST TEST BANK AND SOLUTIONS DATABASE WITH UNBEATABLE RATES
Business Mathematics In Canada (Canadian) 11th edition Jerome Solutions Manual