Small Animal Care and Management 4th edition Warren Test Bank

SKU: 9781285425528-TEST-BANK

Chapter 02 Safety

TRUEFALSE

1. Most humans carry antibodies against the disease Toxoplasmosis.

(A) True

(B) False

Answer : (A)

2. Ringworm is caused by a parasitic worm.

(A) True

(B) False

Answer : (B)

3. Parrot fever cannot be transmitted from birds to humans.

(A) True

(B) False

Answer : (B)

4. Cat-scratch fever is usually not serious and can be treated with antibiotics.

(A) True

(B) False

Answer : (A)

5. Far more dog bites than cat bites become infected.

(A) True

(B) False

Answer : (B)

6. Animal bites have generally not been shown to be a high risk for tetanus contaminations.

(A) True

Small Animal Care and Management 4th edition Warren Test Bank

(B) False

Answer : (A)

7. Non-protected workers who are exposed to rabies must undergo a series of about twenty injections over a two-month period.

(A) True

(B) False

Answer : (B)

8. Rocky Mountain spotted fever is primarily transmitted by deer ticks.

(A) True

(B) False

Answer : (B)

9. The first symptom of Lyme disease is a distinctive skin lesion that appears within hours of the initial bite.

(A) True

(B) False

Answer : (B)

10. Ticks are most often found in grassy or wooded areas.

(A) True

(B) False

Answer : (A)

11. If tapeworm eggs are accidentally ingested by humans, clinical signs may not appear for several years.

(A) True

(B) False

Answer : (A)

12. The main danger when working with rabbits is that they frequently bite.

Small Animal Care and Management 4th edition Warren Test Bank

(A) True

(B) False

Answer : (B)

13. When working with rabbits, it is best to place them on a piece of carpet or a towel, rather than on a smooth surface.

(A) True

(B) False

Answer : (A)

14. It's very important that you wash your hands frequently when working with animals.

(A) True

(B) False

Answer : (A)

15. Uniforms, lab coats, or coveralls worn while working with animals should be laundered separately from regular clothing.

(A) True

(B) False

Answer : (A)

MULTICHOICE

16. In addition to miscarriage and premature births, Toxoplasmosis can cause _____ in the unborn child.

(A) deafness

(B) blindness

(C) Down's Syndrome

(D) Cerebral Palsy

Answer : (B)

17. The ringworm fungus is no longer present when:

Small Animal Care and Management 4th edition Warren Test Bank

(A) the lesion starts to shrink

(B) the lesion starts to grow

(C) the lesion turns darker

(D) the lesion turns lighter

Answer : (A)

18. About how long does salmonellosis usually last?

(A) about 24 hours

(B) 2-5 days

(C) 4-7 days

(D) up to two weeks

Answer : (C)

19. Rabies is especially prevalent in certain localities near the Mexican border and which other section of the United States?

(A) Pacific coast

(B) Atlantic coast

(C) Midwest

(D) Great Lakes region

Answer : (B)

20. Rabies cases appear to be most common during which time of year?

(A) autumn

(B) winter

(C) spring

(D) summer

Answer : (D)

21. What is the first thing you should do if your pet has been bitten by another animal that might have rabies?

(A) put on gloves

(B) call your veterinarian

(C) contact the local animal control authorities

(D) isolate your pet from other animals and people

Answer : (A)

22. Ticks should be removed using:

(A) your bare fingers

(B) a hot matchstick

(C) forceps

(D) petroleum jelly

Answer : (C)

23. Which of these animals is NOT one of the normal intermediate hosts for the *Echinococcus multilocularis* species of tapeworm?

(A) foxes

(B) mice

(C) coyotes

(D) cats

Answer : (D)

24. An e-collar has which shape?

(A) box

(B) cone

(C) sphere

(D) rod

Answer : (B)

SHORTANSWER

25. _____ are diseases that can be transmitted from animals to humans.**Answer :** Zoonoses

Small Animal Care and Management 4th edition Warren Test Bank

26. A _____ is an organism that lives on or within another host organism and which derives its sustenance from the host.**Answer :** parasite

27. A _____ can be used to confirm psittacosis.**Answer :** blood test

28. Kittens and cats can shed millions of oocysts in their feces for as long as three _____ after infection.**Answer :** weeks

29. _____ begins as tiny blisters which eventually burst and leave small wet patches of red skin that may seep fluid.**Answer :** Impetigo

30. Children _____ years old are the primary victims of animal bites.**Answer :** five to nine

31. _____ and feral carnivores are frequently infected with rabies in the wild and are the most common source of human rabies in the United States.**Answer :** Bats

32. With Rocky Mountain spotted fever, early diagnosis and treatment with _____ is important.**Answer :** antibiotics

33. On the East Coast, white-footed mice serve as a _____ (immune host) for the *Borrelia* organism.**Answer :** reservoir

34. If ticks have attached themselves, they can be removed by grasping the tick as close to the _____ as possible.**Answer :** head

35. The use of insect repellent with _____% DEET is recommended to prevent tick bites.**Answer :** 20 to 30

36. Cats can be caught and restrained by a _____, which is a device that consists of a five- or six-foot pole with a rope and noose attached.**Answer :** catch pole

37. An _____ collar or e-collar is a protective device used to prevent animals from licking or biting at its body while wounds or injuries heal.**Answer :** Elizabethan

38. Some jobs may require workers to obtain a _____ to utilize pesticides in the workplace.**Answer :** pesticide license

39. The _____ is the most common portal of entry into the body for pesticides and other chemicals.**Answer :** skin

MULTICHOICE

40. Which of these is NOT one of the symptoms of roundworms in humans?

(A) fever

(B) cough

(C) poor appetite

(D) swelling

Answer : (D)