Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

SKU: 9781305087354-TEST-BANK

Name:_____ Class:_____ Date:_____

Chapter 02: Drug Sources and Dosage Forms

1. A solid preparation that can be spread when heated is called a:
   a. suppository b. spirit
   c. plaster d. pill
ANSWER: c
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

2. A trade name is developed by the:
   a. pharmacist b. manufacturer
   c. practitioner d. state board of pharmacy
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

3. The non-proprietary name often is referred to as the:
   a. generic name b. chemical name
   c. trade name d. brand name
ANSWER: a
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

4. Digoxin is made from a:
   a. mineral b. plant
   c. animal d. engineered source
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

5. Coal tar is used to treat which of the following disorders?
   a. rheumatoid arthritis b. psoriasis
   c. bacterial infections d. hyperlipidemia

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

6. Propylthiouracil is both an organic and inorganic drug that is classified as:
a. a steroid hormone b. an antithyroid hormone
c. an anti-parasitic d. an anti-nauseant
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

7. Many times, tablets are mistakenly called:
a. plasters b. lozenges
c. granules d. pills
ANSWER: d
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

8. A buffered tablet can prevent:
a. bleeding into the cerebrum b. ulceration of the stomach wall
c. blood clotting in a small vein d. calcification of the kidney
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

9. Which of the following medication dosage forms is contained in an external shell?
a. capsule b. caplet
c. buffered tablet d. granule
ANSWER: a
POINTS: 1
QUESTION TYPE: Multiple Choice

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

Chapter 02: Drug Sources and Dosage Forms

HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

10. A troche is also called a:
    a. gelcap b. plaster
    c. lozenge d. granule
ANSWER: c
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

11. Which of the following is a semisolid preparation that is usually nongreasy?
    a. cream b. ointment
    c. suppository d. gel
ANSWER: a
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

12. A drug dosage form that consists of a high concentration of sugar in water is called a:
    a. tincture b. spirit
    c. syrup d. fluidextract
ANSWER: c
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

13. Which of the following are NOT intended to be administered directly to a patient?
    a. syrups b. spirits
    c. fluidextracts d. tinctures
ANSWER: c
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

14. Elixirs differ from tinctures in that they are:
    a. sweetened b. designed for parenteral use
    c. designed for topical use d. colorless
ANSWER: a
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

15. Which of the following is an example of a spirit?
    a. digitalis b. saline
    c. peppermint d. Milk of Magnesia
ANSWER: c
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

16. Common examples of synthetic drugs include all of the following, except:
    a. gold preparations b. sulfonamides
    c. penicillamines d. oral contraceptives
ANSWER: a
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

17. Engineered drugs include all of the following, except:
    a. cancer drugs b. oral contraceptives
    c. growth hormones d. tissue plasminogen activator
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

18. A mixture of drugs with oil, soap, water, or alcohol that is intended for external application by rubbing is called:
    a. an emulsion b. a tincture

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

c. a suspension d. a liniment

ANSWER: d
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

19. Which of the following agents is mixed with a liquid but not dissolved?

a. fluidextracts b. suspensions
c. aromatic waters d. tinctures

ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

20. Which of the following is an example of a mixture?

a. Petrogalar Plain b. camphor water
c. phenobarbital liquid d. Milk of Magnesia

ANSWER: d
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

21. The use of generic names is encouraged over _____ names.

ANSWER: trade
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

22. A tablet shaped like a capsule is called a _____.

ANSWER: caplet
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

Chapter 02: Drug Sources and Dosage Forms

DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

23. A very small pill, usually gelatin- or sugar-coated containing a drug to be given in a small dose, is known as a _____.
ANSWER: granule
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

24. A small, disk-shaped tablet used for local treatment of the mouth or throat is called a _____.
ANSWER: lozenge
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

25. Nicotine, morphine sulfate, and atropine sulfate are derived from _____ sources.
ANSWER: plant
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

26. Tablets come in various sizes, shapes, colors and _____.
ANSWER: compositions
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

27. An enteric-coated tablet has a special coating to protect against _____.
ANSWER: stomach acid
POINTS: 1

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

Chapter 02: Drug Sources and Dosage Forms

QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

28. Capsule shells are usually made of hard cylindrical _____ and enclose powder, granules, or liquids.
ANSWER: gelatin
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

29. The most common sites of administration for suppositories are the rectum, vagina, and _____.
ANSWER: urethra
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

30. Children have far less difficulty in taking _____ drugs.
ANSWER: liquid
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

31. The _____ name is usually applied to compounds of known composition.
ANSWER: chemical
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

32. The nonproprietary name often is referred to as the _____ name.

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

ANSWER: generic
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

33. Thyroid and insulin are examples of drugs that come from _____ drug sources.
ANSWER: animal
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

34. Certain drugs are soluble in water and some are soluble in _____.
ANSWER: alcohol
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

35. A _____ tablet can prevent ulceration of the stomach wall.
ANSWER: buffered
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

36. A troche is usually placed between the cheek and _____ until it dissolves.
ANSWER: gum
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

37. Elixirs differ from tinctures in that they are _____.
ANSWER: sweetened
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

38. Most creams and lotions are _____.
ANSWER: emulsions
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

39. A _____ is a mixture of drugs with oil, soap, water, or alcohol, intended for external application with rubbing.
ANSWER: liniment
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

40. A _____ is a pharmaceutical preparation in which an insoluble drug, when shaken, is dispersed in a fluid long enough for a dose to be prepared.
ANSWER: suspension
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
STUDENT ENTRY MODE: Basic
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 1:15 PM

Match the terms with their descriptions.
a. Cream
b. Gel
c. Elixir
d. Emulsion

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

e. Fluidextract
f. Spirit
g. Lozenge
h. Caplet
i. Tincture
j. Liniment

QUESTION TYPE: Matching
HAS VARIABLES: False
DATE CREATED: 1/20/2015 1:15 PM
DATE MODIFIED: 1/20/2015 3:01 PM

41. An alcoholic solution of volatile substances that may be used as a solvent
ANSWER: f
POINTS: 1

42. A disk-shaped tablet composed of solidifying paste containing an astringent
ANSWER: g
POINTS: 1

43. A tablet shaped like a capsule
ANSWER: h
POINTS: 1

44. An alcoholic solution prepared from vegetable materials, used as a skin disinfectant
ANSWER: i
POINTS: 1

45. A jelly of a colloidal solution
ANSWER: b
POINTS: 1

46. A liquid preparation for external use, applied by friction to the skin
ANSWER: j
POINTS: 1

47. A clear, sweetened, flavored, hydroalcoholic liquid medication intended for oral use
ANSWER: c
POINTS: 1

48. Two liquids that cannot be mixed together in which one is dispersed in the form of very small globules throughout the other
ANSWER: d
POINTS: 1

49. A pharmacopeial liquid preparation of vegetable drugs

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank

ANSWER: e
POINTS: 1

50. A semisolid emulsion of either the oil-in-water or the water-in-oil type
ANSWER: a
POINTS: 1

Copyright Cengage Learning. Powered by Cognero.

Fundamental Pharmacology for Pharmacy Technicians 2nd edition Moini Test Bank