Statistics for Management and Economics 11th edition Keller Solutions Manual

SKU: 9781337093453-SOLUTIONS

Chapter 2

2.1 Nominal: Occupation, undergraduate major. Ordinal: Rating of university professor, Taste test ratings. Interval: age, income

2.2 a Interval

b Interval

c Nominal

d Ordinal

2.3 a Interval

b Nominal

c Ordinal

d Interval

e Interval

2.4 a Nominal

b Interval

c Nominal

d Interval

e Ordinal

2.5 a Interval

b Interval

c Nominal

d Interval

e Nominal

2.6 a Interval

b Interval

c Nominal

d Ordinal

e Interval

2.7 a Interval

b Nominal

c. Nominal

Statistics for Management and Economics 11th edition Keller Solutions Manual

d Interval

e Interval

f Ordinal

2.8 a Interval

b Ordinal

c Nominal

d Ordinal

2.9 a Interval

b Nominal

c Nominal

2.10 a Ordinal

b Ordinal

c Ordinal

2.11 a Nominal

b Interval

c Ordinal

2.12a Nominal


b Interval

c Interval


d Interval

2.13

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.14




2.15

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.16




2.17

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.18




2.19

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.20




2.21

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.22




2.23

Statistics for Management and Economics 11th edition Keller Solutions Manual





2.24



2.25


Statistics for Management and Economics 11th edition Keller Solutions Manual






2.26

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.27



2.28

Statistics for Management and Economics 11th edition Keller Solutions Manual




The basement is the top choice followed by kitchen, bathroom, bedroom, and living/dining room.

2.29 a

Newspaper	Frequency	Relative Frequency
Daily News	141	39.2%
Post	128	35.6%
Times	32	8.9%
WSJ	59	16.4%

b




The Daily News and the Post dominate the market

Statistics for Management and Economics 11th edition Keller Solutions Manual


2.30a

Degree	Frequency
BA	88
BBA	37
B Eng	51
B Sc	24
Other	30

b.




c




d. About 4 applicants in 10 have the BA degree, about one-fifth have a BEng. and one-sixth have a BBA.

Statistics for Management and Economics 11th edition Keller Solutions Manual

2.31a



b




c Dell is most popular with 40% proportion, followed by other, 26%, HP, 21% and Lenovo, 13%.

2.32 a

Software	Frequency
Excel	34
Minitab	17
SAS	3
SPSS	4
Other	12


b

Statistics for Management and Economics 11th edition Keller Solutions Manual




c Excel is the choice of about half the sample, one-quarter have opted for Minitab, and a small fraction chose SAS and SPSS.

2.33




2.34

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.35




2.36 a

Statistics for Management and Economics 11th edition Keller Solutions Manual



b




According to the survey Republicans favor the rich and Democrats are split among the middle class, poor, and rich.

2.37 a


Category	Frequency	Relative Frequency
Mom: Full time, Dad: Full time	403	46.0%
Mom: Part time, Dad: Full time	149	17.0%
Mom: Not employed, Dad: Full time	228	26.0%
Mom: Full time, Dad: Part time or not employed	53	6.0%
Mom: Not employed, Dad: Not employed	18	2.1%
Other	26	3.0%

Statistics for Management and Economics 11th edition Keller Solutions Manual

b




c



d In most households Dad is working full time. There are very few households where neither Mom nor Dad are working.

2.38

Statistics for Management and Economics 11th edition Keller Solutions Manual



A small majority oppose the Affordable Care Act.

2.39a

Views on social issues	Frequency	Relative Frequency
Liberal	322	31.4%
Moderate	328	32.0%
Conservative	375	36.6%

b


The country is split among the three views on social issues with a small plurality of conservatives.

Statistics for Management and Economics 11th edition Keller Solutions Manual

2.40 a


Views on economic issues	Frequency	Relative Frequency
Liberal	208	20.3%
Moderate	354	34.5%
Conservative	463	45.2%

b



Economically the country is conservative.


2.41



Statistics for Management and Economics 11th edition Keller Solutions Manual


There is decreasing numbers of Americans who did not finish high school and increasing numbers of those that go to college.

2.42



Spending is increasing in all seven areas.


2.43



In general crime was decreasing until 2014 when it started increasing.

2.44

Statistics for Management and Economics 11th edition Keller Solutions Manual



Universities 1 and 2 are similar and quite dissimilar from universities 3 and 4, which also differ. The two nominal variables appear to be related.

2.45

Count of Owner	Last				
Second-last	Exxon	Amoco	Texaco	Other	Grand Total
Exxon	39	36	51	23	149
Amoco	36	32	46	20	134
Texaco	54	46	65	29	194
Other	24	20	28	10	82
Grand Total	153	134	190	82	559

Count of Owner	Last				
Second-last	Exxon	Amoco	Texaco	Other	Grand Total
Exxon	25%	27%	27%	28%	27%
Amoco	24%	24%	24%	24%	24%
Texaco	35%	34%	34%	35%	35%
Other	16%	15%	15%	12%	15%
Grand Total	100%	100%	100%	100%	100%

The column proportions are similar; the two nominal variables appear to be unrelated. There does not appear to be any brand loyalty.

2.46


Statistics for Management and Economics 11th edition Keller Solutions Manual

3	Count of Respondent	Smoke?		
4	Parent	Smoke?	Do not smo	Grand Total
5	Neither	73	14	87
6	Father	26	12	38
7	Mother	31	18	49
8	Both	10	41	51
9	Grand Total	140	85	225

3	Count of Respondent	Smoke?		
4	Parent	Smoke?	Do not smoke	Grand Total
5	Neither	52%	16%	39%
6	Father	19%	14%	17%
7	Mother	22%	21%	22%
8	Both	7%	48%	23%
9	Grand Total	100%	100%	100%

The two variables are related.


2.47



There are large differences between men and women in terms of the reason for unemployment.


2.48

Statistics for Management and Economics 11th edition Keller Solutions Manual



The number of prescriptions filled by all stores except independent drug stores has increased substantially.


2.49



There appears to be differences between female and male students in their choice of light beer.


2.50

Statistics for Management and Economics 11th edition Keller Solutions Manual



There are differences among the five groups.


2.51



All three groups say that upper-income people pay too little. However Conservatives are more likely to say fair share than Moderates or Liberals


2.52

Statistics for Management and Economics 11th edition Keller Solutions Manual



Democrats support and Republicans oppose the Affordable Care Act.


2.53



No surprise-on social issues Democrats are liberal and Republicans are conservative.


2.54

Statistics for Management and Economics 11th edition Keller Solutions Manual




On economic issues Republicans are very conservative whereas Democrats and Moderates are mixed.

2.55




2.56

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.57




2.58

Statistics for Management and Economics 11th edition Keller Solutions Manual




The pattern is about the same for the three households.

2.59




2.60

Statistics for Management and Economics 11th edition Keller Solutions Manual



There are decreases in almost every state. However, there are many Americans without health insurance.


2.61



More students disagree than agree.


2.62

Statistics for Management and Economics 11th edition Keller Solutions Manual



More than 40% rate the food as less than good.

2.63




Statistics for Management and Economics 11th edition Keller Solutions Manual

2.64



Customers with children rated the restaurant more highly than did customers with no children.


2.65



Males and females differ in their areas of employment. Females tend to choose accounting marketing/sales and males opt for finance.


b

Statistics for Management and Economics 11th edition Keller Solutions Manual



Area and job satisfaction are related. Graduates who work in finance and general management appear to be more satisfied than those in accounting, marketing/sales, and others.


2.66



The survey oversampled women slightly.

2.67

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.68a

Married	1158
Widowed	209
Divorced	411
Separated	81
Never married	675


b. Pie chart

c.




Statistics for Management and Economics 11th edition Keller Solutions Manual

2.69




2.70




The patterns are similar.

2.71

Statistics for Management and Economics 11th edition Keller Solutions Manual




2.72



The patterns are similar.


2.73

Statistics for Management and Economics 11th edition Keller Solutions Manual



Males are slightly more likely to be self-employed than females.


2.74



The ”married” categories (4 and 5) make up more than 60% of the households.


2.75

Statistics for Management and Economics 11th edition Keller Solutions Manual



There are large differences between male and female heads of households.


2.76



Whites make up three quarters of the survey.


2.77

Statistics for Management and Economics 11th edition Keller Solutions Manual




There are large differences between the four races in terms of family structure.

2.78



College degree holders are much more likely to own their homes.

Statistics for Management and Economics 11th edition Keller Solutions Manual



Slides by:
Andrew Stephenson
Georgia Gwinnett College

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Chapter Two

1.2

Graphical Descriptive Techniques 1

- Types of Data and Information
- Describing a Set of Nominal Data
- Describing the Relationship between Two Nominal Variables and Comparing Two or More Nominal Data Sets

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

1.3

Definitions

A **variable** is some characteristic of a population or sample.

E.g. student grades.

Typically denoted with a capital letter: X, Y, Z…

The **values** of the variable are the range of possible values for a variable.

E.g. student marks (0..100)

Data are the ***observed values*** of a variable.

E.g. student marks: {67, 74, 71, 83, 93, 55, 48}

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

1.4

Hierarchy of Data

Data (at least for purposes of Statistics) fall into three main groups:

Interval Data

Nominal Data

Ordinal Data

The data types can be placed in order of the permissible calculations. At the top of the list, we place the interval data type because virtually *all* computations are allowed. The nominal data type is at the bottom because *no* calculations other than determining frequencies are permitted.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

1.5

Interval data

- Real numbers, i.e. heights, weights, prices, etc.
- Also referred to as **quantitative** or **numerical**.

Arithmetic operations can be performed on Interval Data, thus its meaningful to talk about 2*Height, or Price + $1, and so on.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

Nominal Data

- The values of **nominal** data are ***categories.***

E.g. responses to questions about marital status, coded as:

Single = 1, Married = 2, Divorced = 3, Widowed = 4

These data are **categorical** in nature; arithmetic operations don't make any sense (e.g. does Widowed ÷ 2 = Married?!)

Nominal data are also called **qualitative** or **categorical**.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

Ordinal Data appear to be categorical in nature, but their values have an ***order***; a ranking to them:

E.g. College course rating system:

poor = 1, fair = 2, good = 3, very good = 4, excellent = 5

While its still not meaningful to do arithmetic on this data (e.g. does 2*fair = very good?!), we can say things like:

`excellent > poor` or **`fair < very good`**

That is, order is maintained no matter what numeric values are assigned to each category.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

As mentioned above,

- All calculations are permitted on **interval** data.
- Only calculations involving a ranking process are allowed for **ordinal** data.
- No calculations are allowed for **nominal** data, save counting the number of observations in each category.

This lends itself to the following "hierarchy of data"…

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Types of Data & Information

Interval

Values are real numbers.

All calculations are valid.

Data may be treated as ordinal or nominal.

Ordinal

Values must represent the ranked order of the data.

Calculations based on an ordering process are valid.

Data may be treated as nominal but not as interval.

Nominal

Values are the arbitrary numbers that represent categories.

Only calculations based on the frequencies of occurrence are valid.

Data may not be treated as ordinal or interval.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing a Set of Nominal Data

Graphical & Tabular Techniques for Nominal Data…

The only allowable calculation on nominal data is to count the frequency of each value of the variable.

We can summarize the data in a table that presents the categories and their counts called a ***frequency distribution.***

A ***relative frequency distribution*** lists the categories and the proportion with which each occurs.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Example 2.1 Work Status in the GSS 2012 Survey

[GSS2012*] In Chapter 1 we briefly introduced the General Social Survey. In the 2012 survey respondents were asked the following question.

Last week were you working full time, part time, going to school, keeping house, or what? The responses were

1. Working full time
2. Working part time
3. Temporarily not working
4. Unemployed, laid off
5. Retired
6. School
7. Keeping house
8. Other

The responses were recorded using the codes 1, 2, 3, 4, 5, 6, 7, and 8, respectively.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing a Set of Nominal Data


Frequency and Relative Frequency Distributions

Work Status	Code	Frequency	Relative Frequency (%)
Working full-time	1	912	46.2
Working part-time	2	226	11.5
Temporarily not working	3	40	2.0
Unemployed, laid off	4	104	5.3
Retired	5	357	18.1
School	6	70	3.5
Keeping house	7	210	10.6
Other	8	54	2.7

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing a Set of Nominal Data

Nominal Data (Frequency)




Bar Charts are often used to display ***frequencies…***

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing a Set of Nominal Data

Nominal Data (Relative Frequency)




Pie Charts show ***relative frequencies…***

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.


Describing a Set of Nominal Data

Bar Chart



It is all the same ***information,*** (based on the same ***data***). Just different ***presentation.***

Pie Chart



© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing the Relationship between Two Nominal Variables

To describe the relationship between two nominal variables, we must remember that we are permitted only to determine the frequency of the values. As a first step we need to produce a cross-classification table, which lists the frequency of each combination of the values of the two variables

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Example 2.4 Newspaper Readership Survey

In a major North American city there are four competing newspapers: the *Globe and Mail (G&M), Post, Sun,* and *Star*. To help design advertising campaigns, the advertising managers of the newspapers need to know which segments of the newspaper market are reading their papers. A survey was conducted to analyze the relationship between newspapers read and occupation. A sample of newspaper readers was asked to report which newspaper they read: *Globe and Mail* (1) *Post* (2), *Star* (3), *Sun* (4), and to indicate whether they were blue-collar worker (1), white-collar worker (2), or professional (3). The responses are stored in Xm02-04 using the codes. Some of the data are listed here.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Example 2.4

Reader	Occupation	Newspaper
1	2	2
2	1	4
3	2	1
. .	.	.
. .	.	.
352	3	2
353	1	3
354	2	3

Determine whether the two nominal variables are related.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Describing the Relationship between Two Nominal Variables

Cross-Classification Table of Frequencies

	Newspaper				
Occupation	G&M	*Post*	*Star*	*Sun*	Total
Blue collar	27	18	38	37	120
White collar	29	43	21	15	108
Professional	33	51	22	20	126
Total	89	112	81	72	354

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.


Describing the Relationship between Two Nominal Variables

Row Relative Frequencies

	Newspaper				
Occupation	*G&M*	*Post*	*Star*	*Sun*	Total
Blue collar	.23	.15	.32	.31	1.00
White collar	.27	.40	.19	.14	1.00
Professional	.26	.40	.17	.16	1.00
Total	.25	.32	.23	.20	1.00

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Graphing the Relationship between 2 Nominal Variables



The shapes of the bar charts for White-collar and Professional are very similar, but both differ considerably from Blue collar.

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.

Graphing the Relationship between 2 Nominal Variables

INTERPRET

If the two variables are unrelated, the patterns exhibited in the bar charts should be approximately the same. If some relationship exists, then some bar charts will differ from others.

The graphs tell us the same story as did the table. The shapes of the bar charts for occupations 2 and 3 (White-collar and Professional) are very similar. Both differ considerably from the bar chart for occupation 1 (Blue-collar).

© 2018 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part, except for use as permitted in a license distributed with a certain product or service or otherwise on a password-protected website for classroom use.