
Elementary Geometry for College Students 7th edition Alexander Test Bank

SKU: 9781337614085-TEST-BANK

Chapter 02: Proof Problems




1. Supply missing *reasons* for this proof.

Given: $m \parallel n$
Prove: $\angle 1 \cong \angle 3$

S1. $m \parallel n$ R1.
S2. $\angle 1 \cong \angle 2$ R2.
S3. $\angle 2 \cong \angle 3$ R3.
S4. $\angle 1 \cong \angle 3$ R4.

ANSWER: R1. Given
R2. If 2 parallel line are cut by a transversal, then corresponding angles are congruent.
R3. If two lines intersect, the vertical angles formed are congruent.
R4. Transitive Property of Congruence



2. Supply missing *statements* and missing *reasons* for the following proof.

Given: $m \parallel n$ and transversal p; $\angle 1$ is a right angle
Prove: $\angle 2$ is a right angle


S1. $m \parallel n$ and transversal p R1.
S2. $\angle 1 \cong \angle 2$ R2.
S3. R3. Congruent measures have equal measures.
S4. $m\angle 1 = 90$ R4.

Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank

S5. R5. Substitution Property of Equality
S6. R6. Definition of a right angle

ANSWER: R1. Given
R2. If 2 parallel lines are cut by a trans, corresponding angles are congruent.
S3. $m\angle 1 = m\angle 2$
R4. Given
S5. $m\angle 2 = 90$
S6. $\angle 2$is a right angle



3. In the figure, $x \parallel y$ and transversal z. Explain why $\angle 2$and $\angle 3$must be supplementary.

ANSWER: With $x \parallel y$, corresponding angles 1 and 3 must be congruent. Then $m\angle 1 = m\angle 3$.
But $\angle 1$and $\angle 2$are supplementary in that the exterior sides of these adjacent angles form a straight line. Then $m\angle 1 + m\angle 2 = 180$. By substitution, $m\angle 3 + m\angle 2 = 180$. Then $\angle 2$and $\angle 3$are supplementary.


4. Use an indirect proof to complete the following problem.

Given: $\angle 1$and $\angle 2$are supplementary (no drawing)
Prove: $\angle 1$and $\angle 2$are *not* both obtuse angles.

ANSWER: Suppose that $\angle 1$and $\angle 2$are both obtuse angles. Then $m\angle 1 > 90$and $m\angle 2 > 90$.
It follows that $m\angle 1 + m\angle 2 > 180$. But it is given that $\angle 1$and $\angle 2$are supplementary, so that $m\angle 1 + m\angle 2 = 180$.
With a contradiction of the known fact, it follows that the supposition must be false; thus, $\angle 1$and $\angle 2$are *not* both obtuse angles.


Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank



5. Use an indirect proof to complete the following problem.

Given: $\angle 1$ is not congruent to $\angle 2$
Prove: $\overrightarrow{YW}$ does not bisect $\angle XYZ$
ANSWER: Suppose that $\overrightarrow{YW}$ does bisect $\angle XYZ$. Then $\angle 1 \cong \angle 2$.
But it is given that $\angle 1$ is not congruent to $\angle 2$.
Thus, the supposition must be false and it follows that $\overrightarrow{YW}$ does not bisect $\angle XYZ$



6. Supply missing *statements* in the following proof.


Given: $m \parallel n$ and $n \parallel p$
Prove: $m \parallel p$

S1. R1. Given
S2. R2. If 2 parallel lines are cut by a transversal, corr. angles are congruent.
S3. R3. Given
S4. R4. Same as #2.
S5. R5. Transitive Property of Congruence
S6. R6. If 2 lines are cut by a transversal so that corresponding angles are congruent, then these lines are parallel.
ANSWER: S1. $m \parallel n$

Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank

S2. $\angle 1 \cong \angle 2$
S3. $n \parallel p$
S4. $\angle 2 \cong \angle 3$
S5. $\angle 1 \cong \angle 3$
S6. $m \parallel p$




7. Supply missing *statements* and *reasons* for the foloowing proof.

Given: $\angle 1$ is supplementary to $\angle 4$
Prove: $x \parallel y$

S1. R1.
S2. $\angle 3$ is supp. to $\angle 4$ R2. If the ext. sides of 2 adj. angles form a line, the angles are supp.
S3. R3. Angles supp. to the same angle are congruent.
S4. R4.

ANSWER: S1. $\angle 1$ is supplementary to $\angle 4$
R1. Given
S3. $\angle 1 \cong \angle 3$
S4. $x \parallel y$
R4. If 2 lines are cut by a trans. so that corr. angles are congruent, these lines are parallel.



8. In the triangle shown, $\angle C$ is a right angle.Explain why $\angle A$ and $\angle B$ are complementary.

Copyright Cengage Learning. Powered by Cognero.


Elementary Geometry for College Students 7th edition Alexander Test Bank

ANSWER: The sum of the angles of a triangle is 180. With $\angle C$ being a right angle. $m\angle C = 90$.
Then $m\angle A + m\angle B + 90 = 180$. By subtraction, $m\angle A + m\angle B = 90$.
Thus, $\angle A$ and $\angle B$ are complementary.

9. Explain the following statement.

The measure of each interior angle of an equiangular triangle is 60.

ANSWER: The sum of the three angles of a triangle is 180. Let *x* represent the measure of each angle of the equiangular triangle. Then $x + x + x = 180$, so $3x = 180$. Dividing by 3, $x = 60$. That is, the measure of each interior angle of an equiangular triangle is 60.



10. Supply missing *reasons* for the following proof.


Given: ΔABC with D-B-A
Prove: $m\angle 1 = m\angle A + m\angle C$

S1. ΔABC with D-B-A R1.
S2. $m\angle A + m\angle C + m\angle CBA = 180$ R2.
S3. $\angle 1$ and $\angle CBA$ are supp. R3.
S4. $m\angle 1 + m\angle CBA = 180$ R4.
S5. $m\angle 1 + m\angle CBA = m\angle A + m\angle C + m\angle CBA$ R5.
S6. $m\angle 1 = m\angle A + m\angle C$ R6.

ANSWER: R1. Given
R2. The sum of the interior angles of a triangle is 180.
R3. If the exterior sides of 2 adjacent agles form a line, these angles are supplementary.
R4. Definition of supplementary angles
R5. Substitution Property of Equality
R6. Subtraction Property of Equality

Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank




11. Supply missing *statements* and missing *reasons* for the following proof.

Given: ΔRST so that $\overline{VS}$ bisects $\angle RST$;
also, $\angle 3 \cong \angle 4$
Prove: $\angle R \cong \angle T$

S1. ΔRST so that $\overline{VS}$ bisects $\angle RST$ R1.
S2. R2.
S3. R3. Given
S4. R4. If 2 angles of one triangle are congruent to 2 angles of a second triangle, then the third angles of these triangles are also congruent.

ANSWER: R1. Given
S2. $\angle 1 \cong \angle 2$
R2. Definition of angle-bisector
S3. $\angle 3 \cong \angle 4$
S4. $\angle R \cong \angle T$



12. Using the drawing provided, explain the following statement.

The sum of the interior angles of a quadrilateral is 360.

ANSWER: In ΔMNQ, $m\angle M + m\angle 1 + m\angle 3 = 180$. Similarly, $m\angle P + m\angle 2 + m\angle 4 = 180$.

Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank

By the Addition Property of Equality, $m\angle M + (m\angle 1 + m\angle 2) + m\angle P + (m\angle 3 + m\angle 4) = 360$.
That is, $m\angle M + m\angle MNP + m\angle p + m\angle PQM = 360$.

13. Use an indirect proof to complete the following problem.

Given: ΔABC(not shown)
Prove: $\angle A$and $\angle B$cannot both be right angles.

ANSWER: Suppose that $\angle A$and $\angle B$are both be right angles. Then $m\angle A = 90$and $m\angle B = 90$.
By the Protractor Postulate, $m\angle C > 0$. Then $m\angle A + m\angle B + m\angle C > 180$. But this last statement contradicts the fact that the sum of teh three interior angles of a triangle is exactly 180. Thus, the supposition must be false and it follows that $\angle A$and $\angle B$cannot both be right angles.

Copyright Cengage Learning. Powered by Cognero.

Elementary Geometry for College Students 7th edition Alexander Test Bank